

The FormsVBT Reference Manual

Version 2.2

Marc H. Brown and James R. Meehan

March 25, 1993

©Digital Equipment Corporation 1992-1993

This work may not be copied or reproduced in whole or in part for any commercial purpose. Permission to copy in whole or in part without payment of fee is granted for nonprofit educational and research purposes provided that all such whole or partial copies include the following: a notice that such copying is by permission of the Systems Research Center of Digital Equipment Corporation in Palo Alto, California; an acknowledgment of the authors and individual contributors to the work; and all applicable portions of the copyright notice. Copying, reproducing, or republishing for any other purpose shall require a license with payment of fee to the Systems Research Center. All rights reserved.

Contents

1	Introduction	7
	<i>Presents an overview to the system. Every user needs to read this chapter; read it first.</i>	
2	Tutorial	11
	<i>A gentle introduction to using FormsVBT for building some simple, but real, applications.</i>	
2.1	Getting Started	11
2.2	Resources	13
2.3	The FormsVBT Language	14
2.4	The Three-Cell Calculator Application	16
2.5	Improving Readability	20
2.6	Separating the UI from the Application	22
2.7	Subwindows	23
2.8	Modal Dialogs	25
2.9	A File Viewer	26
3	The FormsVBT Language	31
	<i>Describes the syntax and primitives of the language.</i>	
3.1	Basic Syntax	31
3.2	Components	31
3.3	Properties	33
3.3.1	Varieties of Properties	38
3.4	Syntactic Shortcuts	41
3.5	Macros	42
3.6	Layout	46
3.6.1	How Sizes are Specified	47
3.6.2	Precedence of Size Constraints	48
3.7	Subwindows	48
3.8	Catalog of Components	52

4 Programming with FormsVBT 57

Describes how to write a FormsVBT application and connect it to a “form.” Almost every user needs to read this.

4.1	The FormsVBT Interface	57
4.2	Creation, allocation, and initialization	57
4.3	Events and Symbols	60
4.3.1	Attaching event-handlers	60
4.3.2	Access to the current event	61
4.3.3	Symbol management	61
4.4	Reading and Changing State	62
4.4.1	Access to the <code>Main</code> and <code>Value</code> properties	62
4.4.2	Access to arbitrary properties	63
4.4.3	Access to the underlying VBTs	64
4.4.4	Radios and Choices	64
4.4.5	Generic interactors	64
4.4.6	Special controls for Filters	65
4.4.7	Access to Subwindows	65
4.4.8	Special controls for text-interactors	66
4.5	Saving and restoring state	66
4.6	Dynamic Alteration of Forms	67
4.6.1	Modifying forms in place	67
4.6.2	Reading and printing S-expressions	68
4.7	Subclasses of components	69

5 FormsEdit 71

Tells how to use `formsedit`, the FormsVBT interface builder. Not necessary, but makes using FormsVBT a lot more fun.

5.1	Getting started	72
5.2	The menubar	72
5.3	The “Do It” button	73
5.4	Errors	74

A Full Description of Components 75

This is an in-depth reference section; do not feel obliged to read it on your first reading of this manual.

Bar	77
Boolean	78
Border	80
Browser	81

Button	83
Chisel	84
Choice	85
CloseButton	86
DirMenu	87
FileBrowser	88
Fill	91
Filter	92
Frame	93
Generic	94
Glue	95
Guard	96
Helper	97
HBox	98
HPackSplit	99
HTile	100
Insert	101
LinkButton	102
LinkMButton	103
MButton	104
Menu	105
MultiBrowser	106
Numeric	107
PageButton	108
PageMButton	109
Pixmap	110
PopButton	111
PopMButton	112
Radio	113
Ridge	114
Rim	115
Scale	116
Scroller	117
Shape	119
Source	120
Target	121
Text	122
TextEdit	123
Texture	124
TrillButton	125
TSplit	126
TypeIn	127

Typescript	129
VBox	130
Viewport	131
VPackSplit	133
VTile	134
ZBackground	135
ZChassis	136
ZChild	138
ZGrow	139
ZMove	140
ZSplit	141
B Miscellaneous Interfaces	143
B.1 The ColorName Interface	144
B.2 The XTrestle Interface	147
B.3 The XParam Interface	148
B.4 The FVTypes Interface	152
B.5 The Rsrc interface	155
C An Annotated Example	157
C.1 The top-level filter	159
C.2 Simple macros	159
C.3 A recursive macro	160
C.4 A macro for menu-items	161
C.5 A macro for a Finder-dialog	162
C.6 A macro for yes/no dialogs	164
C.7 A macro for confirmation dialogs	166
C.8 A macro for a file-chooser	167
C.9 The background child	169
C.10 The menubar	169
C.11 The quill-pen menu	170
C.12 The File menu	172
C.13 The Edit Menu	173
C.14 The Misc Menu	173
C.15 The Finder-dialog	174
C.16 The Help subwindow	175
C.17 A disappearing subwindow	175
C.18 The About... window	176
C.19 The error-message subwindow	176
C.20 The pretty-print-width subwindow	177
C.21 The snapshot subwindow	179
C.22 The named-components subwindow	179

C.23 The open-file dialog 179

C.24 The save-as dialog 181

C.25 The confirmation dialogs 181

C.26 The yes/no dialogs 181

Index 187

1. Introduction

FormsVBT is a system for building graphical user interfaces (GUIs). It consists of a language for describing an application's user interface, a stand-alone application for constructing the user interface, and a runtime library for communicating between an application's code and its user interface.

A user interface in FormsVBT is a hierarchical arrangement of *components*. Components include passive visual elements, basic interactors, modifiers that add interactive behavior to other components, and layout operators that take groups of low-level components and organize them geometrically. In the FormsVBT language, the arrangement is written as a symbolic expression (S-expression). The outermost expression is the *form* or top-level component, and subexpressions are either properties that modify a component or other, subordinate components.

The FormsVBT interface builder, *formsedit*, provides a *text editor* and a *result view* of the user interface, as shown in Fig. 1. The text editor displays the S-expression underlying the user interface, while the result view shows the user interface as it will look at runtime, with proper reaction to mouse and keyboard activity, as well as proper sizing and stretching. Of course, the result view cannot reveal exactly how an application's user interface will look and behave, since there is no application code running, but it's usually pretty close. The result view is updated as the user edits in the text view. Interacting in the result view does not update the text view or change the underlying S-expression.

The runtime library provides the communication between an application and its user interface. There are procedures to convert an S-expression into a window object, procedures to register *event-handlers* that will be invoked in response to user actions, procedures to retrieve and modify the values of the components, procedures to change the appearance (and even the hierarchy) of the components, and so on.

Each component in FormsVBT is implemented by a window class (i.e., a VBT) provided by VBTkit or Trestle. Most of the things that you'd want to do with a component can be done via FormsVBT. However, there may be occasions when you would like direct access to the underlying VBT. FormsVBT provides such access. (You'll probably find it helpful to have a copy of the reference manuals for VBTkit [2] and Trestle [6], as well as the Trestle Tutorial [7].)

The FormsVBT system is implemented in Modula-3[3, 8]. It is based on an earlier system implemented in Modula-2+[1]. That version was unique among user interface development environments for its multi-view editor, and noteworthy for its extensibility and simplicity. In this implementation,




Figure 1.1: The FormsVBT interface builder, formsedit, in action. The Text View is on the right and the Result View is on the left.

the editor is not multi-view; there is no graphical, direct-manipulation, WYSIWYG editor integrated with the text view. Also, this implementation is not extensible by clients.

Indeed, one of the primary themes shaping the development of the system has been to deliver a “95% solution.” By that, we mean that 95% of what clients do should be trivial to do; of the remaining 5%, 95% of that should be pretty easy to do; and the remaining things should be possible and no harder to do than without FormsVBT.

2. Tutorial

To use FormsVBT, you need a copy of SRC Modula-3 (Version 2.11 or later) and an X server for your system. If you have these, you may want to compile and run the example programs as you read this chapter.

2.1 Getting Started

The first example program is in the file `Hello.m3`:

```
MODULE Hello EXPORTS Main;
IMPORT FormsVBT, Trestle;
VAR fv := FormsVBT.NewFromFile ("Hello.fv");
BEGIN
  Trestle.Install(fv);
  Trestle.AwaitDelete(fv)
END Hello.
```

The program builds a *form* (sometimes called a “dialog box” or a “user interface”) whose description is contained in a file named `Hello.fv`. It installs the form in a top-level window, and then just waits until that window is deleted by the user. The window installed by the program is shown in the left half of Fig. 2.1.

The file `Hello.fv` contains the following S-expression:

```
(VBox
  (Text "Hello FormsVBT!")
  (Bar)
  (HBox (Text "Left") (Bar) (Text "Right")))
```

The top-level component is a `VBox`. A `VBox` takes an arbitrary number of children and arranges them vertically from top to bottom. This `VBox` has 3 children: `Text`, `Bar`, and `HBox`. A `Text` displays a text string, a `Bar` draws a line orthogonal to the orientation of its parent, and an `HBox` arranges its children horizontally, from left to right. The `HBox` has 3 children, two `Text`s and one `Bar`.

A convenient way to compile and link your programs is to use `m3make`. The `m3makefile` for the “Hello FormsVBT!” application is as follows:




Figure 2.1: The “Hello FormsVBT!” example program. The initial version is on the left; the second version on the right.

```
import_obj      ($ (FORMSVBTLIB))
implementation  (Hello)
program        (Hello)
```

Then you can compile and link the `Hello` program by typing the shell-command `m3make` in that directory. Most Modula-3 programmers at SRC find it convenient to use a separate directory and `m3makefile` for each program.

Here’s a slightly fancier version of the interface (shown in the right half of Fig. 2.1):

```
(Rim (Pen 20)
  (Border (Pen 1)
    (Rim (Pen 2)
      (Border (Pen 2)
        (VTile
          (Text "Hello FormsVBT!")
          (HBox
            (LabelFont (PointSize 240))
            (Color "White")
            (Text (BgColor "Pink") "Left")
            (Bar)
            (Text (BgColor "VividBlue") "Right"))))))))
```

The top-level component is a `Rim` whose `Pen` property has a value of 20. A `Rim` must contain exactly one child (a `Border` in this case), and it surrounds its child with some background space. Here, the `Rim` provides 20 points of background space between each edge of the window manager’s window frame and the rest of the interface. A `Border` is just like a `Rim`, but draws with a foreground color rather than with the background. We replaced the `VBox` with a `VTile`, and deleted its `Bar` child. A `VTile` is like a `VBox`, but it also automatically inserts an adjustable dividing bar between its children. The adjusting bar allows the user to control the division of space among the children. The `HBox` has been given two properties, `Color` and `LabelFont`. These control the foreground

color and font used by the `HBox` and all of its descendants. Similarly, the `BgColor` property changes the background color used.

The fancy version of “Hello FormsVBT!” is in the file `HelloFancy.fv`; to run the application using this file, either modify the application to use `HelloFancy.fv`, or rename the file `HelloFancy.fv` to be `Hello.fv`. Alternatively, you might find it more enjoyable to run the FormsVBT interactive UI builder, `formsedit`. Just type the shell-command

```
formsedit HelloFancy.fv
```

Exercise 1: Write the FormsVBT S-expression for T^4 , a Trestle Tiling Monster of Order 4. (See the *Trestle Tutorial*, Fig. 2 on page 5.)

2.2 Resources

A resource is constant data that is needed by an application program at runtime; often it is “loaded” at startup time. Almost all FormsVBT programs have resources, such as the `.fv` (pronounced “dot ef vee”) files that specify the user interface. Other typical resources that are specific to an application include bitmaps, cursors, and help-texts.

When an application is built, its resources can be “bundled” with the executable image. The primary feature of this strategy is that applications are self-contained with respect to the resources they need. Thus, you can copy an executable to a remote site and you won’t need to copy the resource files and install them in the same place as they were when the application was built. Also, your application will be insulated against a library changing the resources that it uses.

The easiest way to do this is to name the resources and the bundle in the `m3makefile`, as in this example:

```
import_obj      ($ (FORMSVBTLIB) )
resource        (Hello.fv)
bundle          (HelloBundle)
implementation  (Hello)
program         (Hello)
```

The second line declares that there is a resource named `Hello.fv`. The third line has the effect of collecting all the previously named resources and creating an interface called `HelloBundle` that provides access to them. The program would then be modified to look like this:

```

MODULE Hello EXPORTS Main;
IMPORT FormsVBT, HelloBundle, Rsrc, Trestle;
VAR
  path := Rsrc.BuildPath (HelloBundle.Get ());
  fv   := NEW (FormsVBT.T).initFromRsrc ("Hello.fv", path);
BEGIN
  Trestle.Install (fv);
  Trestle.AwaitDelete (fv)
END Hello.

```

The call to `HelloBundle.Get` returns a bundle, and that is used to create a resource-path, which the `initFromRsrc` method searches.

But what if you *want* the application to use new resource files? For example, you might have changed some details of the `.fv` file that don't require any changes to the application code. Do you have to rebuild the entire application?

Fortunately, the answer is no. However, you do need to tell FormsVBT that you want it to look for those resources in the file system *before* it looks for them among the resources that were bundled into the application. You do this by changing the resource-path so that it includes one or more directories before the bundle.

The convention is to use environment variables whose names are spelled by combining the program's name with the string `PATH`. This variable should be set to a list of directory-names, each separated by a colon. So, if you want to run the `Hello` program using the `Hello.fv` file that's in Smith's home directory instead of the one that's bundled with the application, you would type something like this shell command:

```
setenv HelloPATH /user/smith
```

In the program, you would construct a resource-path that included this directory by adding the name `HelloPATH`, prefixed with a dollar sign:

```

MODULE Hello EXPORTS Main;
IMPORT FormsVBT, HelloBundle, Rsrc, Trestle;
VAR
  path := Rsrc.BuildPath ("${HelloPATH}", HelloBundle.Get ());
  fv   := NEW (FormsVBT.T).initFromRsrc ("Hello.fv", path);
BEGIN
  Trestle.Install (fv);
  Trestle.AwaitDelete (fv)
END Hello.

```

2.3 The FormsVBT Language

Syntactically, there are three types of components: leaves, filters, and splits. A *leaf* has no children; a *filter* has exactly one child; and a *split* has any number of children.

The FormsVBT *leaf* components include passive objects like texts and pixmaps, as well as interactive objects like scrollbars and type-in fields.

A *filter* modifies its child's looks or behavior in some way. We've seen how a `Border` draws a border around its child. Another common filter is `Boolean`. It adds a check box to the left of its child and makes the box and the child sensitive to mouse clicks. It's important to realize that the child may be any arbitrarily complex arrangement of components, although a `Text` component is the most common.

The purpose of most *splits* is to divide the display area among its component-children (sub-components). In addition to the horizontal and vertical splits that we've seen, FormsVBT provides a temporal split (`TSplit`) to display exactly one child at any given time, and a z-axis split (`ZSplit`) to display children as overlapping subwindows.

Components are written as lists containing the component's name, followed by some number of properties, followed by some number of sub-components. Properties are written as lists containing a keyword and a value. For example, in this component,

```
(HBox
  (LabelFont (PointSize 240))
  (Color "White")
  (Text "Left")
  (Bar)
  (Text "Right"))
```

the component's name is `HBox`. It has two properties; the first property has the keyword `LabelFont` and the value `(PointSize 240)`; the second has the keyword `Color` and the value `"White"`. It has three sub-components: `(Text "Left")`, `(Bar)`, and `(Text "Right")`.

The value of each property is type-checked when the description is parsed. The possible types of values include simple types like strings, integers, and real numbers, and more complicated values like color and font specifications.

We have seen two kinds of properties. *Class* properties, like `Pen`, are defined in conjunction with specific components, and are allowed only on components of that class. *Inherited* properties, like `Color` and `LabelFont`, may be specified for any component, though they are not relevant to all component types. The inherited properties have the feature that a value specified for one component becomes the default value for all descendants of that component. Thus an inherited property applies not to one component, but to an entire subtree.

FormsVBT supports a third type of property, *universal* properties. A universal property can be specified on any component, and its value applies to that component only.

To summarize, the FormsVBT language offers a rich set of composition mechanisms and a variety of predefined objects, allowing easy specification and implementation of complex user interfaces. This philosophy is quite similar to that of *InterViews* [5], a popular C++ toolkit running on X. Nearly all of the primitive objects found in the VBTkit and Trestle window system, upon which FormsVBT is based, have counterparts in *InterViews*.

Exercise 2: In `HelloFancy.fv`, wrap a `Scale` component around the top-level `Rim`. The `Scale`

has two class properties: `HScale` and `VScale`. What happens when the values of both of these properties are set to 1.75? What happens when you nest `Scale` filters?

2.4 The Three-Cell Calculator Application

A more interesting application is a three-cell calculator.¹ The user can enter two numbers and an arithmetic operation to perform on the two numbers. The result is computed and displayed whenever a new arithmetic operation is selected or a new number is entered. Fig. 2.2 shows the application in action.

The user interface is described by the following `FormsVBT` expression:

```
(Shape (Width 300 + 100 - 50) (Height + 25)
  (Rim (Pen 20)
    (VBox
      (HBox
        (VBox Fill (Numeric %num1 =5) Fill)
        (Radio %functions =add
          (VBox
            (Choice %div "divide")
            (Choice %mul "multiply")
            (Choice %sub "subtract")
            (Choice %add "add")))
        (VBox Fill (Numeric %num2 =2) Fill)
        (Text "=")
        (Text %result LeftAlign ""))
      (Glue 10)
      (HBox Fill (Guard (Button %exit "QUIT")) Fill))))
```

The tokens that start with percent signs are names assigned to components. For example, the `Text` component where the application stores the result of each computation is named `result`. An application can access only named components at runtime.

This form contains the following components that we have not seen before:

- A `Shape` is used to give a component explicit size constraints, typically as a function of its child's size. Here, the `Shape` declares that its acceptable width is between 250 and 400 points, and its preferred width is 300 points. The preferred and minimum height of the `Shape` are the same as those of its child; its maximum height is 25 points more than the maximum of its child.
- `Fill` and `Glue` are used as children of an `HBox` or `VBox`. `Fill` displays as background space that will “stretch” as needed in the orientation of its parent. It is used here to keep

¹Readers may wish to compare the `FormsVBT` implementation of this example with that of `SUIT` [9].




Figure 2.2: *The three-cell calculator application.*

the `Numeric` component centered vertically between the top of the string `divide` and the bottom of the string `add`. `Glue` displays as background space that doesn't stretch. In this form, it provides 10 points of space. Judicious use of `Fill` and `Glue` will facilitate creating very regular and pleasing-looking user interfaces.

- `Numeric` components are numerical widgets; in our example, the one on the left has an initial value of 5, and the one on the right has an initial value of 2. A user can change the displayed number by clicking on the plus or minus buttons, or by typing in the type-in field located between the buttons. To start typing, the user needs to move the *keyboard focus* into the type-in region by clicking there with the mouse. Also, nothing about the typing is reported to the application until a carriage return is typed. At that point, the application is notified that the `Numeric` has a new value, but not what the user did to enter this new value. (If the application really wants to find this out, it can inquire whether the user clicked on the plus or minus buttons, or entered a new number in the type-in region.)
- The `Radio` unites all of the `Choice` components which are among its descendants into *radio buttons*. A `Choice` adds a diamond to the left of its child and causes the diamond of the selected choice to appear dark and recessed. The application is notified whenever the user changes the selected item. Note that a `Radio` does not impose any particular arrangement on the layout of its radio buttons.
- A `Button` adds the “look-and-feel” of a button to its child. The application is notified when the user clicks on a button. Again, keep in mind that the contents of a button can be any arbitrary arrangement; here, it's a simple text string.
- The `Guard` component requires that you click on it *twice in a row* before the program “quits”. The first click removes the “guard” (shown visibly by the diagonal lines) and allows subsequent mouse activity to be reported to its descendant, a `Button` in this case. The second click causes the `Button` to be invoked, and the guard to be reinstated. A `Guard` is usually put around a `Button`, but this is not required. For example, if you wanted to protect the “divide” radio button, you'd simply wrap a `Guard` component around the first `Choice` expression.

In FormsVBT, as in most GUI toolkits, an application is structured as an initialization routine and a collection of event-handling procedures. When an application is run, it initializes dialogs and then transfers control to the toolkit. Control is not returned to the application until just before the application terminates. Here is the complete application for the three-cell calculator (see the file `Calc3Cell.m3`):

```

MODULE Calc3Cell EXPORTS Main;
IMPORT Fmt, FormsVBT, Text, Trestle, VBT;
PROCEDURE NewForm (): FormsVBT.T =
  VAR
    fv := FormsVBT.NewFromFile ("Calc3Cell.fv");
    qcl := NEW (FormsVBT.Closure, apply := Quit);
    ccl := NEW (FormsVBT.Closure, apply := Compute);
  BEGIN
    FormsVBT.Attach (fv, "exit", qcl);
    FormsVBT.Attach (fv, "num1", ccl);
    FormsVBT.Attach (fv, "num2", ccl);
    FormsVBT.Attach (fv, "functions", ccl);
    RETURN fv
  END NewForm;
PROCEDURE Quit (<* UNUSED *> cl : FormsVBT.Closure;
               fv : FormsVBT.T;
               <* UNUSED *> name: TEXT;
               <* UNUSED *> time: VBT.TimeStamp      ) =
  BEGIN
    Trestle.Delete (fv)
  END Quit;
PROCEDURE Compute (<* UNUSED *> cl : FormsVBT.Closure;
                  fv : FormsVBT.T;
                  <* UNUSED *> name: TEXT;
                  <* UNUSED *> time: VBT.TimeStamp      ) =
  VAR
    answer: REAL;
    first := FLOAT (FormsVBT.GetInteger (fv, "num1"));
    second := FLOAT (FormsVBT.GetInteger (fv, "num2"));
    fn := FormsVBT.GetChoice (fv, "functions");
  BEGIN
    IF Text.Equal (fn, "add") THEN
      answer := first + second
    ELSIF Text.Equal (fn, "sub") THEN
      answer := first - second
    ELSIF Text.Equal (fn, "mul") THEN
      answer := first * second
    ELSIF Text.Equal (fn, "div") THEN
      answer := first / second
    END;
    FormsVBT.PutText (fv, "result", Fmt.Real (answer))
  END Compute;
BEGIN
  VAR fv := NewForm(); BEGIN
    Trestle.Install(fv);
    Trestle.AwaitDelete(fv)
  END
END Calc3Cell.

```

The parameters to an event-handler (e.g., `Quit` and `Compute` in the `Calc3Cell` program) identify the dialog (`fv`) in which the event happened and the name of the interactor causing the event.

For now, you can safely ignore the first and last parameters to the event-handler. But if you are curious about its meaning, read on. The `cl` parameter is a `FormsVBT.Closure` that is specified when the event-handler is attached. Its `apply` method *is* the event-handler. The standard way of passing additional information to the event-handler is to create a subtype of `FormsVBT.Closure`, with new fields, and possibly new methods, for handling the new information. The `time` parameter is a timestamp associated with the user event that caused the event-handler to be invoked. The timestamp is needed for certain operations, like acquiring the keyboard focus.

We say that a component “generates an event” when the user does something in a component that causes the event-handler to be invoked. The semantics of what causes an event to be generated is specific to each component.

The Three-Cell Calculator application creates a form and installs it into Trestle, just as the “Hello FormsVBT!” application did. Here, as part of building a form from the S-expression in file `Calc3Cell.fv`, we also attach event-handlers to the interactors in the form to which the application should respond. The `Quit` event-handler is attached to the component named `exit`, i.e., the button labeled “QUIT”. It deletes the window from Trestle. The `Compute` event-handler is attached to both of the `Numeric` components as well as the radio buttons. It retrieves the values stored in both `Numeric` components, determines which arithmetic function the user selected, performs the operation, and then displays the result.

Exercise 3: Add your favorite operator to the application and to the user interface. (If you’re undecided about which operator is your favorite, try GCD.)

2.5 Improving Readability

The Three-cell Calculator S-expression illustrates a number of common abbreviations that help make the FormsVBT language more readable.

A percent sign is an abbreviation for the `Name` property. That is, the FormsVBT parser treats `%xyz` exactly as if it were `(Name xyz)`.

An equals sign is an abbreviation for the property called `Value`. That is, the FormsVBT parser treats `=xyz` exactly as if it were `(Value xyz)`. By convention, any component whose value can be changed interactively by a user has a `Value` property.

Those components which display some type of object, like a string or a pixmap, specify the object using a property called `Main`. For example, to display a pixmap from a file named `Trumpet`, you’d say `(Pixmap (Main "Trumpet"))`. However, the `Main` property can be abbreviated; just list the value of the main property without the keyword `Main` or any parentheses, e.g., `(Pixmap "Trumpet")`.

A `Text` component that has no properties other than `Main` can be further abbreviated simply by giving a string. For example, `(Text (Main "QUIT"))` can be reduced to `(Text "QUIT")` and then to `"QUIT"`. Other examples of this are the children of the four `Choice` components in the last program. If you want to specify any properties on a `Text` component (such as a name, font, color, or alignment), you can abbreviate `Main`, but you still need to write `(Text ...)`.

Boolean properties have a value of either `#True` or `#False`. The default value of *all* Boolean properties is false. Mentioning the name of a Boolean property is an abbreviation for specifying a true value. For example, in the Three-Cell Calculator, the token “`LeftAlign`” is an abbreviation for “`(LeftAlign #True)`”.

Finally, leaf components without any properties can be written without parentheses, e.g., `Fill`. The following chart summarizes these abbreviations:

<code>(Text "t")</code>	<code>"t"</code>
<code>(Name n)</code>	<code>%n</code>
<code>(Value v)</code>	<code>=v</code>
<code>(Main m)</code>	<code>m</code>
<code>(boolprop #True)</code>	<code>boolprop</code>
<code>(proplessleaf)</code>	<code>proplessleaf</code>

Exercise 4: The following interface contains a textual label, a type-in field, and a button:



The interface is 250x75 points, and it uses `Button`, `Frame`, `Pixmap`, `Rim`, `Shape`, `Text`, and `TypeIn` components, in addition to some `HBoxes`, `VBoxes`, `Glues`, and `Fills`. Appendix A describes the class-specific properties for each component. Write a concise `FormsVBT` expression for this UI.

`FormsVBT` provides two additional ways to make S-expressions more readable. First, an S-expression can be split across multiple files. To insert a file named `HelpDialog.fv`, just include the expression

```
(Insert "HelpDialog.fv")
```

wherever you want the file to be inserted. The `Insert` expression can appear anywhere in an S-expression; logically, it is replaced by the contents of the named file before the S-expression is parsed. The second way to make the form more readable is by using macros. Syntactically, a macro is an inherited property with the name `Macro`. For details, see Section 3.5.




Figure 2.3: A modified UI for the three-cell calculator application. The cursor (not visible in the figure) is over the string “multiply.”

2.6 Separating the UI from the Application

One of the ways that user interface toolkits like FormsVBT simplify the construction of interactive, graphical applications is by forcing a separation of the interaction-specific from the application-specific parts. This allows the *interface designer* to concentrate on the design of the interface and the *application programmer* on the implementation of the application-specific code.

In FormsVBT, the only UI components known to the application are those that were given names. The application is insensitive to the layout of components and to the existence of all non-named components. There is even some insulation between the application and the UI for named components: Components may be exchanged as long as they have the same “types.”

For instance, in the Three-Cell Calculator interface from Section 2.4, we could replace the Text named `result` by a `Typescript` (and delete the `LeftAlign` and `Main` properties) in order to capture a history of all values computed as the application was run. We could also change the radio buttons to be items in a pulldown menu by replacing the expression

```
(Radio %functions
  (VBox
    (Choice %div "divide")
    (Choice %mul "multiply")
    (Choice %sub "subtract")
    (Choice %add "add")))
```

with the following:

```
(Menu "?" (Radio %functions =add
  (HBox
    (VBox
      (Choice MenuStyle %div "divide")
      (Choice MenuStyle %mul "multiply"))
    (VBox
      (Choice MenuStyle %sub "subtract"))
      (Choice MenuStyle %add "add")))))
```

These changes appear in the file `Calc3Cell-InMenus.fv`; see Fig. 2.3.

The first child of a `Menu` is the “anchor” of a pulldown menu; click on it to get a menu displayed. The second child of a `Menu` is an arbitrary S-expression, displayed when the user clicks on the

anchor. In the example above, the first child is a `Text` component displaying a question mark. The second child contains four radio buttons, arranged in a 2-by-2 matrix. The `MenuStyle` property causes a radio button to react when the mouse rolls into it rather than on a mouse click.

The contents of this menu emphasizes an earlier point about composition. A `Menu` does not impose any structure on the contents of the menu. One merely composes a `Menu` out of 2 children: a child that is the anchor button, and a child that appears when the anchor button is activated. A “traditional” pulldown menu is a `VBox` whose children are `MButtons`.

Exercise 5: Change the program so that a symbol for the current operator is displayed instead of the question mark. Hint: Start by assigning a name to the quoted question mark, by using the expanded format (`Text %op "?"`).

2.7 Subwindows

The three-cell calculator will crash if we try to divide by 0. Let’s change the application to pop up a dialog box warning the user if there is an attempt to divide by 0. We need to modify the `Compute` event-handler by adding a test for a divisor equal to zero just before the division:

```
...
ELSIF Text.Equal (fn, "div") THEN
  IF second = 0.0 THEN
    FormsVBT.PopUp (fv, "errorWindow", time);
    RETURN
  END;
  answer := first / second
END;
...
```

The call to `FormsVBT.PopUp` will cause the named dialog to appear.

It is easy to add a dialog named `errorWindow` to the calculator’s S-expression that was given in Section 2.4. The S-expression becomes the following:

```
(ZSplit
  (ZBackground (Shape ...))
  (ZChassis %errorWindow
    (Title "Error Message")
    (Rim (Pen 20)
      (Text %errorText "Can't divide by zero."))))
```

A `ZSplit` takes an arbitrary number of children and displays them as overlapping windows. The first child is the background; it is always visible. The visibility and location of the other children are under program control. The `ZChassis` wraps a banner around its child; the banner is responsive

to mouse activity for the common window controls of closing, moving, and resizing. A call to `FormsVBT.PopUp` will cause a specified child of a `ZSplit` to appear. By default, a `ZChassis` is not initially visible.

Another common use of a subwindow is to allow a user to specify additional information for a command. For example, the “Save as...” button found in many applications pops up a subwindow with a way to enter the name of a file. A button like “About Bazinga...” pops up a subwindow containing information about the application called Bazinga.

In situations like these, it’s a burden on the programmer to write an event-handler that simply calls `FormsVBT.PopUp`. To simplify this common case, `FormsVBT` provides a `PopButton`. This component is just like a `Button`, but before its event-handler is called, it causes a designated subwindow to appear. In practice, applications often don’t need to attach any event-handler to a `PopButton`; the work has already been done.

For grins, we’ll now change the original three-cell calculator user interface so that the radio buttons are in a subwindow that is completely controlled by the user. Clicking on the ? menu will cause the subwindow to appear. The window can be closed and repositioned without any application code. We need make two small changes to the original S-expression given in Section 2.4 to add subwindows. First, replace the radio buttons by a button that causes a subwindow to pop-up. That is, change

```
(Radio %functions ...)
```

to

```
(PopButton (For fnWindow) "?")
```

Second, move the `Radio` expression into a subwindow, by enclosing it in a `ZChassis`, and wrapping a `ZSplit` around the root. Now, `Calc3Cell.fv` looks like this:

```
(ZSplit
  (ZBackground (Shape ...))
  (ZChassis %errorWindow ...)
  (ZChassis %fnWindow
    (Radio %functions ...)))
```

The changed versions of `Calc3Cell.m3` and `Calc3Cell.fv` appear in the directory named `calc3cell-subwindows`.

Exercise 6: Add an “About Three-Cell Calculator...” button. It should pop-up a subwindow with appropriate information. If you want to put the button inside of a pull-down menu, use `PopMButton`.




Figure 2.4: *The three-cell calculator application with a modal dialog.*

2.8 Modal Dialogs

When a subwindow appears, the rest of the form and all other subwindows remain active. In the case of the operator-subwindow in Section 2.7 (i.e., the `ZChassis` named `fnWindow`), this behavior was desirable. However, this behavior may not be desirable for the error-message subwindow. That is, some application writers would like to force the user to explicitly close the error message subwindow before continuing to interact in the application. In the UI jargon, this would be called *modal dialog*.

A simple way to do this is to bring up the error subwindow as before, but to also “deactivate” the background—make it unresponsive to user actions—while the subwindow is displayed. When the dialog is finished, we “re-activate” the background. A `FormsVBT` component called `Filter` is used to set the *reactivity* of its child to be active (the default case), passive (mouse and keyboard events are not sent), dormant (like passive, but it also grays out the child and changes the cursor), or vanished (like passive, but also draws over the child in the background color, thereby making it invisible).

Changing the modeless subwindow in the calculator so that it is modal requires only a trivial change. First, add a `Filter` just inside the `ZBackground`. Name this component `zbg`. Second, in the application, add

```
FormsVBT.MakePassive(form, "zbg")
```

after the call to `FormsVBT.PopUp`. Finally, you need to register an event-handler for the `ZChassis` named `errorWindow`. The event handler will be invoked when the subwindow is closed; it contains the following line:

```
FormsVBT.MakeActive(form, "zbg")
```

You might also wish to eliminate the banner on the subwindow. To do so, change the `ZChassis` to be a `ZChild`, and add a `CloseButton` somewhere in the subwindow. The `CloseButton` button will cause the subwindow in which it is contained to be taken down. Fig. 2.4 shows the application after we’ve made these changes, and tuned the visual characteristics a bit.

Exercise 7: Make the error window in `calc3cell-subwindows` modal in the manner suggested in this section. In the `.fv` file, add a `Filter` inside the `ZBackground`, change the error subwindow from a `ZChassis` to a `ZChild`, and add a `CloseButton` to the error window. In the `.m3` file, change the application code so that the background is made passive when the error window appears, and re-activated after error window disappears.

Exercise 8: When the error dialog appears while the subwindow containing operators is visible, the operators are not deactivated, although the main form is deactivated. Change the form so that *everything* except the error subwindow is made passive. Don't modify the application! (Hint: Use two `ZSplits`, one the background child of the other.)

2.9 A File Viewer

It's easy to hook up the `FormsVBT` text-editing widget to an application to make a *bona fide* text editor. The file-viewer application, shown in Fig. 2.5, contains a type-in area on the top for entering the name of a file and a fully functional text editor that occupies the bulk of the window. The text editor is in read-only mode.

The S-expression for the application, in the file `Viewer.fv`, is quite simple:

```
(Rim (Pen 10) (Font (WeightName "Bold"))
  (VBox
    (HBox
      (Frame Lowered (TypeIn %fileName))
      (Glue 10)
      (Button %exit "QUIT"))
    (Glue 10)
    (Shape (Height 200 + inf) (Width 300 + inf)
      (Frame Lowered (TextEdit ReadOnly %editor))))))
```

The application is structured as in the Three-Cell Calculator, the `Calc3Cell` module of Section 2.4. A `NewForm` procedure converts the S-expression into a runtime object and registers event-handlers. Only one event-handler is needed here; `ReadFile` is attached to the type-in field `fileName`. It is invoked whenever you type a carriage return in the type-in field. The code is straightforward:




Figure 2.5: A simple file viewer application.

```

PROCEDURE ReadFile (<* UNUSED *> cl : FormsVBT.Closure;
                    fv : FormsVBT.T;
                    <* UNUSED *> name: TEXT;
                    <* UNUSED *> time: VBT.TimeStamp      ) =
VAR fname := FormsVBT.GetText (fv, "fileName");
BEGIN
  TRY
    FormsVBT.PutText (fv, "editor", GetFile (fname));
  EXCEPT
    Rd.Failure =>
      FormsVBT.PutText (fv, "editor", "");
      FormsVBT.PutText (fv, "fileName", "");
  END;
END ReadFile;

```

The event-handler first retrieves the string you typed into the type-in field named `fileName`. It then calls an internal procedure `GetFile` to retrieve the contents of a file by that name, and finally stores the contents into the text-editor widget. If an error is encountered while trying to retrieve the contents of the file, `ReadFile` catches the exception that is raised and just erases the contents of the type-in field and the text editor. The application is shown in Fig. 2.5.

Exercise 9: Add a Reset button to the left of the Quit button. Clicking on this button should clear the contents of the type-in field. For extra credit, interpret a double click to also clear the contents of the editor. To detect a double-click, you will need to examine the `VBT.MouseRec` that is available




Figure 2.6: *The file viewer application again, but now, file names can be specified in the type-in field at the top or using the file browser at the left.*

from `FormsVBT.GetTheEvent` to the Reset button's event-handler.

Exercise 10: Add a pop-up to signal when the file could not be opened, rather than clearing the type-in field.

If you substitute `FileBrowser` for `TypeIn`, you'll be able to traverse the file system by double-clicking on directories (those items ending with a slash) in a browser. The file browser generates an event when you double-click on a file. Note that the application does not need be changed at all!

While it's nice to be able to traverse the hierarchy by mousing around in the file browser, there are times when it is more desirable simply to type in a pathname. No problem. We'll just add a type-in field to the S-expression. Here's the new S-expression (see Fig. 2.6):

```

(Rim (Pen 10) (ShadowSize -1)
  (BgColor "White") (LightShadow "Black")
  (DarkShadow "Black"))
(VBox
  (HBox
    (Frame Lowered (TypeIn %fileNameString))
    (Glue 10)
    (Button %exit "QUIT"))
  (Glue 10)
  (HBox
    (Shape (Width 100)
      (Frame Lowered (FileBrowser %fileName)))
    (Glue 10)
    (Shape (Height 200 + inf) (Width 300 + inf)
      (Frame Lowered (TextEdit ReadOnly %editor))))))

```

(A negative value for the inherited property `ShadowSize` is a convention for telling `FormsVBT` to give feedback using a flat, 2-d style rather than a Motif-like, 3-d style.)

We also need to change the application slightly to register the `ReadFile` event-handler with the type-in field (i.e., `fileNameString`) *as well as* with the file browser (i.e., `fileName`). In addition, procedure `ReadFile` itself needs to be changed trivially to initialize `fname` from the interactor that caused the event-handler to be invoked:

```
VAR fname := FormsVBT.GetText (fv, name);
```

So far so good, but there's no tie between the file browser and type-in field.

Exercise 11: Implement event-handler methods for the file browser (`fileName`) and the type-in field (`fileNameString`) to keep them synchronized. That is, typing a path into the type-in field should cause the browser to change the directory it is displaying. The directory displayed by the file browser is set by calling `FormsVBT.PutText`, passing in the name of the directory to be displayed. What happens if you specify a directory that doesn't exist?

If you didn't do the last exercise, now is your last chance . . .

It turns out that `FormsVBT` already provides a component that ties a type-in field to a file browser. The component is called a `Helper`, and it has a class-specific property called `For` that names the file browser to which it is tied. So, if you change the expression

```
(TypeIn %fileNameString)
```

to

```
(Helper (For fileName))
```

and replace the initialization of variable `fname` in the original program as described above, then the type-in field and the file browser will stay synchronized, without any application-code intervention.

Exercise 12: What happens when you replace “Helper” by “DirMenu”? What happens when you tie a file browser to both a `Helper` and `DirMenu`?

3. The FormsVBT Language

The FormsVBT language provides a mechanism to describe a user interface textually. The language is not a general-purpose programming language. It has no variables, flow-of-control, or runtime computation. Rather, it's a textual description, written as an *S-expression*, of the hierarchical arrangement of *components* that make up the user interface. Fig. 3.1 shows a simple user interface and its S-expression.

3.1 Basic Syntax

Each major S-expression describes one component. It begins with a name that tells what component is being described, such as `Border`, `Button`, or `VBox`. Following the name are subexpressions that describe either *children* or *properties*. Children are sub-components. Properties provide additional information that control the appearance or behavior of the component. The S-expression in Fig. 3.1 contains properties `Pen`, `Pattern`, `Width`, `Height`, `BgColor`, and `Color`. Property-expressions are distinguished from child-expressions by their names. There is one important rule to remember:

In any S-expression, all property expressions must appear before all child expressions.

Properties are discussed in detail in Section 3.3.

3.2 Components

The components of FormsVBT can be categorized by the number of children that they take.

- A *leaf* does not have any children.
- A *filter* has exactly one child.
- A *split* contains any number of children.

In Fig. 3.1, `Text` and `Pixmap` are leaf components; `Border`, `Button`, and `Shape` are filters; and `VBox` is the only component in the form that is a split.

```
(Border (Pen 20) (Pattern "NWDiagonal")
  (Button %cornet
    (VBox
      (Shape (Width 50) (Height 40)
        (Pixmap "Trumpet"))
      (Text (BgColor "Black") (Color "White") "Horn"))))
```




Figure 3.1: A very simple user interface and its description in the FormsVBT language. The user interface consists of a button that is surrounded by a border. The button itself displays a pixmap of a trumpet above the word “Horn”. At runtime, the application will register an event-handler for the component named “cornet”; the event-handler will be invoked when the user clicks on the button.

If you are developing a form using the `formsedit` interface-builder, then syntax errors will be reported and highlighted each time that you issue the “Do It” command. If an application gives the FormsVBT runtime system a syntactically incorrect S-expression to parse, FormsVBT will raise an exception to signal the syntax error.

A second way to categorize the components is by their function. The categories are as follows:

- *Passive visuals* establish appearance and spacing. Examples include `Text`, `Glue`, and `Border`.
- *Basic interactors* contain an editable value that both the user and the application can read and modify. Examples include `TypeIn`, `Numeric`, and `FileBrowser`.
- *Interactive modifiers* add behavior to a child. The prototypical example is a `Button`. Most interactive modifiers also add some type of visual feedback. For example, a `Button` adds a “shadow” around its child to make the child appear 3-dimensional. Some modifiers, like a `Boolean`, also involve an editable value.
- *Helpers* are components that control other components in some way. For example, a `PopButton` is a button that causes a subwindow (`ZChassis` or `ZChild`) to appear. A `DirMenu` is a pull-down menu that is used with a `FileBrowser`. The items in the menu are the ancestors of the directory currently being displayed.
- Some components, such as radio buttons, naturally operate in groups. A *grouper* declares that all its descendants belong to one group for some particular purpose. A `Radio` unites `Choice` components.
- *Geometers* take an arbitrary number of children, and lay them out in some way. Examples include `VBox`, `HPackSplit`, and `TSplit`. An `HPackSplit` formats its children like

words in a non-justified paragraph. A `TSplit` is a temporal split—at any time, exactly one of its children is visible.

3.3 Properties

Properties provide information that modify the appearance or behavior of a component. A property subexpression has the following format:

(keyword value)

The keyword implies the expected *type* of the value; values are type-checked when the description is parsed by FormsVBT. Nearly all properties have default values and can be omitted.

For example,

`(Boolean (CheckMark #True) (MenuStyle #True) "Gravity")`

defines a Boolean interactor with two properties. The `CheckMark` property says to use a check mark rather than a check box for visual feedback, and the `MenuStyle` property says that the Boolean should be responsive to a mouse rolling into it, rather than responding only to a mouse click. One would use `MenuStyle` when the Boolean is an element of a menu.

Here are the property value types:

Text A quoted string. For example,

`(Border (Pattern "NWDiagonals") ...)`

Cardinal A positive integer. For example,

`(TSplit (Value 4) ...)`

Integer An integer. For example,

`(Numeric (Min -100) (Max 100))`

Real A real number. A whole number does not need a decimal point, and a number between -1 and 1 does not need a leading zero. For example,

`(Border (Pen 4.25) ...)`

Boolean The token `#True` or `#False`. For example,

`(Boolean (MenuStyle #True) ...)`

CardinalList A list of positive integers. For example,

```
(MultiBrowser (Value 1 5 3 19))
```

TextList A list of quoted strings. For example,

```
(FileBrowser (Suffixes "i3" "m3"))
```

Symbol A name. For example, the `For` and `Name` properties are of this type:

```
(PageButton (For letters) "Next")
(Button (Name no) "Cancel")
```

Names are spelled with printing characters, excluding space and the following:

```
, = % \ ` . ( ) [ ] { } " ' #
```

In addition, the first character may not be a digit.

Font The name of a font conforming to the “X Logical Font Descriptions” [10]. The font can be specified in two ways. A quoted string in the form that `xlsfonts` prints and accepts as a pattern (we call this the *string format*), or a list of parenthesized keyword pairs for the parts of a font (we call this the *list format*). Consider the following example:

```
(VBox
  (Text (LabelFont "helvetica_bold14")
    "Helvetica Bold @ 14pts")
  (Text (LabelFont "-*-courier-medium-*-140-*")
    "Courier @ 14pt")
  (HBox (LabelFont (Family "Times")
    (PointSize 140))
    (Text "Roman@14pt")
    (Text (LabelFont Reset
      (Family "**")
      (Width "semicondensed"))
      "SemiCondensed@any")
    (Text (LabelFont (PointSize 180)
      (Slant "i"))
      "Italics@14pt")))))
```

The font specification for the top two rows use the string format. The other font specifications are in the list format. Here's what the example looks like:



In the list format, the keywords for the parts of a font are

Foundry	Family	WeightName	Slant
Width	PointSize	HRes	VRes
Spacing	AvgWidth	Registry	Encoding

PixelSize, PointSize, HRes, VRes, and AvgWidth take cardinal values or the string "*". All the others take strings.

Unspecified parts of a font take on the value of the nearest ancestor component for which the part was specified using the list format. However, the keyword Reset causes all unspecified parts of a font to take on the default values assigned by FormsVBT.

Color The description of a color either as a triplet of real numbers (each is between 0.0 and 1.0) representing RGB or HSV values, or as a string. The following example shows both formats:

```
(Pixmap
  (BgColor .5 0.23 1.0)
  (Color "VeryPaleRed") "MailBox")
```

The triplet may be preceded by one of the symbols RGB or HSV. RGB is the default. HSV is a hue-saturation-value representation. Internally, the HSV representation will be converted to RGB. Example:

```
(BgColor HSV 0.1 0.45 0.222)
```

Appendix B.1 describes the conventions used for naming colors.

The following regular expression describes a color:

```
([HSV | RGB] r g b) | name
```

Sx An S-expression in the FormsVBT language. For example, the `Title` property of a `ZChassis` (a frame for a subwindow) is of this type:

```
(ZSplit
  (ZBackground ...)
  (ZChassis
    (Title
      (HBox
        Fill
        "Window # "
        (Border (Text %wid = ""))
        Fill))
    ...))
```

enumerations A set of mutually exclusive tokens. FormsVBT supports the following enumerations:

<i>Type</i>	<i>Keywords</i>
Alignment	Center LeftAlign RightAlign
Axis	Horizontal Vertical
FeedbackStyle	CheckBox CheckMark Inverting
Reactivity	Active Passive Dormant Vanish
ScrollStyle	HorOnly VerOnly NoScroll AlaViewport Auto
ShadowStyle	Flat Raised Lowered Ridged Chiseled

Think of each set as a collection of Boolean properties, of which at most one choice may be specified as `#True`. If no choices are specified, then it's as if the default choice was given. Here are some examples:

```
(Viewport (VerOnly #True) (Horizontal #True) ...)
(Filter (Dormant #True) (Vanish #False)
  (Button ...))
(Frame (Raised #True)
  (Rim (Frame (Lowered #True) ...)))
```

Size The description of the dimensions of a component along some axis. It has the syntax

```
[size] [+ stretch] [- shrink]
```

where *size*, *stretch*, and *shrink* are specified as points in real numbers. *Stretch* and *shrink*, if both specified, may be in either order. Spaces are required around the plus and minus signs. The keyword `Inf` is used to indicate a very large value for *stretch*. See Section 3.6.1 for more details.

At The location of a subwindow component relative to its parent. There are two ways to specify this location: you can say where the center or a particular corner should be positioned; or you can specify where the four edges should appear. To position a subwindow by its center or corner, you write

```
(At h v [Center | NW | NE | SE | SW] [Scaled | Absolute])
```

If you don't specify the center or a corner, the default is `Center`. If you don't specify whether *h* and *v* are scaled) or absolute, the default for this form is `Scaled`, which means that *h* and *v* indicate the proportionate placement in the horizontal and vertical directions of the center or corner; in this case, *h* and *v* must be numbers in the range 0–1. Otherwise, in the absolute case, *h* and *v* represent the horizontal and vertical distance, in points, between the subwindow's center or corner, and the parent window's northwest corner.

To position a subwindow by its edges, you write

```
(At west east north south [Absolute | Scaled])
```

The default in this case is `Absolute`, not `Scaled`; it indicates the distance in points between the subwindow's edges and the parent's west and north edges. Note that this is the only case in which you can specify the subwindow's exact size.

If the edges are written with `Scaled`, that indicates the proportion of the parent window's width and height that mark the subwindow's boundaries. For example,

```
(At .10 .10 .90 .90 Scaled)
```

is effectively a “10% Rim” around the subwindow, while

```
(At .50 .50 1 1 Scaled)
```

places the subwindow in the parent window's southeast quadrant. See Section 3.7 for more details.

3.3.1 Varieties of Properties

Properties come in three varieties: class-specific, universal, and inherited.

Class-Specific Properties

Class-specific properties are defined in conjunction with a specific component class, and are allowed only on components of that class. In some cases, several classes will use the same specific property, and there is no rule against that.

There are two very common class-specific properties: `Main` and `Value`.

- `Main`

Many passive leaf components exist to display some object; that object is specified by a property called `Main`, whose type varies. If this property exists, it is usually required. Its value is usually specified by a shorthand: it simply follows the component keyword, without the word `Main` or parentheses. Here are two examples, in the abbreviated format:

```
(Texture "Gray")
(Pixmap "OpenRightArrow")
```

- `Value`

For interactors that have a user-modifiable value, its initial state can be specified by the `Value` property. The type of this property depends upon the value type of the interactor. No class has both a `Main` property and a `Value` property. Here are two examples, in the abbreviated format:

```
(Numeric =5)
(TextBrowser (From "choices.txt") =(2 5 1))
```

Other specific properties (and there are many) are described with their component classes in Appendix A.

Universal Properties

Universal properties are applicable to components of all classes, and have a system-defined meaning. There is currently one such property: `Name`.

- `Name` (type: **Symbol**; default: none)

The name of this component, for access by the application. The type of the `Name` property is a **Symbol** and it has no default value. A form may not contain duplicate names; not all components need to have a `Name` property. The property may be abbreviated: `(Name goButton)` can be written as `%goButton`.

Inherited Properties

Inherited properties, like universal properties, may be specified for any component, though they are not relevant to all classes. But they have the special feature that a value specified for one component becomes the default value for all descendants of that component. Thus an inheritable property specification applies not to one VBT, but to an entire subtree. The inherited properties are: `Font` and `LabelFont`; `Color` and `BgColor`; `LightShadow`, `DarkShadow`, and `ShadowSize`. In essence, the inherited properties determine the user interface's overall "look and feel."

- `Font` (type: **Font**; default: see below)

The font for components that display selectable text, such as `TextEdit` and the type-in part of a `Numeric`. The type of the `Font` property is **Font**, and the default value would be written in list format as follows:

```
(Font
  (Foundry "")
  (Family "fixed")
  (WeightName "medium")
  (Slant "r")
  (Width "normal")
  (PointSize 120)
  (HRes "")
  (VRes "")
  (Spacing "")
  (AvgWidth "")
  (Registry "iso8859")
  (Encoding "1"))
```

Essentially, it's a 12-point, fixed-width font that can be scaled (using the `Scale` component).

- `LabelFont` (type: **Font**; default: see below)

The font for components that display non-selectable text, such as `Text`, and various browsers such as `MultiBrowser` and `FileBrowser`. The type of the `LabelFont` property is **Font**, and the default value would be written in list format as follows:

```
(LabelFont
  (Foundry "")
  (Family "helvetica")
  (WeightName "bold")
  (Slant "r")
  (Width "")
  (PointSize 120)
  (HRes ""))
```

```
(VRes  "**")
(Spacing  "**")
(AvgWidth  "**")
(Registry  "iso8859")
(Encoding  "1")
```

Essentially, it's a 12-point, boldface helvetica font that can be scaled (using the `Scale` component).

- `Color` (type: **Color**; default: 0 0 0)

The foreground color; used for displaying text, bars, borders, the “on” pixels of pixmaps and textures, and so on. The default foreground color is black.

- `BgColor` (type: **Color**; default: .8 .8 .8)

The background color; used for displaying text background, glue, and the “off” pixels of textures. The default background color is a light gray.

- `LightShadow` (type: **Color**; default: 1 1 1)

The color used for the “light shadow” in implementing a Motif-like 3-d looks. The default light shadow is white.

- `DarkShadow` (type: **Color**; default: .333 .333 .333).

The color used for the “dark shadow” in implementing a Motif-like 3-d looks. The default dark shadow is a dark gray.

- `ShadowSize` (type: **Real**; default: 1.5).

The absolute value of this property is the size of the “shadow” in implementing a Motif-like 3-d looks. The default value is 1.5 points.

Look and Feel

In order to have an effective Motif-like look and feel, you need to change the `LightShadow` and `DarkShadow` whenever you change the `BgColor`. Shiz Kobara [4] provides an excellent set of guidelines for choosing harmonious color triples.

On a gray scale monitor, objects are displayed using the intensity of their color. The Motif-like look and feel seems to be effective.

On a monochrome monitor, FormsVBT does not support a Motif-like look and feel. Rather, the user interface appears “Macintosh-like.” For example, feedback on buttons is given by inverting the image of an object rather than raising and lowering the object; a Radio button uses bitmaps showing

a filled or empty circle rather than a 3-d diamond that is either raised or recessed. Behind the scenes, two things are happening. First, on monochrome displays, `BgColor` displays as background and the other colors display in foreground. Second, the `FormsVBT` interactors are implemented in such a way as to give feedback using a 2-d style when displaying on a monochrome display.

Actually, the `FormsVBT` interactors use the Motif-like style only when they are on non-monochrome display *and* the `ShadowSize` property is positive. Therefore, you can force a non 3-d look for a color or gray-scale monitor by setting the `ShadowSize` to be 0. You should probably also change the `BgColor` to be white in this case. Alternatively, you may find it convenient to set `ShadowSize` to be a negative number and the shadow colors to be black, as follows:

```
(BgColor "White")
(LightShadow "Black")
(DarkShadow "Black")
(ShadowSize -1.5)
```

This setup will cause the shadows on various objects, like buttons, to appear as a black borders.

3.4 Syntactic Shortcuts

This section describes various shortcuts that make `FormsVBT` descriptions more readable.

1. The `Main` property may be given simply by giving its value, without the keyword or parentheses. This is allowed only for leaf components.

```
(Texture (Main "LightGray")) ≡ (Texture "LightGray")
```

2. The `Value` property may be abbreviated by an equal sign, without parentheses, and with no intervening space.

```
(Numeric (Value 27)) ≡ (Numeric =27)
```

Exception: If it's a **TextList** or **CardinalList**, then parentheses are needed.

```
(MultiBrowser (Value 4 9 2)) ≡ (MultiBrowser =(4 9 2))
```

3. The `Name` property may be abbreviated by a percent sign.

```
(Button (Name xyz) ...) ≡ (Button %xyz ...)
```

4. Any Boolean-valued property may be set true simply by giving its name, without parentheses. By convention, the default value of all Boolean properties is false.

```
(TypeIn (Scrollable #True)) ≡ (TypeIn Scrollable)
```

An element of an enumeration is a Boolean.

```
(Viewport (Auto #True) ...) ≡ (Viewport Auto ...)
```

5. A component of class Text may be given simply as a quoted string, provided that no properties other than the string are specified.

```
(Text "Hello") ≡ "Hello"
```

6. Any leaf component from the following list

```
Bar Chisel Fill Glue Ridge
```

may be given by its keyword, without parentheses.

```
(HBox "A Heading" (Fill)) ≡ (HBox "A Heading" Fill)
```

3.5 Macros

The FormsVBT language supports macros. A macro is a procedure that returns an S-expression, called the *expansion*, that is used in place of the call to the macro; that is, the expansion is itself a FormsVBT expression. The parameters passed to the macro are not evaluated by the call, although they may be evaluated in the body of the macro. A macro definition can appear anywhere a component or property can appear.

A macro-definition has the following syntax:

```
(Macro name [BOA] (formal ... formal) expression)
```

A formal parameter is either a name or a list of the form *(name default)* where *default* is any S-expression, the default value for the parameter.

A macro uses either positional binding or keyword binding, but not both. If the definition includes the keyword BOA (“By Order of Arguments”), then the macro uses positional binding, and the macro-call must have the form

```
(name actual ... actual)
```

The actuals are bound to the formal parameters in left-to-right order.

If the definition does not include the keyword BOA, then the macro uses keyword binding, and the macro-call must have the form

```
(name (formal actual) ... (formal actual) )
```

The actuals are bound to the formal parameters with corresponding names.

The number of actual parameters may not exceed the number of formal parameters. If there are fewer actuals than formals, then all the remaining formals must have default values.

The body of the macro-definition is an expression that is evaluated (expanded) when the macro is called. Typically, the body is a quoted or backquoted S-expression. As in Common Lisp macros, quoted S-expressions are constants; they expand into themselves. Backquoted expressions are *templates*; all of the subexpressions are treated as constants except for expressions preceded by a comma or a comma-at-sign combination. In the expression ``(A , x B)`, the value of `x` is substituted as the second element of the list; the expanded list will always have length 3. In the expression ``(A , @x B)`, the value of `x` must be a list, and the elements of that list are “spliced in” between `A` and `B`; the expanded list will have length 2 (if the value of `x` is the empty list) or more.

For example, here is a macro that puts a 2-point border around its argument, after surrounding the argument by 16 points of background space on all four sides:

```
(Macro Boxed (x)
  `(Border (Pen 2) (Rim (Pen 16) ,x)))
```

The call `(Boxed (x (Text (BgColor "Red") "Warning")))` expands to

```
(Border (Pen 2)
  (Rim (Pen 16)
    (Text (BgColor "Red") "Warning"))))
```

If the definition of `Boxed` had included the keyword `BOA` then the expression could have been written as

```
(Boxed (Text (BgColor "Red") "Warning"))
```

Thus, for all practical purpose, we’ve added a new filter-component called `Boxed` to the FormsVBT language.

Here is an example showing the use of default values:

```
(Macro Ht BOA (v (n 16)) `(Shape (Height ,n) ,v))
```

With this definition, the call `(Ht (Button "Go!") 20)` expands into

```
(Shape (Height 20) (Button "Go!"))
```

The call `(Ht (Button "Stop"))` uses the default value of `n` and expands into

```
(Shape (Height 16) (Button "Go!"))
```

An example using comma-at-sign:

```
(Macro V (items)
  `(VBox (Color "Red") Fill ,@items Fill))
```

Given that definition, the call `(V (items ("abc" "def" "hij")))` expands into

```
(VBox (Color "Red") Fill "abc" "def" "ghi" Fill)
```

Macros must be defined before they are called. The effect of using a macro to redefine an existing name (e.g., `VBox`) is undefined.

It is permitted for a macro to expand into another Macro-expression, or into an expression *containing* another Macro-expression. Nested backquotes are permitted; they follow Common Lisp evaluation-semantics.

The expressions that are permitted in the body of a macro are not restricted to quoted and backquoted expressions. As we have already seen, an expressions may be the name of a formal parameter; the value of such an expression is the value of the corresponding actual parameter. Other expressions that are permitted include the following, which are mostly FormsVBT interfaces to the corresponding Modula-3 routines:

- `(Text.Cat xyz...)`
There must be at least two arguments, and all of them must have type TEXT. The result has type TEXT.
Example: `(Text.Cat "Gate-" x "-button")`
- `(Text.Empty x)`
The argument must be a TEXT; the result has type BOOLEAN.
- `(Text.Equal xy)`
The arguments must be TEXTs; the result has type BOOLEAN.
- `(Text.Length x)`
The argument must be a TEXT; the result has type INTEGER. (formsVBT does not support a separate type for cardinals.)
- `(Text.Sub s start count)`
The argument *s* must be a TEXT; *start* and *count* must be non-negative integers. The result is a TEXT.
- `(Symbol.Name x)`
The argument must be a symbol; the result is a TEXT.
- `(Symbol.FromName x)`
The argument must be a TEXT; the result is a symbol.
- `(List.New xy)`
The first argument may have any type. (All S-expressions are REFs.) The second argument must be a list. The result is a list.

- `(List.List xyz...)`
The arguments may have any type; the result is a list.
- `(List.List* xy...z)`
There must be at least two arguments. The last argument must be a list; the others may have any type, and they are “consed” onto the front of the last argument.
Example: `(List.List* 1 2 3 '(a b))` \equiv `(1 2 3 a b)`
- `(List.Append xyz...)`
All the arguments must be lists; the result is a list.
- `(List.Length x)`
The argument must be a list; the result is an integer.
- `(List.Nth x n)`
The first argument must be a list; the second argument must be an integer in the range $[0 \dots \text{List.Length}(x) - 1]$. The result is the n th element of the list.
- `(List.NthTail x n)`
The first argument must be a list; the second argument must be an integer in the range $[0 \dots \text{List.Length}(x) - 1]$. The result is the n th tail of the list.
- `(List.Equal xy)`
Both arguments must be lists; the result has type `BOOLEAN`.
- `(IF pred x y)`
The value of first argument must be a `BOOLEAN`. If the value is `TRUE`, then x is evaluated, and its value is the value of this expression. Otherwise, y is evaluated, and its value is the value of this expression. I.e., this is `IF` as in Lisp, not as in Modula-3.
- `(AND xyz...)`
All the arguments must be of type `BOOLEAN`, as is the result. The arguments are evaluated from left to right. If any argument evaluates to `FALSE`, the value of this expression is `FALSE`, and the remaining arguments are not evaluated. If all the arguments evaluate to `TRUE`, or if there are no arguments, then the value of this expression is `TRUE`.
- `(OR xyz...)`
All the arguments must be of type `BOOLEAN`, as is the result. The arguments are evaluated from left to right. If any argument evaluates to `TRUE`, the value of this expression is `TRUE`, and the remaining arguments are not evaluated. If all the arguments evaluate to `FALSE`, or if there are no arguments, then the value of this expression is `FALSE`.
- `(NOT x)`
The argument must be a `BOOLEAN`, as is the result.

- `(= x y z ...)`
There must be at least two arguments. If x is a number (integer or real), then all the other arguments must be numbers of the same type as x , and the result is `TRUE` if they are all equal, and `FALSE` otherwise. If x is not a number, then the result is `TRUE` if all the arguments are the same `REF`.
- `(< x y z ...)`
`(<= x y z ...)`
`(> x y z ...)`
`(>= x y z ...)`
 There must be at least two arguments, and they must all be numbers of the same type as x . The result is of type `BOOLEAN`.
 $(< x y z ...) \equiv (\text{AND } (< x y) (< y z) \dots)$
 Likewise for the other operations.
- `NIL`
This is a constant.

Macros provide one kind of extensibility to the FormsVBT language. Another kind of extensibility is provided by the `realize` method for a `FormsVBT.T` object. See Section 4.7. The `realize` method allows the programmer to define subtypes of the VBT classes that FormsVBT uses, such as the `FVTypes.FVButton`. However, it is not currently possible for the client to extend the language with any other VBT classes, such as `TranslateVBT.T` or a client-defined subtype of `VBT.Leaf`.

3.6 Layout

Every component has a *natural size*, in both width and height. It may also have *shrinkability* and *stretchability*, to allow it to adapt in a visually pleasing way as the window is resized. The *minimum* size of a child is its natural size minus its shrinkability, and the *maximum* size is its natural size plus its stretchability. The *size range* of a component is the interval between its minimum and its maximum.

FormsVBT uses T_EX's "boxes-and-glue" layout model. At the center of the layout strategy are two split classes, `HBox` and `VBox`. These organize the layout of their children along the horizontal and vertical dimensions, respectively. To keep the discussion simple, we will explain the algorithm for `HBox`.

An `HBox` reports its size as follows. Horizontally, an `HBox`'s natural size is the sum of the natural sizes of its children; its shrinkability is the sum of the shrinkabilities of its children (but no more than its natural size), and its stretchability is the sum of the stretchabilities of its children. Vertically, an `HBox`'s size range is the intersection of the sizeranges of its children (if the intersection is empty, the children's maximums are increased until the intersection is non-empty). The natural size is the maximum of the natural sizes of its children, projected into in the range.

When an `HBox` is given a some screen real estate to allocate among its children, here's what happens. In the vertical dimension, it gives each child the same vertical height it has been given; that's easy. In the horizontal dimension, things are more interesting. The `HBox` computes the sum of the natural widths of the children; this is the natural width of the `HBox`. Ideally, the `HBox` would give each child its natural width and that's all there is to it. If this is not possible, then either the `HBox` has extra space it must divide among the children, or the `HBox` must take away space from its children.

In the first case, the `HBox` allocates its extra space in proportion to the children's stretchabilities. For example, if the first child has twice as much stretchability as the middle child, and three times as much as the third and last child, then the extra space is divided $6/11$, $3/11$, and $2/11$ to the children, from left to right. In the second case, the `HBox` takes away space from the children in proportion to the amount that each child can shrink.

If the sum of the minimum sizes of the children is greater than the size of the `HBox`, then the `HBox` is said to be *overfull*. In this case the children are considered in order and given their minimum sizes, as long as there is room. The first child that doesn't fit is given all the space that's left, and the remaining children are given size zero.

If the sum of the maximum sizes of the children is less than the size of the parent, the split is said to be *underfull*. This produces a state in which the children are stretched larger than their maximum sizes, but in proportion to their relative stretchabilities.

3.6.1 How Sizes are Specified

Most of the time, sizes are not given explicitly; natural sizes are allowed to take effect. Leaf components have an inherent natural size that is usually data-dependent. For example, the size of a `Text` is the size of the rectangle needed to display it in the appropriate font. It has no shrinkability and it has "infinite" stretchability. A vertical `Scroller` has a fixed width (a natural size with no stretch and no shrink). Its natural vertical size is quite small (enough to show a "thumb"), it has no shrinkability, and it has infinite (i.e., very large) stretchability. In practice, a vertical scrollbar is an element of an `HBox`, so it takes on the size of the other elements of the `HBox`.

A filter component derives its size information from its child. A `Border`-component, for example, takes the size of its child, but adds twice the border's thickness in both dimensions. A `Guard` takes on precisely the size of its child. For all components, the method for computing its shape is described in Appendix A.

A property of type **Size** is used to describe the size of a component along one dimension. It has the syntax

```
[size] [+ stretch] [- shrink]
```

where `size`, `stretch`, and `shrink` are specified as points in real numbers. `Stretch` and `shrink`, if both specified, may be in either order. Spaces are required around the plus and minus signs. The keyword `Inf` is used to indicate a very large value for `stretch`; it may also be spelled `inf` or `INF`.

A natural size may be overridden, completely or in part, by specifying the `Width` and `Height` properties on a `Shape` filter. For the sake of simplicity, let's consider just the `Width` property.

There are eight situations to consider: when size, stretch, and shrink are all missing; when just size is given; when just stretch and shrink appear; and so on.

See Figure 3.6.1 for details.

A few common paradigms merit mention. First, to remove whatever inherent stretchability a component has, use

```
(Shape (Width + 0) ...)
```

Second, to make a component stretchy regardless of its inherent stretchiness, use

```
(Shape (Width + Inf) ...)
```

And third, to set a component to a particular size, e.g, 100, use:

```
(Shape (Width 100) ...)
```

3.6.2 Precedence of Size Constraints

The various constraints on the size of an object sometimes come into conflict. They take precedence as follows:

1. Downward-propagating constraints: window size forced by Trestle, vertical size forced by an HBox, and so on.
2. Explicit size information, given by a Shape filter.
3. Upward-propagating natural size information: inherent size of leaves, filters taking size from their children, an HBox taking width from the sum of its children's widths, on so on.

3.7 Subwindows

In addition to organizing child components by grouping them horizontally or vertically, FormsVBT allows child components to overlap. The split that does this organization is called a ZSplit.

There are two very different ways to use a ZSplit.

1. If you don't like arranging elements in horizontal and vertical boxes, you could place each element at a specific location. Many UI Builders follow this model; it has its advantages and disadvantages. We rarely use this style at SRC.
2. You can use ZSplits as a container for overlapping, often transient *subwindows* that are not installed as top-level windows.

Without loss of generality, we'll talk just about the second style of use.

A ZSplit is written like this:

all missing	<q-p, q, q+r> A no-op; reports the child's size
size	<size, size, size> Constrains child's natural size to size, with no stretch or shrink
- shrink	<q-shrink, q, q+r> Forces child's shrink to be shrink; doesn't change child's natural size or stretchability
+ stretch	<q-p, q, q+stretch> Forces child's stretch to be stretch; doesn't change child's natural size or shrinkability
- shrink + stretch	<q-shrink, q, q+stretch> Changes child's shrink to be shrink and its stretch to be stretch; doesn't change child's natural size
size - shrink	<size-shrink, size, size> Changes child's size to be size with no stretchability and with shrink shrinkability
size + stretch	<size, size, size+stretch> Changes child's size to be size with no shrinkability and with stretch stretchability
size - shrink + stretch	<size-shrink, size, size+stretch> Changes child's size to be size with shrink shrinkability and with stretch stretchability

This table describes what Shape reports, as a function of its child's size. The notation $\langle q - p, q, q + r \rangle$ refers to the child's size: the natural size is q ; it has p shrinkability, so it can shrink to a minimum of $q - p$, and it can stretch to a maximum of $q + r$.

```

(ZSplit
  The first child:
  (ZBackground ...)
  Any number of other z-children:
  (ZChild ...)
  (ZChassis ...)
  ...
)

```

The first child is called the *background*. It is displayed below all other children.

The other children are ordered from bottom to top in the z-dimension. A non-background child of a ZSplit should be a ZChild or a ZChassis. It has an `Open` property to say if it should be initially visible (“mapped”) or invisible (“unmapped”).

It also has an `At` property to control where it should appear when it is made visible. The syntax of the `At` property is described below.

A `PopButton` is a button that causes a named subwindow to appear. A `PopMButton` is a version of `PopButton` that is appropriate for inclusion in a menu.

A `CloseButton` is a button that causes a named subwindow to disappear.

A `ZGrow` is a button that is used to change the size of a subwindow. A `ZMove`-component is used to change a subwindow’s position by dragging.

A `ZChassis` is just a `ZChild` that has a standard configuration, including a frame whose banner includes a `CloseButton`, a title inside a `ZMove`, and a `ZGrow`.

The At Property

The location of subwindows (`ZChild` and `ZChassis`) are specified using a property named `At`. The `At` property takes the form of a list containing either: two numbers, an optional corner, and an optional coordinate type (the “corner” form); or four numbers and an optional coordinate type (the “edges” form). The coordinate types are either `Absolute`, which means that the coordinates represent the distance in points from the background window’s northwest corner, or `Scaled`, which means that the coordinates represent a fraction (a number in the range 0–1) of the background window’s width or height.

If the list contains two numbers, then these coordinates specify the center of the subwindow. If the list contains two numbers and a corner, then these coordinates specify the position of that corner of the subwindow. In either case the default coordinate type is `Scaled`.

For example, (`At 0.5 0.5`) means that the center of the subwindow should be placed halfway across and halfway down the background window, i.e., that it should be centered in the background window. (If there is no `At` property, this is the default.)

(`At 0.2 0.3 NW`) means that the northwest corner of the subwindow should be placed 20% of the way across the background window, and 30% down. This can also be written as (`At 0.2 0.3 NW Scaled`). Scaled coordinates must be written as numbers (integers or reals) in the range 0–1.

(At 100 237.5 Absolute) means that the center of the subwindow should be placed 100 points east and 237.5 points south of the background window's northwest corner.

(At 100 237.5 SE Absolute) means that the subwindow's southeast corner should be placed at that position.

Alternatively, you may specify the *edges* of the subwindow by using a list with four numbers, representing the west, east, north, and south edges, in that order. The numbers may be followed by a coordinate type; the default coordinate type in the 4-number form is Absolute, not Scaled as it is in the 2-number form.

If the coordinate type is Absolute, then the coordinates represent the distance in points from the background window's northwest corner; this is the only form in which you can specify the subwindow's actual size. For example, (At 20 120 60 300) means that the subwindow's width should be 100 points wide (120 – 20) and 240 points tall (300 – 60), and that its northwest corner should be 20 points east and 60 points south of the background window's northwest corner.

(At .10 .90 .30 1 Scaled) means that the subwindow occupies the middle 80% horizontally (.90 – .10) and the bottom 70% (1 – .30) of the background window.

(At .5 1 .5 1 Scaled) would place the subwindow in the southeast quadrant of the background window.

To summarize, here are the two forms of the At property:

```
(At h v [Center | NW | SW | NE | SE] [Scaled | Absolute] )
```

```
(At west east north south [Absolute | Scaled] )
```

Here are some additional examples:

```
(ZChassis %A (At .2 .3 NW) ...)  
(ZChassis %B (At 130 200 SE) ...)  
(ZChassis %C (At .1 .6 .2 1) ...)  
(ZChassis %D (At 20 120 60 300))
```

If the `ZSplit` containing the subwindow is 200 points wide and 300 points high, here is what each specification means:

- Subwindow A has its northwest corner at (40, 90). That is, its northwest corner is 40 points to the right of the `ZSplit`'s left edge and 90 points below the top.
- Subwindow B has its southeast corner at (130, 200).
- Subwindows C and D have the same positions: The northwest corner is at (20, 60) and the southeast corner is at (120, 300).

The actual location of a subwindow has two additional restrictions. First, FormsVBT will ensure that the size it gives a subwindow will be within the subwindow's acceptable dimensions: the northwest corner stays fixed, and the southwest corner is adjusted. Second, FormsVBT will not pop up a subwindow with its northwest corner north or west of the visible portion of its parent; it will move the subwindow away from the specified position in order to bring it into view.

3.8 Catalog of Components

This section provides a brief description of current FormsVBT components. Appendix A describes the details of each component.

Visual components

These leaf and filter components have no interactive behavior; they are used to provide appearance and positioning control.

Border	displays a border around its child
Rim	displays background space around its child
Pixmap	displays a pixmap, centered
Text	displays a single-line text
Texture	displays a textured rectangle
Bar	a line in the foreground color; child of HBox or VBox
Glue	a piece of background filler; child of HBox or VBox
Fill	an infinitely stretchable background filler; child of HBox or VBox
Frame	draws a 3-d border around its child
Chisel	like Bar, but line appears 30d, chiseled into background
Ridge	like Bar, but line appears 3-d, raised above background
Scale	enlarges or shrinks child
Shape	constrains shape of child

The following filters respond to mouse activity. They do not report events to the application program.

Viewport	adds scrollbars around a child for panning
Filter	controls reactivity and visibility of child

Basic Interactors

These are leaf components that have a user-modifiable value. They should always be named so that the application will have access to the value.

Numeric	an editable integer
Browser	a group of lines of text, of which one may be selected
MultiBrowser	a Browser in which multiple lines may be selected
Generic	a placeholder to be taken over by the application
Scroller	a vertical or horizontal scrollbar

Text Editing Interactors

These leaf components provide extensive text editing facilities.

TypeIn	an editable-text region, typically single-line
TextEdit	a scrollable text-editing area
Typescript	a TextEdit with a reader and writer

File Browser Interactors

A `FileBrowser` displays the names of the files in a directory, initially the current working directory. The user can traverse the file system by double-clicking on elements in the browser. There are two related leaf interactors that facilitate traversal.

<code>FileBrowser</code>	the list of filenames
<code>Helper</code>	an area for typing filenames
<code>DirMenu</code>	a pulldown menu containing the names of parent directories

Basic Buttons

These filters take a child and add some interactive behavior to it.

<code>Button</code>	generates an event when clicked
<code>Guard</code>	click once to remove and expose underlying component
<code>TrillButton</code>	generates an event while mouse is down

Boolean and Radio Buttons

A `Boolean` and `Choice` are types of buttons that also maintain some state. A `Radio` is a “grouper”: it takes a child and changes neither its appearance nor its behavior. Rather, it specifies that it and all its descendants are members of one “group” for some particular purpose.

<code>Boolean</code>	toggles on/off when clicked
<code>Choice</code>	a radio button; selects itself when clicked
<code>Radio</code>	defines a group of <code>Choice</code> components

Drag and Drop

These buttons provide a way to implement “drag-n-drop” and to get semantic feedback.

Source	a button that is dragged
Target	the thing into which a Source is dropped

Menus

Menu	a pull-down menu; pulls down when anchor is clicked
MButton	a pull-down menu element; generates an event on up-click

Other buttons that can be put into a menu are `Boolean`, `Choice`, and `PopMButton`.

Horizontal and Vertical Splits

Splits take an arbitrary number of children and lay them out in some fashion. These splits implement the \TeX -like “boxes-and-glue” layout model.

HBox	horizontal layout
VBox	vertical layout
HTile	an HBox with user-adjustable divider bars between children
VTile	VBox with user-adjustable divider bars between children
HPackSplit	arranges children like words in a paragraph
VPackSplit	arranges children like paragraphs in a multi-column newspaper

The layout algorithm for `HTile` and `VTile` is slightly different than for `HBox` and `VBox` when the size of one of its children changes. In the case of the tiles, the algorithm tries to keep existing children with their same relative sizes, which might have been adjusted by the user from their initial assignments. The `HBox` and `VBox` always re-assign sizes, independent of the current sizes of the children.

Subwindows

A `ZSplit` organizes its children as overlapping subwindows. The following components allow the user to control the appearance, location, and size of subwindows.

<code>CloseButton</code>	closes a subwindow
<code>PopButton</code>	pops up a subwindow
<code>PopMButton</code>	a menu item that pops up a subwindow
<code>ZBackground</code>	needed around the background child
<code>ZChild</code>	needed around non-background children
<code>ZGrow</code>	a button for resizing a subwindow
<code>ZMove</code>	a button for repositioning a subwindow
<code>ZChassis</code>	a handy combination of <code>ZChild</code> , <code>CloseButton</code> , <code>ZMove</code> , and <code>ZGrow</code>

Temporal Windows

<code>TSplit</code>	a temporal window that organizes its children so that exactly one child is visible at any given time.
<code>LinkButton</code>	displays a specific child in a <code>TSplit</code> .
<code>PageButton</code>	switches children displayed in a <code>TSplit</code> .

A common use of a `TSplit` is to make an arbitrary component appear or disappear under user control. The component whose visibility is to be toggled is put into a `TSplit` with one sibling: a component with no size. A `LinkButton` to the component will cause it to appear, and another `LinkButton` to the sibling will effectively cause the component to disappear.

4. Programming with FormsVBT

All ordinary client access to the FormsVBT system is handled by the `FormsVBT` interface. The other interfaces exported by the FormsVBT package are given in Appendix B.

4.1 The FormsVBT Interface

FormsVBT is a system for building graphical user interfaces. FormsVBT provides a special-purpose language for describing user interfaces, an interface-builder that allows editing of such descriptions, and a runtime library for applications to make use of the user interfaces.

The locking level for any procedure in this interface that may alter an installed VBT is `LL.sup = VBT.mu`. Most applications don't need to worry about `VBT.mu` because their event-handlers don't fork any threads that call FormsVBT.

```
INTERFACE FormsVBT;

IMPORT AnyEvent, Color, Filter, Rd, Rsrc, SxSyntax, Thread, VBT,
      Wr, ZSplit;

EXCEPTION
  Error (TEXT);
  Unimplemented;
  Mismatch;
```

4.2 Creation, allocation, and initialization

An object `fv` of type `FormsVBT.T` (or simply, a *form*) is created by parsing an S-expression. These expressions are usually stored in files with the suffix `.fv`. One way of creating a form is to call the procedure `NewFromFile`, or the method `fv.initFromFile`, with the name of such a file; the expression is parsed, and if there are no errors, a new VBT is created and stored in the form, which is returned.

It is also possible for a program to generate a description “on the fly” and then use it to create a form. The methods `fv.init`, `fv.initFromRd`, and `fv.initFromSx` support these options.

```

TYPE
  T <: Public;
  <* SUBTYPE T <: MultiFilter.T *> (* ... *)
  S_exp = REFANY;
  Public = Filter.T OBJECT
    METHODS
      <* LL.sup <= VBT.mu *>
      init (description : TEXT;
            raw          : BOOLEAN   := FALSE;
            path         : Rsrc.Path := NIL   ): T
        RAISES {Error};
      initFromFile (filename : TEXT;
                    raw       : BOOLEAN   := FALSE;
                    path      : Rsrc.Path := NIL   ): T
        RAISES {Error, Rd.Failure, Thread.Alerted};
      initFromRd (rd : Rd.T;
                  raw : BOOLEAN   := FALSE;
                  path : Rsrc.Path := NIL   ): T
        RAISES {Error, Rd.Failure, Thread.Alerted};
      initFromSx (sx : S_exp;
                  raw : BOOLEAN   := FALSE;
                  path : Rsrc.Path := NIL   ): T
        RAISES {Error};
      initFromRsrc (name : TEXT;
                    path : Rsrc.Path;
                    raw : BOOLEAN   := FALSE): T
        RAISES {Error, Rd.Failure,
                  Rsrc.NotFound, Thread.Alerted};

      realize (type, name: TEXT): VBT.T RAISES {Error};

      <* LL.sup = VBT.mu *>
      snapshot (wr: Wr.T) RAISES {Error};
      restore (rd: Rd.T) RAISES {Mismatch, Error};

    END;

```

The call `fv.init(description, raw)` initializes `fv` as a form and returns `fv`. It creates a `VBT`, `v`, from `description`, which must contain a single, valid `S-expression`. The methods `initFromFile`, `initFromRd`, `initFromSx`, and `initFromRsrc` provide analogous support for files, readers, `S-expressions`, and named resources. Files are accessed via

```
FileStream.OpenRead (Filename.ExpandTilde (filename))
```

Exceptions of type `Rd.EndOfFile` and `Rsrc.NotFound` are signaled as `Error`.

`fv` is a multi-filter. `MultiFilter.Child(fv)` will return `v`, even if `raw` is `TRUE`. Internally, `fv` is a filter; if `raw` is `TRUE`, then the filter's child is `v`. Otherwise, `fv` is “cooked”, which means there are several filters inserted between `v` and `fv`, so that the filter's child has the following structure:

```
(ZSplit
  (Filter
    (HighlightVBT
      (Filter v))))
```

The filter above `v` supports the common case of making an entire form passive without requiring an explicit `Filter` interactor in the description. It also functions to restore the keyboard focus to whichever of the form's descendant-VBTs had most recently acquired the keyboard focus. The `ZSplit` supports menus and other pop-up operations, even if there is no `ZSplit` explicitly mentioned in the description. To get the `ZSplit` that is inserted, use `GetZSplit`. Clients should not traverse a cooked form directly. We reserve the right to change the filters that are inserted.

Briefly, the description of the form is an S-expression whose first element is the name of a component (e.g., `HBox`), and whose other elements are either properties (e.g., `Color`), or other components, typically describing the VBT-children of the outer component.

The VBT-tree is created during a depth-first traversal of the S-expression. On the way down, each VBT is *allocated*, typically with a call to `NEW(...)`. Then the subexpressions, if any, are traversed. On the way back up, each VBT is *initialized*, typically with a call to `v.init(...)`. The result is returned to the caller, where it is typically an argument to the parent's `init` method.

In other words, allocation occurs top-down, and initialization occurs bottom-up. (For more details on allocation, see Section 4.7.)

For each subexpression, the parser produces a VBT whose type is defined in the `FVTypes` interface, and whose name corresponds to the first element of the subexpression. For example, from the S-expression `(HBox ...)`, the parser creates an object of type `FVTypes.FVHBox`.

```
PROCEDURE NewFromFile (filename: TEXT;
                      raw      := FALSE;
                      path     : Rsrc.Path := NIL ) : T
RAISES {Error, Rd.Failure, Thread.Alerted};

Create a new form from the description in the file. Rd.EndOfFile is signalled as Error.
Equivalent to NEW(T).initFromFile (name, raw, path)

PROCEDURE GetZSplit (fv: T): ZSplit.T RAISES {Error};

Return the ZSplit that “cooked” mode inserts. An exception is raised if fv was not created with raw =
TRUE.
```

4.3 Events and Symbols

4.3.1 Attaching event-handlers

Most interactive components in the user interface generate events. To register an event-handler for such a component, the component must be named, and the client must call `Attach` or `AttachProc`, giving the name of the component and a procedure to be called when an event occurs in that component.

```
PROCEDURE Attach (fv: T; name: TEXT; cl: Closure) RAISES {Error};
```

Attach an event-handler (“callback”) to the component of fv whose name is given by name. If there is no such component, or if that component does not generate events (e.g., Text), then Error will be raised. If cl is NIL, then any existing event-handler for that component is removed. Otherwise, when an event occurs in the named component, the implementation calls

```
cl.apply(fv, name, time)
```

```
TYPE
```

```
  Closure = OBJECT
```

```
    METHODS
```

```
      apply (fv: T; name: TEXT; time: VBT.TimeStamp);
```

```
    END;
```

```
PROCEDURE AttachProc (fv      : T;
                      name    : TEXT;
                      p        : Proc;
                      eventData: REFANY := NIL) RAISES {Error};
```

This is an alternate, somewhat simpler way to attach an event-handler. When an event occurs in the named component, the implementation calls

```
p(fv, name, eventData, time)
```

```
TYPE
```

```
  Proc = PROCEDURE (fv      : T;
                    name    : TEXT;
                    eventData: REFANY;
                    time     : VBT.TimeStamp);
```

These event-handlers do not provide any other details, such as what key or mouse button was pressed, or whether it was a double-click. If such information is needed, call `GetTheEvent` to retrieve it.

```
PROCEDURE AttachEditOps (fv      : T;
                        editorName: TEXT;
                        cut, copy, paste, clear,
                        selectAll, undo, redo,
```

```

findFirst, findNext, findPrev: TEXT := NIL)
RAISES {Error};
<* LL.sup = VBT.mu *>

```

Create and attach event-handlers for common editing operations.

editorName must be the name of a text-editing component: TextEdit, TypeIn, Numeric, or Typescript. If cut is not NIL, then it must be the name of a component (typically a menu-button), and AttachEditOps will create an event-handler for it that will invoke the **Cut** operation on the text-editing component. Similarly, if copy is not NIL, then it should name a component for which AttachEditOps will create an event-handler that invokes the **Copy** operation on the text-editing component. Likewise for paste, clear, and so on.

4.3.2 Access to the current event

```

PROCEDURE GetTheEvent      (fv: T): AnyEvent.T    RAISES {Error};
PROCEDURE GetTheEventTime (fv: T): VBT.TimeStamp RAISES {Error};

```

Retrieve the details of the event that is currently in progress. These routines may be called only during the dynamic extent of an event-handler attached to some component via Attach or AttachProc.

```

PROCEDURE MakeEvent (fv: T; name: TEXT; time: VBT.TimeStamp)
  RAISES {Error};

```

MakeEvent invokes the event-handler for the component of fv whose name is name. A component has an event-handler if attached via Attach or AttachProc, or if the component is a PopButton, PopMButton, PageButton, PageMButton, LinkButton, or LinkMButton.

MakeEvent is useful when one part of a large program wishes to communicate with another part, by pretending that the named event occurred. The client might want typing a particular control-character in a text-editing component, for example, to have the same effect as selecting a menu-item such as “Quit.” MakeEvent provides a way to link the two events to the same handler.

```

VAR MakeEventMiscCodeType: VBT.MiscCodeType; (* CONST *)

```

The exact type of the result of GetTheEvent depends on the user action that caused the event to be generated, a key, a mouse-click, etc. If the event was actually caused by a call to MakeEvent, the type of the result will be AnyEvent.Misc, and the value of its type field will be MakeEventMiscCodeType.

4.3.3 Symbol management

```

PROCEDURE AddSymbol (fv: T; name: TEXT) RAISES {Error};

```

Add a “virtual” component to fv with the given name. The form will behave as if there was a component called name (i.e., the call GetVBT(fv, name) will return a valid VBT).

This procedure is most useful as a means to communicate between distant parts of a large program. One part of the program would use `AddSymbol` to create a new symbol; another part would call `MakeEvent` to invoke an event-handler for the symbol.

Error is raised if name is already defined in `fv`.

```
PROCEDURE AddUniqueSymbol (fv: T): TEXT;
```

Just like `AddSymbol`, but finds a name that has not been used yet. The name is returned.

4.4 Reading and Changing State

In response to an event or other occurrence, a program may want to read or change the state of various interactors in the form. This is handled by the various `Get` and `Put` procedures. `Get` procedures take the form and the name of the interactor, and return its value. `Put` procedures take the form, the name of the interactor, and the new value to be set.

There are several `Get` procedures and several `Put` procedures, for convenient handling of various Modula types. These should be used as appropriate to the type of the interactor: `GetText` for a `TypeIn`, `GetInteger` for a `Numeric`, `GetBoolean` for a `Boolean` or `Choice`, etc. However, some conversions are supported: `PutInteger` to a `TypeIn` will convert the integer into text; `GetInteger` will likewise attempt to convert the text of the `TypeIn` to an integer (and return 0 in case of failure). All `Get` and `Put` procedures, however, will raise `Error` if applied to a component that does not have a value.

4.4.1 Access to the `Main` and `Value` properties

```
PROCEDURE GetText (fv: T; name: TEXT): TEXT
  RAISES {Error, Unimplemented};
```

This is implemented for `Browser`, `FileBrowser`, `Numeric`, `Text`, `Typescript`, and the text-interactors: `TextEdit`, `TypeIn`, and `TextArea`.

```
PROCEDURE PutText (fv: T; name: TEXT; t: TEXT; append := FALSE)
  RAISES {Error, Unimplemented};
```

This is implemented for `Browser`, `FileBrowser`, `Pixmap`, `Text`, `Typescript`, and the text-interactors: `TextEdit`, `TypeIn`, and `TextArea`. For `Text` and the text-interactors, if `append` is true, then `t` is added to the end of the current text, rather than replacing it.

```
PROCEDURE GetInteger (fv: T; name: TEXT): INTEGER
  RAISES {Error, Unimplemented};
PROCEDURE PutInteger (fv: T; name: TEXT; num: INTEGER)
  RAISES {Error, Unimplemented};
```

These are implemented for `Browser`, `Numeric`, `Scroller`, and `TSplit`.


```
PROCEDURE GetBoolean (fv: T; name: TEXT): BOOLEAN
  RAISES {Error, Unimplemented};
PROCEDURE PutBoolean (fv: T; name: TEXT; val: BOOLEAN)
  RAISES {Error, Unimplemented};
```

These are implemented for Boolean and Choice.

4.4.2 Access to arbitrary properties

FormsVBT provides access to properties other than Main and Value. The intention is to provide access to all the inherited and class properties. For example, the Scroller component has an integer-valued property named Min, so it should be possible to call

```
GetIntegerProperty(fv, name, "Min")
```

to retrieve that value, or

```
PutIntegerProperty(fv, name, "Min", 6)
```

to change the value to 6.

WARNING: The current implementation, however, provides access only to the inherited properties, and even that is limited.

Note also that changing the value of a property in a component will not affect its subcomponents.

```
PROCEDURE GetTextProperty (fv: T; name, propertyName: TEXT): TEXT
  RAISES {Error, Unimplemented};
```

This is implemented for the Font and LabelFont properties of all forms, as well as the Select property of Browsers.

```
PROCEDURE PutTextProperty (fv: T; name, propertyName: TEXT; value: TEXT)
  RAISES {Error, Unimplemented};
```

This is implemented for the Color, BgColor, Font, and LabelFont properties of all forms, as well as the Select property of Browsers.

```
PROCEDURE GetIntegerProperty (fv: T; name, propertyName: TEXT):
  INTEGER RAISES {Error, Unimplemented};
PROCEDURE PutIntegerProperty (fv          : T;
                             name, propertyName: TEXT;
                             value          : INTEGER)
  RAISES {Error, Unimplemented};
```

This is implemented for the Min and Max properties of Numerics, and the Min, Max, Step, and Thumb properties of Scrollers.

```
PROCEDURE GetColorProperty (fv: T; name, property: TEXT): Color.T
  RAISES {Error, Unimplemented};
```

Return the color used by the named component. property must be one of Color, BgColor, LightShadow, or DarkShadow.

```
PROCEDURE PutColorProperty (      fv          : T;
                                name, property: TEXT;
                                READONLY color : Color.T)
  RAISES {Error, Unimplemented};
```

Set the color used by the named component. property must be Color or BgColor.

4.4.3 Access to the underlying VBTs

```
PROCEDURE GetVBT (fv: T; name: TEXT): VBT.T RAISES {Error};
```

Return the VBT corresponding to a named interactor in fv. Error is raised if there is no such VBT.

4.4.4 Radios and Choices

```
PROCEDURE GetChoice (fv: T; radioName: TEXT): TEXT
  RAISES {Error, Unimplemented};
PROCEDURE PutChoice (fv: T; radioName, choiceName: TEXT)
  RAISES {Error, Unimplemented};
```

Get/Put the name of the selected Choice in a radio-button group. If there is no selection, GetChoice returns NIL. If choiceName is NIL, the radio-group will have no selection.

```
PROCEDURE MakeSelected (fv: T; choiceName: TEXT) RAISES {Error};
PROCEDURE IsSelected (fv: T; choiceName: TEXT): BOOLEAN
  RAISES {Error};
```

Set/test a Choice-button without referring to its group.

4.4.5 Generic interactors

```
PROCEDURE GetGeneric (fv: T; genericName: TEXT): VBT.T
  RAISES {Error};
```

Retrieve the VBT used by the named Generic interactor.

```
PROCEDURE PutGeneric (fv: T; genericName: TEXT; vbt: VBT.T)
  RAISES {Error};
```

Replace the named Generic interactor with vbt, which may be NIL. When NIL is specified, a default (and initial) VBT is used: a TextureVBT with 0 size and 0 stretch in each dimension.

4.4.6 Special controls for Filters

The `(Filter ...)` expression in FormsVBT supports a feature called *reactivity*. This has one of four states: Active, Passive, Dormant, or Vanished. The state can be specified in the description and changed by the application at runtime. The normal state is Active. In the Passive state, the component and its descendants, if any, are unresponsive to mouse clicks. The Dormant state is like Passive, but the component and descendants are “grayed out.” Dormant is often to be preferred over Passive, because it provide additional feedback to the user. In the Vanished state, the component becomes unreactive and disappears entirely.

```
PROCEDURE MakeActive (fv: T; name: TEXT) RAISES {Error};
PROCEDURE MakePassive (fv: T; name: TEXT) RAISES {Error};
PROCEDURE MakeDormant (fv: T; name: TEXT) RAISES {Error};
PROCEDURE MakeVanish (fv: T; name: TEXT) RAISES {Error};
```

Find the nearest ancestor of the named component that is of type FVFilter, and sets its state as indicated. The exception is raised if no such ancestor can be found.

```
PROCEDURE IsActive (fv: T; name: TEXT): BOOLEAN RAISES {Error};
PROCEDURE IsPassive (fv: T; name: TEXT): BOOLEAN RAISES {Error};
PROCEDURE IsDormant (fv: T; name: TEXT): BOOLEAN RAISES {Error};
PROCEDURE IsVanished (fv: T; name: TEXT): BOOLEAN RAISES {Error};
```

Find the nearest ancestor of the named component that is of type FVFilter, and tests its state as indicated. The exception is raised if no such ancestor can be found.

4.4.7 Access to Subwindows

```
PROCEDURE PopUp (fv          : T;
                 name        : TEXT;
                 forcePlace: BOOLEAN := FALSE)
  RAISES {Error};
```

Assuming that name is the name of an element of fv that can be popped up, pop it up. That is, the named element must be a non-background child of a ZSplit, or some descendant thereof. In the latter case, the ancestor that is a direct child of the ZSplit will be the thing popped up. Call this ancestor zchild. PopUp is equivalent to activating

```
(PopButton (For zchild) ...)
```

If the target zchild is already open or has been opened before and has been moved by the user (to a location that is now visible), it will normally be left where the user left it. The forcePlace option will force it instead to be returned to its canonical place.

```
PROCEDURE PopDown (fv: T; name: TEXT) RAISES {Error};
```

The inverse of PopUp: make the named element (or suitable ancestor) invisible. This is implemented using ZSplit's unmapping. (Unfortunately, this doesn't cause the keyboard focus to be lost.) The exception is raised if name is not the name of an element of fv.

4.4.8 Special controls for text-interactors

```
PROCEDURE TakeFocus (fv      : T;
                    name     : TEXT;
                    eventTime: VBT.TimeStamp;
                    select    := FALSE)
    RAISES {Error};
```

Give the keyboard focus to a specified interactor. An exception is raised if the interactor is not of a suitable class to take it; however, no exception is raised if the keyboard focus cannot be taken because of a timeout, i.e., an invalid eventTime. If select is TRUE and the focus was taken, then select the entire contents of the interactor's TextPort as a primary selection in replace-mode.

4.5 Saving and restoring state

The client may sometimes wish to save and restore the entire state of a form. This is supported by the snapshot facility.

A *snapshot* is an S-expression that captures the state of components in a form. The call `fv.snapshot(wr)` writes a snapshot of `fv` to the writer `wr`, and the call `fv.restore(rd)` reads a snapshot from the reader `rd` and restores the state of the components of `fv` to their states in the snapshot.

A snapshot produced by the default method contains only those named components that have a modifiable value. More precisely, a component is part of a snapshot if (1) it has a name and (2) the call to `GetText`, `GetInteger`, `GetReal`, `GetBoolean`, or `GetChoice` does not raise an exception.

The `snapshot` method raises the `Error` exception if there is a problem writing the snapshot to the writer.

The `restore` method raises the `Error` exception if there is a syntax error in the S-expression or if there is any type of problem with the reader.

When restoring, the snapshot need not precisely match the set of interactors in the form. If the snapshot lacks values for some fields that the form contains, those fields will be left alone. If the snapshot has values for some fields that the form does not contain, the `restore` method should raise `Mismatch`, but only after restoring all the values that do match. If the snapshot has a value for a field that the form contains, but the types do not agree, this is a show-stopping error; the `restore` method should raise `Error`. Catching `Mismatch` is useful when you want to continue to tolerate snapshots from old versions of a form.

The default `snapshot` and `restore` methods write s-expressions in the following format:

```
((name1 value1)
```

```
(name2 value2) ...)
```

The typical reason why you would override these methods is if there is a component (e.g., a `Generic`) whose value you want to be part of the snapshot but it doesn't respond to `GetText`, `GetInteger`, etc.

4.6 Dynamic Alteration of Forms

In some applications, it may be desirable to change a form while the program is running. For example, one might want to add or change items in a menu. `FormsVBT` provides facilities to:

- add a new component, as a child of a named `Split`.
- delete a named component, provided that it is a direct child of a `Split`.
- read a `FormsVBT` S-expression from a text.
- print a `FormsVBT` S-expression as text.

4.6.1 Modifying forms in place

`Insert` and `Delete` support dynamic modification of forms. Any resizing that may be appropriate after an `Insert` or `Delete` is performed automatically. For the common case of modifying menus, this is not an issue because the menu is (almost certainly) not visible at the time the alteration takes place.

```
PROCEDURE Insert (fv          : T;
                  parent      : TEXT;
                  description: TEXT;
                  n            : CARDINAL := LAST (CARDINAL)) : VBT.T
    RAISES {Error};
<* LL.sup = VBT.mu *>
```

Insert parses a description in the context of an existing form, that is, in `fv`'s namespace, so that names already defined in `fv` are visible while the description is being parsed, and with the state (color, resource-path, etc.) that was in effect for `parent`.

Once the new `VBT` is created, it is inserted into the named component, which must be a `Split`, as the `n`th child. It is also returned.

```
PROCEDURE InsertFromFile (fv          : T;
                          parent      : TEXT;
                          filename    : TEXT;
                          n            : CARDINAL := LAST (CARDINAL)) :
VBT.T RAISES {Error, Rd.Failure, Thread.Alerted};
<* LL.sup = VBT.mu *>
```

```
PROCEDURE InsertFromRsrc (fv      : T;
                        parent: TEXT;
                        name  : TEXT;
                        path   : Rsrc.Path;
                        n      : CARDINAL      := LAST (CARDINAL)):
    VBT.T RAISES {Error, Rd.Failure, Rsrc.NotFound, Thread.Alerted};
<* LL.sup = VBT.mu *>

InsertFromFile and InsertFromRsrc read a description from a file or named resource, and then call
Insert.
```

```
PROCEDURE InsertVBT (fv      : T;
                   name  : TEXT;
                   child  : VBT.T;
                   n      : CARDINAL := LAST (CARDINAL))

    RAISES {Error};
<* LL.sup = VBT.mu *>
```

Insert child as the nth child of the named component, which must be a Split.

```
PROCEDURE Delete (fv      : T;
                 parent: TEXT;
                 n      : CARDINAL;
                 count  : CARDINAL := 1) RAISES {Error};

<* LL.sup = VBT.mu *>
```

Delete the children whose indices are in the range [n .. (n + count - 1)] from the named component, which must be a Split.

4.6.2 Reading and printing S-expressions

The FormsVBT parser uses `Sx.Read` to convert text-strings into S-expressions, and `Sx.Print` to convert S-expressions into text-strings. A special “syntax object” is used to implement the syntactic shortcuts: `%x` as an abbreviation for `(Name x)`, and `=y` as an abbreviation for `(Value y)`. The syntax object also handles the single-quote, backquote, comma, and other special characters used in FormsVBT macros.

`FVSyntax` is the syntax object. If you read or print an S-expression describing a form, you should use this as the syntax argument to `Sx.Read` or `Sx.Print`; e.g.,

```
Sx.Print (Stdio.stderr, form, syntax := FormsVBT.FVSyntax)
```

Consult the `Sx` interface for more information on syntax objects.

```
VAR FVSyntax: SxSyntax.T;          (* CONST *)

END FormsVBT.
```

4.7 Subclasses of components

As the subexpressions describing the form `fv` are being parsed, the VBT-components are created (allocated) by calling

```
fv.realize(type, name)
```

where *type* is the name of the first element of the subexpression, and *name* is the Name property specified in the subexpression, or the empty string if no such property was specified. For example, if the description contains the expression

```
(Menu %mainMenu ...)
```

then the FormsVBT parser will call

```
fv.realize("Menu", "mainMenu")
```

to create the VBT.

By overriding the `realize` method of `fv`, the client can create subtypes for any or all of the components. For each type of form, there is a corresponding type in the `FVTypes` interface. For example, the result of parsing `(Menu ...)` is an object that is a subtype of `FVTypes.FVMenu`. The `realize` method must allocate and return a VBT that is a subtype of the corresponding type in `FVTypes`.

Example: suppose you wanted the form to keep a count of the number of menus it contains, and each menu to store its own index.

```
TYPE
  MyForm = FormsVBT.T OBJECT
    count: CARDINAL := 0
  OVERRIDES
    realize := Realize
  END;
  MyMenu = FVTypes.FVMenu OBJECT
    index: CARDINAL
  END;

PROCEDURE Realize (fv: MyForm; type, name: TEXT):
  VBT.T RAISES {FormsVBT.Error} =
  BEGIN
    IF Text.Equal (type, "Menu") THEN
      WITH m = NEW (MyMenu, index := fv.count) DO
        INC (fv.count);
        RETURN m
      END
    ELSE
      (* use the default *)
```

```

        RETURN FormsVBT.T.realize (fv, type, name)
    END
END Realize;

```

Note that the `realize` method does not *initialize* the VBT that it allocates. Actually, it may initialize any *private* fields, such as the `index` field in this example, but the VBT's `init` method should not be called inside the call to `fv.realize`, because it will be called later during the “bottom-up”, initialization phase. Of course, the client may also override the `init` method to control what happens in that phase.

A more complicated case arises with text-editing components. Textports occur in four forms: `TextEdit`, `Numeric`, `Typescript`, and `Typein`. The first three *contain* textports; the fourth is a subtype of `TextPort.T`. If you wish to redefine the interpretation of keystrokes, you do so by overriding the `filter` method of the textports. The following code illustrates how to do this.

```

TYPE
    MyForm = FormsVBT.T OBJECT
        OVERRIDES realize := Realize END;

PROCEDURE Realize (fv: MyForm; type, name: TEXT): VBT.T
    RAISES {FormsVBT.Error} =
    BEGIN
        IF Text.Equal (type, "TextEdit") THEN
            RETURN
            NEW (FVTypes.FVTextEdit,
                tp := NEW (TextPort.T, filter := MyFilter))
        ELSIF Text.Equal (type, "Numeric") THEN
            RETURN NEW (FVTypes.FVNumeric,
                typein := NEW (NumericVBT.Typein,
                    filter := MyFilter))
        ELSIF Text.Equal (type, "Typescript") THEN
            RETURN NEW (FVTypescript,
                tp := NEW (TypescriptVBT.Port,
                    filter := MyFilter))
        ELSIF Text.Equal (type, "Typein") THEN
            RETURN NEW (FVTypes.FVTypein, filter := MyFilter)
        ELSE
            (* use the default *)
            RETURN FormsVBT.T.realize (fv, type, name)
        END
    END Realize;

```


5. FormsEdit

FormsEdit is a stand-alone application that allows you to develop a FormsVBT user interface: the layout, the colors, the fonts, the text, the buttons, the pop-up windows, the shadows, . . . everything except the application code that does whatever it is you're building a user interface *to*.

The shell-command `formsedit` takes an optional argument, the name of an `.fv` file you wish to edit. It also takes optional X11 parameters for specifying the initial display and geometry; the manpage has the details.




Figure 5.1: *The initial text-editor window shown by formsedit.*

The following sections describe the user interface.

5.1 Getting started

When you start the program, you'll see two windows: an editor and a result view (see Figure 5.1). The editor has a simple FormsVBT S-expression in it:


```
(Rim (Pen 10)
  (Text (Name ignoreMe) "This space available for a small fee"))
```

The result view is simply a window that contains the text, surrounded by 10 points of whitespace, or in this case, “greyspace”, since the default background color is light grey.

5.2 The menubar

The menubar has four menus and a button.

- The first menu shows a quill-pen icon. The items in this menu include buttons labeled **About FormsEdit...**, **Help...**, four choices for the editing model, and **Quit**. The **Help** button will pop up a window with an online help-file, containing a list of all the components and their properties. The editing models define the keybindings and selection controls; they also determine the keyboard equivalents that appear in the menu items. The four choices, Ivy, Emacs, Mac, and Xterm, are documented in the *VBToolkit Reference Manual*[2].
- The **File** menu (see Figure 5.2) contains a standard list of items. **New** creates another pair of windows, using the same, simple S-expression. **Open...**, which is selected in the figure, brings up a file browser. If you click **Close** or **Quit** while there are unsaved changes, you will be asked whether you want to save them.

Figure 5.2: *The File menu.*


In a slight variation on the Apple standard, the **File** menu contains a command called **PPrint**, not **Print**. **PPrint** invokes the pretty-printer, and rewrites the S-expression in the window. The **PP setup...** button brings up a window with a `Numeric` component that lets you establish the width that the pretty-printer should use; typing `Return` in that component causes the S-expression to be pretty-printed at the new width. The user-interface descriptions in `.fv` files tend to grow fairly quickly. If you can afford the screen real-estate, you might try reshaping the editor window to be as wide as possible, set the pretty-printer width to 150, and type `Return`.

- The **Edit** menu has buttons for **Undo** and **Redo**; buttons for the standard editing commands **Cut**, **Copy**, **Paste**, **Clear**, and **Select All**; a **Find...** button that brings up a dialog box for specifying the string you wish to search for; and buttons for **Find Next** and **Find Prev.**, which look for the current Source selection.
- The **Misc** menu contains an item for examining the named components in the form you’re editing—it shows their names, types, and shapes; an item for producing a snapshot (see Section 4.5); and a button to bring up the error-message window, which normally disappears 5 seconds after it displays a message. This menu also contains items that allow you to move the editor and result windows from one screen to another.

The space to the right of the buttons contains the name of the file being edited (if the window is showing a file). When there are unsaved changes to the window, a “note” icon also appears here.

5.3 The “Do It” button

After you’ve edited the file describing your user interface, you’ll want to see what it looks like. Click the **Do It** button. On some keyboards, there’s a (big) key labeled **Do**; you can press that instead of clicking the button.

Figure 5.3: *The error window.*

Every time you click the **Do It** button (or press the **Do** key or the **Enter** key), FormsVBT parses the entire S-expression, and updates the result view accordingly. The result-view window will change its shape, if necessary, to give the form its preferred shape.

5.4 Errors

What if there's an error in your form? The parser will detect it and highlight the nearest enclosing S-expression. An error window will pop up, explaining what the error was. If you click the **OK** button in the error window, the highlighting will disappear.

For example, suppose we wanted to change the font in the sample S-expression, and instead of writing `Family`, we misspelled it as `Famly`. When we hit the **Do It** button, the error window pops up; see Figure 5.4. The `Text` subexpression is highlighted, and the error message says: `Bad font-spec: (Famly "new century schoolbook")`.

When an error has been detected, the result view is not changed. If you open a window onto a file that contains an erroneous S-expression, its result window will be in some undefined state.

If we correct the misspelling and click **Do It**, the error window will disappear.

A. Full Description of Components

This appendix contains a complete description of each FormsVBT component. Each description contains the following sections:

- A banner containing the component's name and syntactic classification (`Leaf`, `Filter`, or `Split`). A box around the name, e.g., `Button`, indicates that the component generates an *event*; `FormsVBT.Attach` and `FormsVBT.AttachProc` can be used to attach an *event-handler* to such a component.
- A short description of the component.
- The class-specific properties, if any, for the component. These are described in more detail below.
- A description of the component's interactive behavior, if it generates an event.
- The component's shape information.
- Additional notes (optional).

The first line of each class-specific property contains the property name, the access information, the type, the default value, and a description of the property. Example:

`Value` _{GP} (Boolean, #False)

The property name, `Value` in this example, is the symbol that would appear in the S-expression. The access information is indicated by the small letters G and P. G means that the value of this property can be retrieved at runtime; P means that the value can be set at runtime.

If the name of the property is `Value` or `Main`, then you can get the value of the property by calling `GetText`, `GetInteger`, or `GetBoolean`, depending on the type of the property, and you can set the value by calling `PutText`, `PutInteger`, or `PutBoolean`.

For properties other than `Value` or `Main`, you can get the value of the property by calling `GetTextProperty` or `GetIntegerProperty`, and you can set the value by calling `PutTextProperty` or `PutIntegerProperty`. These procedures take the name of the property as an argument.

The descriptions do not include the inheritable properties (see section 3.3, page 39). All (well-behaved) components use these properties for displaying information. Some of these can be accessed at runtime, as the following list indicates:

<code>Font</code>	<code>GP</code>	(Font) The font used for <code>Browser</code> , <code>DirMenu</code> , <code>FileBrowser</code> , <code>Helper</code> , <code>MultiBrowser</code> , <code>Numeric</code> , <code>TextEdit</code> , <code>Typein</code> , and <code>Typescript</code> ,
<code>LabelFont</code>	<code>GP</code>	(Font) The font used for <code>Text</code> and the <code>Title</code> of a <code>ZChassis</code> .
<code>Color</code>	<code>P</code>	(Color) The foreground color.
<code>BgColor</code>	<code>P</code>	(Color) The background color.
<code>LightShadow</code>		(Color)
<code>DarkShadow</code>		(Color)
<code>ShadowSize</code>		(Real, 1.5)

Some components define enumerations that specify mutually exclusive choices for a single, unnamed property. Syntactically, these are all Boolean properties, but unlike other Boolean properties, which always have a `#False` default value, one of these will default to `#True`. Furthermore, specifying any of them as `#True` has the effect of declaring all the others to be `#False`.

For example, the shadow-style of a `Frame` may be `raised`, `flat`, `lowered`, `ridged`, or `chiseled`. The default is `Raised`, but if you write

```
(Frame Lowered ...)
```

or, equivalently,

```
(Frame (Lowered #True) ...)
```

then that has the effect of declaring `Raised`, `Flat`, etc., to be false.

Bar

Leaf

Displays a horizontal or vertical line, using the foreground color, with the specified size and stretchability in the principal direction of its parent. `Bar` is exactly like `Glue` except that it uses the foreground color (`Color`) instead of the background color (`BgColor`).

<code>Main</code>	<code>(Size, 1 + 0 - 0)</code> The size and stretchability in the principal direction.
-------------------	---

Shape The principal direction is explicitly specified; the other direction has zero preferred and minimum size and is infinitely stretchable, thereby taking on the parent's shape.

Notes Not valid except as the child of a horizontal or vertical split (`HBox`, `HVTile`, `VBox`, or `VTile`).

See Also `Ridge` and `Chisel`

Boolean

Filter

A Boolean, on-off interactor.

<code>Value</code>	<code>GP (Boolean, #False)</code> The current state.
<code>MenuStyle</code>	<code>(Boolean, #False)</code> When set, the interactor should be a child of a <code>Menu</code> , in which case it will react on the upclick. Otherwise, it reacts on the downclick.

Feedback choices (mutually exclusive):

<code>CheckBox</code>	<code>(Boolean, #True)</code> Give feedback with a “check-box” icon.
<code>CheckMark</code>	<code>(Boolean, #False)</code> Give feedback with a “check-mark” icon.
<code>Inverting</code>	<code>(Boolean, #False)</code> Give feedback by displaying a border around the child <code>VBT</code> .

Behavior	If <code>CheckBox</code> (the default) is set, <code>FormsVBT</code> adds a three-dimensional check-box icon to the left of its child. The check-box is raised and empty to indicate a false value, lowered and filled-in to indicate a true value. Any click on the check-box or on the child toggles state and generates an event on the upclick. <code>CheckMark</code> causes a different set of bitmaps to be used to indicate state. <code>Inverting</code> causes no bitmaps to be used. Actually, “inverting” is a (historical) misnomer: on a non-monochrome display, a three-dimensional shadow is put around the child, and the shadow is raised (when false) and lowered (when true).
Shape	When <code>Inverting</code> is false, the shape of this interactor is the shape of its child, plus 16 pixels wider on the west side. When <code>Inverting</code> is true, the shape of the interactor is the shape of the child plus the shadow.
Notes	The <code>CheckMark</code> property, in conjunction with <code>MenuStyle</code> , can be used to implement the Macintosh-style “checks” on menu items. However, because the check-mark is put to the left of its child, menu elements will look misaligned if some elements are <code>MButtons</code> and others are <code>Booleans</code> with check-marks.
See Also	<code>Choice</code>

☐ Checkbox, #False

☒ Checkbox, #True

CheckMark, #False

✓ CheckMark, #True

Inverting, #False

Inverting, #True

Border

Filter

Displays a border around its child.

<code>Pen</code>	(Real, 1.0) The thickness of the border.
<code>Pattern</code>	(Text) The name of a pixmap-resource used for the border's texture, which defaults to <code>Pixmap.Solid</code> .

Shape The shape of its child, plus twice the value of `Pen` in each dimension.

See Also Rim and Frame

Browser

Leaf

A browser on a collection of text strings.

Contents (Items takes precedence):

Items	(TextList) The contents of the browser. Example: (Items "red" "blue")
From	(Text) If present, names a resource from which the initial browser contents will be taken.

Choices (Value takes precedence):

Value ^{GP}	(Integer, -1) The position of the selected item. 0 means the first item; -1 means no item is selected.
Select ^{GP}	(Text) The text of the selected item. PutTextProperty selects the first matching item if there is one; otherwise it selects nothing. GetTextProperty returns the text of the selected item, or NIL if there is no selection.

Quick	(Boolean, #False) If true, every selection action is reported as an event. Otherwise, only double-click actions are reported.
-------	--

Behavior Displays items vertically, with a scrollbar at the left. Clicking selects the item under the mouse. Double-clicking on an item generates an event on the second up-click. If Quick is true, single-clicking on an item generates an event on the up-click.

Shape At minimum, large enough to hold its scrollbar plus the single string "XXXX" in the font being used. Infinitely stretchable in both dimensions.

See Also MultiBrowser

	Rolling Lettuce Chicken
	Kung Pao Beef
	Hunan Prawns
	Yu Shang Scallops
	Happy Family Delight

Button

Filter

A button. Surrounds its child with a raised shadow, and generates an event when clicked.

Behavior	On a down-click, the shadow becomes recessed; restores the raised shadow on an up-click or chord-abort, and generates an event if the mouse is still within the button on the up-click.
Shape	The natural shape of its child (i.e., with no shrink or stretch), plus the border around the button.
See Also	MButton

Chisel

Leaf

Displays a chiseled, three-dimensional horizontal or vertical line with the specified size in the principal direction (horizontal or vertical) of its parent.

Main	(Real, 1 . 5)
	The size in the principal direction.

Shape The principal direction is explicitly specified; the other direction has zero preferred and minimum size and is infinitely stretchable, thereby taking on the parent's shape.

Notes Not valid except as the child of a horizontal or vertical split (HBox, HVTile, VBox, or VTile).

See Also Bar and Ridge

Choice**Filter**

A choice button, one of a group of “radio buttons.” There must be a Radio component somewhere its ancestry. Choice components must be named.

Value	^{GP} (Boolean, #False) Whether currently selected.
MenuStyle	(Boolean, #False) When set, the interactor should be a child of a Menu, in which case it will react on the upclick. Otherwise, it reacts on the downclick.

Feedback choices (mutually exclusive):

CheckBox	(Boolean, #True) Give feedback with a “check-box” icon.
CheckMark	(Boolean, #False) Give feedback with a “check-mark” icon.
Inverting	(Boolean, #False) Give feedback by drawing a border around the child VBT.

Behavior If `CheckBox` is `#True`, Choice adds a three-dimensional diamond to the left of its child. The diamond is raised and empty for false, lowered and filled-in for true. Any click on the diamond or on the child selects this “button,” unselects any other member of the group that might have been selected, and generates an event. `MenuStyle` causes different reaction to the mouse clicks, as described above.

Shape The shape of its child, plus 16 pixels wider on the west side when not `Inverting`. When `Inverting`, the shape of the child plus the border.

See Also Boolean

CloseButton

Filter

A button that closes a subwindow when clicked. Its target may be specified using the `For` property; otherwise, it is the nearest subwindow ancestor of the `CloseButton` itself.

<code>For</code>	<code>(Name)</code> If given, this names the target. The named component must be either an overlapping (non-background) child of a <code>ZSplit</code> , or a descendant of something that is. In the latter case, the actual target will be the <code>ZSplit</code> child, not the named descendant.
------------------	--

Behavior	Like a <code>Button</code> , but before generating an event, closes its target (if the target is not already closed).
-----------------	---

Shape	The natural shape of its child (i.e., with no shrink or stretch), plus the border around the button.
--------------	--

DirMenu

Leaf

A “directory menu” is a button connected to a FileBrowser. The button displays the name of the last (nearest) component of the FileBrowser’s current directory.

For (Name)
The name of a FileBrowser. This property is required.

Behavior The directory menu shows the FileBrowser’s parent-directories, one parent per line, down to first component of the path, which is typically the root directory. Selecting an item in this menu makes that parent-directory be the FileBrowser’s current directory.

Shape The shape of a TextVBT containing the name of the parent, plus the shadow.

Notes A DirMenu never generates events in its own name. It can be accessed in its own name, but this is not recommended.

In a typical "Open File..." dialog, the DirMenu is above the FileBrowser, and the Helper is below. See Figure A

See Also FileBrowser and Helper

FileBrowser

Leaf

A browser for examining directories and selecting files, surrounded by a shadow.

Value ^{gp}	(Text, ". ") On retrieval, the value is the full pathname of the selected file, or NIL if no file is selected. When specified, the value may be absolute or relative (to the currently displayed directory), and may name a file or a directory. If a directory is specified, that directory is displayed but no file is selected, hence the new retrievable value is NIL. An initial specification, if relative, is relative to the current working directory of the application. Thus the default initial value of "." displays the current working directory.
Suffixes	(TextList) If this property is specified, then the file-browser will show only those files whose suffixes are in this list. The strings should not include the period; to include files that have no suffix, use the empty string. Example: (Suffixes "i3" "m3" "" "fv") (Directories are always shown.)
ReadOnly	(Boolean, #False) If true, the browser will only accept selection or naming of files that already exist. Otherwise, user may name a new file by typing in the helper (see Helper).

CONTINUED...


Behavior	<p>The FileBrowser displays a list of the files in the current directory, in alphabetic order. The user can <i>select</i> a file by clicking on its name, and <i>activate</i> it by double-clicking. Auto-scrolling works as for Browser. In the default setup, only activating a file generates an event. Activating a directory makes that the current directory, and changes the display to show it.</p> <p>If a helper is present (see Helper), it displays the pathname of the current directory whenever the current directory is changed. The user may also type a filename in the helper, and press Return to activate it.</p> <p>There are three “states” of selection in a FileBrowser with a Helper. After a new directory has just been set, there is no selection; the value is NIL. When the user clicks on an item in the browser, the browser has the selection, shown by a highlighted item; when the user types any character in the helper, the helper has the selection; the highlight vanishes from the browser. Thus it is possible to give a name for a file that does not yet exist, provided that ReadOnly is false. A relative pathname typed in the Helper is relative to the current directory.</p> <p>We recommend using (LabelFont "fixed") for a filebrowser.</p>
Shape	<p>At minimum, large enough to hold its scrollbar plus the single string "XXXX" in the font being used, plus the shadow. Infinitely stretchable in both dimensions.</p>
Notes	<p>A Helper never generates events in its own name. It can be accessed in its own name, but this is not recommended.</p> <p>OS-related errors can occur: nonexistent directory in path, current directory became inaccessible, protection violation, etc. The default reaction to these errors is just to refuse to activate anything. In such a state, GetText will return NIL. The user can get out of this state by typing an absolute pathname of a directory that is known to exist. The underlying FileBrowserVBT interface has a mechanism (the error method) whereby the client can be notified of such errors, to report them to the user appropriately.</p>
See Also	<p>Helper and DirMenu</p>

CONTINUED...

It is common (and recommended) practice to combine a FileBrowser, a DirMenu, and a Helper, with activation and cancellation buttons, in an arrangement like the following, which could be used in an “Open...” dialog.

```
(ZChassis
  (VBox
    (HBox
      (Shape (Width 150) (Height 150)
        (VBox (LabelFont "fixed")
          (DirMenu (For fb))
          (Glue 6)
          (Frame Lowered (BgColor "White")
            (FileBrowser %fb ReadOnly))))
      Fill
      (Shape (Width 100)
        (VBox Fill
          (Button %open "Open")
          (Glue 10)
          (CloseButton "Cancel"))))
    (HBox
      (Shape (Width 30) (Height 16) "File:")
      (Frame Lowered (BgColor "White")
        (Helper (For fb) (Font "fixed")))))
```

See Also DirMenu and Helper



Fill

Leaf

A piece of filler for spacing other objects. Fill uses the background color, and it is essentially a shorthand for `(Glue 0 + Inf)`.

Shape	Both dimensions have zero size and are infinitely stretchable. Thus, the non-principal direction takes on the same shape as its parent.
Notes	Not valid except as the child of a horizontal or vertical split (<code>HBox</code> , <code>HVTile</code> , <code>VBox</code> , or <code>VTile</code>).
See Also	<code>Glue</code>

Filter**Filter**

Overlays its child with reactivity.

<i>Reactivity choices (mutually exclusive):</i>	
Active	(Boolean, #True) When true, mouse and keyboard events are relayed to child. This is the normal case.
Passive	(Boolean, #False) When true, doesn't allow mouse or keyboard events to go to the child; in addition, the cursor is changed to <code>Cursor.NotReady</code> , a watch-face.
Dormant	(Boolean, #False) When true, doesn't send mouse or keyboard events to the child; it also draws a grey screen over the child.
Vanish	(Boolean, #False) When true, doesn't send mouse or keyboard events to the child; in addition, it draws over the child in the background color thereby making it invisible.

Shape The shape of its child.

Notes Of the four properties, exactly one can be in effect at any instant. If more than one is specified, they are considered in the order `Vanish`, `Dormant`, `Passive`, and `Active` to find the first one that is true. If all are false (including `Active`, which defaults to true), an error is raised.

To test the reactivity of a `Filter`, you can call one of the following procedures in the `FormsVBT` interface: `IsActive`, `IsPassive`, `IsDormant`, or `IsVanished`. To change the reactivity, call `MakeActive`, `MakePassive`, `MakeDormant`, or `MakeVanish`.

`FormsVBT` provides a mechanism for accessing the nearest `Filter` component above a named interactor. Thus, `Filter` interactors are typically left unnamed, and some named descendant is used to reference the `Filter` from the application program.

Frame**Filter**

Displays a three-dimensional border around its child.

Shadow-style choices (mutually exclusive):

Raised	(Boolean, #True)
Flat	(Boolean, #False)
Lowered	(Boolean, #False)
Ridged	(Boolean, #False)
Chiseled	(Boolean, #False)

Shape The shape of its child, plus twice the value of ShadowSize in each dimension.

See Also Border and Rim

Generic

Leaf

A placeholder, intended to be taken over by the application. Should always be given a name, so the application can access it. Often has some application-defined interactive behavior. Until taken over, this has the shape and appearance of

```
(Shape (Width 0 + 0) (Height 0 + 0) "")
```

Notes

To take over a Generic, use `PutGeneric`; to retrieve the VBT, use `GetGeneric`. A Generic is implemented as a `Filter.T`, whose child is the VBT specified using `PutGeneric`. Whenever `PutGeneric` is invoked, the size of the new VBT is propagated appropriately.

Generic should be used only when there is no comparable interactor provided by `FormsVBT`, or when the VBT will change dynamically. If you want to use a *subtype* of an interactor, you should use override the `realize` method of the `FormsVBT` object; see `FormsVBT.i3`.

Glue

Leaf

A piece of filler for spacing other objects. Glue displays using the background color, BgColor. (To use the foreground color, use Bar.) Unlike Fill, Glue has specified size and no stretchability in the principal direction (horizontal or vertical) of its parent.

Main	(Size, 1 + 0 - 0)
	The size and stretchability in the principal direction.

Shape The principal direction is explicitly specified; the other direction has zero preferred and minimum size and is infinitely stretchable, thereby taking on the parent's shape.

Notes Not valid except as the child of a horizontal or vertical split (HBox, HVTile, VBox, or VTile).

See Also Fill

Guard

Filter

A filter that covers its child with a striped shadow. On the first click, the guard is removed, exposing and activating the child. If the mouse moves out of the guarded area, the guard returns.

Behavior	On down-click, the shadow becomes recessed; restores the raised shadow on up-click or chord-abort, and generates an event if the mouse is still within the button on the up-click.
Shape	The shape of its child plus the shadow.
Notes	A guard is often used around a component whose action has potentially serious side-effects; e.g., (Button "Delete"), (Boolean "Override").

Helper

Leaf

A type-in field connected to a FileBrowser. A Helper is used for typing filenames, either to select a new file or to switch to another directory.

For	(Name) The name of a FileBrowser. This property is required.
FirstFocus	(Boolean, #False) If this Helper is in a subwindow, then when that subwindow pops up, the keyboard focus will go to this Helper, and its typein field will be selected in replace-mode.

Behavior The helper displays the pathname of the FileBrowser's current directory. The user can also type a name in the Helper; typing Return will then activate that file in the FileBrowser.

In a non-ReadOnly FileBrowser, a Helper is necessary in order to specify a file that does not yet exist (e.g., that the application should create), as in a "Save As ..." dialog.

We recommend using (Font "fixed") in the helper.

Shape The width is zero with infinite stretchability, and the height is as high as one line in the current font.

Notes A Helper never generates events in its own name. It can be accessed in its own name, but this is not recommended.

See Also DirMenu and FileBrowser

HBox**Split**

Organizes its children horizontally, in order from left to right. If it is wider than the sum of its children's widths, the excess is distributed equally among all stretchable children, as far as they will stretch. If all stretchability is exceeded, the excess will be given to the last child. If it is narrower than the sum of its children's widths, it clips on the right, perhaps making some children entirely invisible. All children have height equal to the height of the HBox. Section 3.6 explains the layout model in detail.

Shape	The width is the sum of its children's widths; the height is the maximum of the children's heights, but is stretchable only if all of them are.
--------------	---

See Also	VBox
-----------------	------

HPackSplit**Split**

Organizes its children like words of text in a ragged-right paragraph. The children in any given row have their north boundaries aligned, and all children that are first in their row have their west borders equal to the west border of the parent. A child is horizontally clipped only if its requested horizontal size exceeds the parent's horizontal size; in this case the child will be alone in its row.

HGap	(Real, 2 . 0) This many points separate each child horizontally.
VGap	(Real, 2 . 0) This many points separate each row of children.
Background	(Text, "White") Inter-children (HGap), inter-row (VGap), and end-of-line spaces are displayed in this texture.


Shape The shape is unconstrained in the principal axis and fixed in the other axis.

See Also VPackSplit

HTile

Split

Organizes its children horizontally, in order from left to right, with an adjusting bar between each child. The adjusting bar allows the user to move the boundary between the children, subject to the size range allowed by each child.



Shape Same as HBox.

See Also VTile

Insert

Leaf

Insert is not a component at all. It specifies the name of another resource whose contents are to be included at this point in the S-expression.

Main (Text)

The text argument is the name of a resource containing one or more S-expressions.

Behavior

Insert is convenient for breaking a large FormsVBT description into several files. Typically, such files contain ZChild, ZChassis, and Macro forms.

LinkButton

Filter

A button that provides “random access” to a child of a TSplit. Switches a TSplit to display the specified child.

For	(Name)
	The target, which must be specified. The named component must be either a TSplit child, or a descendant of something that is. In the latter case the TSplit child is the true target.

Behavior Like a Button, but before generating an event, switches a TSplit to display a specific child.

Shape The natural shape of its child (i.e., with no shrink or stretch), plus the border around the button.

Notes The LinkButton need not be a descendant of the TSplit it controls. You may specify more than one LinkButton for the same TSplit.

See Also LinkMButton, PageButton, and TSplit

LinkMButton

Filter

This is the “menu-style” equivalent of LinkButton; it provides “random access” to a child of a TSplit.

For (Name)

The target, which must be specified. The named component must be either a TSplit child, or a descendant of something that is. In the latter case the TSplit child is the true target.

Behavior Like an MButton, but before generating an event, it switches a TSplit to display a specific child.

Shape The natural shape of its child (i.e., with no shrink or stretch), plus the border around the button.

See Also LinkButton, PageMButton, and TSplit

MButton

Filter

A “menu button” is usually a member of a Menu. It can be used anywhere, but its behavior will seem weird in almost any other context.

Behavior	Its child is surrounded by a flat shadow that is recessed whenever the mouse rolls into it. Restores the flat shadow on up-click or chord-abort, and generates an event if the mouse is still within the button on the up-click.
Shape	The natural shape of its child (i.e., with no shrink or stretch), plus the border around the button.
See Also	Button

Menu**Split**

A pull-down menu. The first child, the “anchor”, looks just like a button, and when it is clicked, it pops up the second child. The second child can be any component, and is surrounded by a raised shadow. All other children are ignored. A menu requires a ZSplit somewhere in its ancestry; FormsVBT provides one of these by default.

NotInTrestle (Boolean, #False)
 If true, the menu is installed into a local ZSplit, rather than directly into Trestle, when popped up. Menus installed in Trestle may exceeds the size of the containing window.

Behavior Pops up the second child when the first child is clicked, and keeps it there until the mouse button is released. Typically, the the second child contains a VBox of menu buttons (MButton, PopMButton, PageMButton, LinkMButton).

An event is generated just after the anchor button is activated, and before the second child of Menu is popped up. This is useful for clients whose menu contents are changing dynamically and should be made consistent only when the menu is about to be displayed.

Shape The shape of its first child plus its shadow.

MultiBrowser

Leaf

A browser on a collection of text strings that allows multiple items to be selected.

Contents (Items takes precedence):

Items (TextList)
The contents of the browser.
Example: (Items "a" "b" "c")

From (Text)
If present, this names a resource from which the initial browser contents will be taken, one item per line.

Initial choices (Value takes precedence):

Value (CardinalList)
The positions of selected items.
Example: (Value 1 3 5 2).

Select (TextList)
The list of initially selected items.
Example: (Items "c" "a")

Quick (Boolean, #False)
If true, every selection action is reported as an event. Otherwise, only double-click actions are reported.

Behavior Displays items vertically, with a scrollbar at the left. The left button modifies the selection: If the item under the cursor is not currently selected, it becomes selected; if it is currently selected, it becomes unselected. Dragging sets the state of the additional items to the state it gave to the first item. Middle and right buttons clear any existing selection, and select the item under the cursor. Dragging selects additional items as the mouse passes over them; retreating unselects items. Autoscrolling is implemented, and it continues to select or unselect items as they scroll by.

When **Quick** is true, every selection action also generates an event, on the up-click. Otherwise, an event is not generated until the second up-click of a double-click.

Shape At minimum, large enough to hold its scrollbar plus the single string "XXXX" in the font being used, plus a shadow. Infinitely stretchable in both dimensions.

See Also Browser

Numeric

Leaf

An interactor for integer values. Numeric has an editable displayed number, as well as “increment” and “decrement” buttons.

<code>Value</code>	<code>GP (Integer)</code> The currently displayed number.
<code>AllowEmpty</code>	<code>(Boolean, #False)</code> If true, the component supports a distinct “empty” state. See Notes.
<code>Min</code>	<code>GP (Integer, FIRST (INTEGER))</code> The minimum allowed value.
<code>Max</code>	<code>GP (Integer, LAST (INTEGER))</code> The minimum allowed value.
<code>HideButtons</code>	<code>(Boolean, #False)</code> If true, the numeric interactor appears without increment and decrement buttons.
<code>TabTo</code>	<code>(Name)</code> If given, this is the name of the component to which the keyboard focus will be transferred when the user types Tab.
<code>FirstFocus</code>	<code>(Boolean, #False)</code> If this Numeric is in a subwindow, then when that subwindow pops up, the keyboard focus will go to this Numeric, and its number field will be selected in replace-mode.

Behavior The increment button (+) increments the number, whereas the decrement button (−) decrements it, up to the respective limits. The number field is editable as a single-line `TypeIn`. Typing Return in the number field checks the number; if it is out of range, it is forced to the nearest acceptable value. Increment, decrement, and Return all generate an event.

Shape The shape depends on the `ShadowSize` and `Font` in effect. When the default shadow and font are used, the size of a Numeric is 76 by 19 pixels.

Notes `GetInteger` can be used to retrieve the current value, and `PutInteger` can be used to set it.

When `AllowEmpty` is true, emptiness is a special, out-of-band state for the interactor. In this state the increment and decrement functions are disabled. The value of an empty Numeric is reported as `FIRST (INTEGER)`.

Emptiness can be tested explicitly by `NumericVBT.IsEmpty`, and can be set by `NumericVBT.SetEmpty`.

PageButton

Filter

A button that switches to the next or previous child of a TSplit. Its target is a TSplit, which may be specified by the For property; otherwise the target the nearest TSplit ancestor of the PageButton itself.

For	(Name) If given, names the target, which must be a TSplit.
Back	(Boolean, #False) If true, the button advances backward among children of the TSplit, otherwise it advances forward.

Behavior PageButton is like a Button, but before generating an event, it switches the children of a TSplit. However, if the TSplit is not Circular, and if the last (first) child is already being displayed, nothing happens and no event is generated.

Shape The natural shape of its child (i.e., with no shrink or stretch), plus the border around the button.

Notes If a PageButton is a descendant of the TSplit it controls, it will naturally vanish when activated, due to the nature of TSplits.

You may specify more than one PageButton for the same TSplit.

See Also LinkButton, PageMButton, and TSplit

PageMButton

Filter

This is the “menu-style” equivalent of PageButton. It switches to the next or previous child of a TSplit. Its target is a TSplit, which may be specified by the For property; otherwise the target the nearest TSplit ancestor of the PageMButton itself.

For (Name)

If given, names the target, which must be a TSplit.

Back (Boolean, #False)

If true, the button advances backward among children of the TSplit, otherwise it advances forward.

Behavior PageMButton is like an MButton, but before generating an event, it switches the children of a TSplit. However, if the TSplit is not Circular, and if the last (first) child is already being displayed, nothing happens and no event is generated.

Shape The natural shape of its child (i.e., with no shrink or stretch), plus the border around the button.

See Also LinkMButton, PageButton, and TSplit

Pixmap

Leaf

Displays a pixmap, centered in the space available. The image in the pixmap is a resource in “pnm” format, representing one of three types of images: “pbm” is a 1-bit-deep (bitmap) image; “pgm” is a greyscale image; “ppm” is a color image.

<code>Main P</code>	(Text) The name of a resource containing the image for a pixmap. The image must be in “pnm” format.
<code>Accurate</code>	(Boolean, #False) If the image is is greyscale or color (pgm or ppm), then this property determines how each RGB value in the pixmap should be displayed on a color-mapped display.
<code>NeedsGamma</code>	(Boolean, #False) If the image is is greyscale or color (pgm or ppm), then this property indicates whether to let Trestle gamma-correct the colors.

Notes	The current foreground and background colors are used for bitmap (pbm) images. In all three formats, if the image is smaller than the space available, the current background color is used for the surrounding space.
Shape	The shape of the pixmap, with infinite stretchability in both dimensions.
See Also	Texture

PopButton

Filter

A button that pops up an overlapping subwindow when clicked. Its target must be specified with the `For` property.

`For` (Name)

If given, this names the target. The named component must be either an overlapping (non-background) child of a `ZSplit`, or a descendant of something that is. In the latter case, the actual target will be the `ZSplit` child, not the named descendant.

Behavior Like a `Button`, but before generating an event, it pops up its target (or brings the target to the top of it sibling, overlapping windows, if it is already visible).

Shape The natural shape of its child (i.e., with no shrink or stretch), plus the border around the button.

See Also `PopMButton`

PopMButton

Filter

This is the “menu-style” equivalent of PopButton.

For (Name)

If given, this names the target. The named component must be either an overlapping (non-background) child of a `ZSplit`, or a descendant of something that is. In the latter case, the actual target will be the `ZSplit` child, not the named descendant.

Behavior Like an `MButton`, but before generating an event, it pops up its target (or brings the target to the top of it sibling, overlapping windows, if it is already visible).

See Also `PopButton`

Radio

Filter

Unites those descendants that are Choice components into “radio buttons.” Within a Radio, at most one Choice component is selected at any given time.

Value (Name, " ")

The name of the Choice element currently selected. Note that the application can clear the selection, so that no member of the group is selected, but the user cannot. The current selection can be accessed via `FormsVBT.GetChoice` and `FormsVBT.PutChoice`.

Behavior An event is generated whenever the user changes which element of the group is selected. If the Choice element has an attached event procedure, it will be called; otherwise, the event falls through to the Radio group, which may also have an attached procedure. Thus an event can occur in the name of the Radio group, though the group itself has no interactive behavior.

Shape The shape of its child.

Ridge

Leaf

Displays a ridged, three-dimensional divider bar with the specified size in the principal direction (horizontal or vertical) of its parent.

<code>Main</code>	(Real, 1 . 5) The size in the principal direction.
-------------------	---

Shape The principal direction is explicitly specified; the other direction has zero preferred and minimum size and is infinitely stretchable, thereby taking on the parent's shape.

Notes Not valid except as the child of a horizontal or vertical split (`HBox`, `HVTile`, `VBox`, or `VTile`).

See Also `Bar` and `Chisel`

Rim**Filter**

Displays a rim around its child. A rim is like a border, but uses the background color rather than the foreground color.

Pen	(Real, 1 . 0) The thickness of the rim.
Texture	(Text) The name of a pixmap-resource used for the border's texture, which defaults to <code>Pixmap.Solid</code> .

Shape The shape of its child, plus twice the value of Pen in each dimension.

See Also Border and Frame

Scale**Filter**

Scale provides a filter that changes the *resolution*, not the size, of its child. Both graphics and fonts are scaled.

HScale	(Real, 1.0) The horizontal scaling factor.
VScale	(Real, 1.0) The vertical scaling factor.
Auto	(Boolean, #False) ?? takes precedence over AutoFixed... There are two ways you can use a "Scale" component: With the HScale and VScale properties, the "Scale" allows you to explicitly set a horizontal and vertical scale factor. Alternatively, with Auto the scale factors are set so that the child's natural size always fills the screen real estate it's been given. A variant of Auto is AutoFixed: here, the child is scaled by the same amount both horizontally and vertically. The amount is chosen so that the natural size of child just fits in the larger direction given and fits fine in the other direction.
AutoFixed	(Boolean, #False) ??

Shape The shape of the child.

Behavior Scale does not change the size of the child, just the size of the "pixels." Graphic elements will be scaled fairly precisely. Fonts will be scaled to the nearest available font. If you are scaling components that include text, for best results, HScale and VScale should have the same value.

If you are specifying a Font or LabelFont in a component that is going to be scaled, you should use the "long form" of the font's name in order to specify the point size; e.g.,

```
(Font
  (Family "fixed")
  (WeightName "medium")
  (Slant "r")
  (Width "normal")
  (PointSize 120))
```

Scroller

Leaf

An integer-valued scroll bar interactor. The full range of the scroll bar is gray, and the “thumb” is a white rectangular stripe somewhere within the scroll bar. The scroll bar represents the interval $[\text{Min} \dots \text{Max}]$, and the thumb represents the subinterval $[\text{Value} \dots (\text{Value} + \text{Thumb})]$.

<code>Value</code>	<code>GP (Integer, 50)</code>	The current value; always between <code>Min</code> and <code>Max-Thumb</code> , inclusive.
<code>Min</code>	<code>GP (Integer, 0)</code>	The minimum value allowed.
<code>Max</code>	<code>GP (Integer, 100)</code>	The maximum value allowed. <code>Value</code> is within <code>Min</code> and <code>Max-Thumb</code> .
<code>Thumb</code>	<code>GP (Cardinal, 0)</code>	A non-negative number no greater than <code>Max-Min</code> .
<code>Step</code>	<code>GP (Cardinal, 1)</code>	The amount to increment or decrement <code>Value</code> when “continuous scrolling.”
<code>Vertical</code>	<code>(Boolean, #False)</code>	If true, the scroll bar is oriented vertically, from south (<code>Min</code>) to north (<code>Max</code>). Otherwise, the scroll bar goes from west to east.

CONTINUED...

Behavior The user can adjust the position of the thumb with the mouse. For the sake of explanation, suppose that the scroll bar is adjacent and attached (via an application program) to a column containing the numbers Min through Max. At any given time, Thumb+1 of the numbers (i.e., Value through Value+Thumb) are visible in the attached view.


The semantics of the mouse are as follows: A left click scrolls the view towards its end by moving the number at the mouse so it becomes the first number visible in the view. A right click scrolls the view towards its beginning by bringing the first number visible in the view to the position of the mouse. A middle click scrolls the view to the mouse by bringing the top of the thumb to the position of the mouse. Holding the left or right button without moving the mouse will cause (after a short time) continuous scrolling to begin. If you then drag the mouse, any continuous scrolling is terminated and the view scrolls with the mouse.

An event is generated after each time the Value of the scroll bar is changed. That can happen after any click, while continuous scrolling is in effect, and while dragging the mouse. When continuous scrolling causes the thumb to reach its limit, the scroll bar doesn't continue to generate events, since the value is no longer changing.

It is not unreasonable for the application to modify properties of the scroll bar (the thumb, in particular) while processing an event.

Notes The scroll bar does not allow canceling.

Shape Vertical sliders have a minimum size of 13x27 pixels, with infinite vertical stretch. Horizontal sliders have a minimum size of 27x13 pixels, with infinite horizontal stretch.



Shape**Filter**

The Shape filter is used for putting size-constraints on a component.

Height (Size)

Width (Size)

Notes

For information on sizes, see sections 3.6 and 3.6.1.

Source

Filter


A Source component is a filter, used for drag-and-drop actions. It generates an event on an uncancelled upclick. A typical event-handler will call `SourceVBT.GetTarget` to see whether the Source is over a Target and take some action if it is. For example, a source-icon representing a file might delete the file when it is dragged and released over a target-icon representing a “trash can.” A tiling window manager might make every window both a Source and Target to permit windows to be exchanged.

Behavior If the Source is located over a Target when the mouse-button is down, the Source’s `hit` method is called.

See Also Target

Target**Filter**

A Target is a filter that marks its child as a destination for a Source component.



Behavior By default a Target component inverts its highlighting when there is a Source component overhead.

See Also Source

Text

Leaf

Displays a single-line text string, by default centered horizontally and vertically in the space available.

<i>Contents (Main takes precedence):</i>	
Main	(Text) The text.
From	(Text) The name of a resource from which the text will be taken.

<i>Centering choices (mutually exclusive):</i>	
Center	(Boolean, #True) Causes the text to be centered.
LeftAlign	(Boolean, #False) Causes the text to be left-aligned.
RightAlign	(Boolean, #False) Causes the text to be right-aligned.

Margin	(Real, 2.0) Forces this many points of margin on the east and west sides of the text.
--------	--

Shape The bounding rectangle of the text, including $2 * \text{Margin}$.

Notes Text components use the `LabelFont` property, not the `Font` property.

TextEdit

Leaf

A multi-line, editable text with a scrollbar.

<i>Contents (Value takes precedence):</i>	
Value	(Text, "") The contents.
From	(Text) The name of a resource from which the text will be taken.

ReadOnly	(Boolean, #False) If true, the text will not be editable.
Clip	(Boolean, #False) If true, the long lines will be clipped, not wrapped.
TurnMargin	(Real, 2.0) If long lines are wrapped, then a small grey bar will appear at the end of the first line and the beginning of the next to indicate that the line was wrapped. TurnMargin specifies the width of the grey bar.
NoScrollbar	(Boolean, #False) If true, there will be no scrollbar or thin line to the left of the text area.
FirstFocus	(Boolean, #False) If true, and if this component is in a subwindow, then when that subwindow pops up, this component will acquire the keyboard focus.

Notes	For details on the editing commands, see the description of TextPort in the <i>VBToolkit Reference Manual</i> [2].
Notes	This form produces an object that is a subtype of TextEditVBT.T, which contains a TextPort.T and (optionally) a TextPort.Scrollbar. To override methods such as filter on the textport, the client should the realize method of the FormsVBT.T; see Section 4.7, page 69 for an example.
See Also	TypeIn and Typescript

Texture

Leaf

Displays a rectangle in some texture.

<code>Main</code>	(Texture) The name of a pixmap-resource used for the texture. The default is to use <code>Pixmap.Solid</code> for the texture.
<code>LocalAlign</code>	(Boolean, #False) If true, the texture is aligned to the northwest corner of the underlying VBT. Otherwise, it's aligned with the coordinate origin. Note that all other interactors that use textures are necessarily aligned with the coordinate origin.

Shape Zero size and infinitely stretchable in both dimensions.

See Also Pixmap

TrillButton

Filter

A button, generates an event on the down-click and continues to generate events while the mouse is held down over the button.

Behavior	Highlights on down-click, and generates an event. If held long enough, generates events repeatedly at some frequency until released, canceled (by chording), or moved outside the domain of the button. When moved outside the button and still held, events are suspended until the mouse is returned to the domain of the button. At that point, the button is re-highlighted and event generation is resumed. The button is unhighlighted when the button is released or canceled.
Notes	The initial hold-period and the repeat-period should ultimately be governed by an application-independent user profile.
Shape	The natural shape of its child (i.e., with no shrink or stretch), plus the border around the button.

TSplit**Split**

Organizes its children temporally: exactly one child is visible at any given time. Has no direct interactive behavior, but the user can change which child is shown by using `PageButton` and `LinkButton`.

<code>Value</code>	<code>GP</code> (Cardinal, 0) Which child is currently shown. The first child is numbered 0.
<code>Which</code>	(Name) The name of the currently visible child. If both <code>Value</code> and <code>Which</code> are specified, they must refer to the same child.
<code>Circular</code>	(Boolean, #False) If true, makes the <code>TSplit</code> view its children as a circular rather than a linear list, thereby changing the behavior of <code>PageButton</code> .
<code>Flex</code>	(Boolean, #False) If true, the <code>TSplit</code> will change shape to fit the shape of the child on display at the moment. Otherwise switching the visible child never changes the <code>TSplit</code> 's shape. A change of shape can lead to resizing that cascades throughout the entire form, so use with care.

Shape If `Flex` is false, the width and height are separately computed as the maximum of the widths and heights of the children. If `Flex` is true, shape is identical to the shape of the currently displayed child.

See Also `LinkButton`, `LinkMButtonm`, `PageButton`, and `PageMButton`

TypeIn

Leaf

A single-line editable text.

Contents (Value takes precedence):

Value ^{GP} (Text, "")
 The current text.

From (Text)
 If present, names a resource from which the initial text will be taken.

ReadOnly (Boolean, #False)
 If true, the text-area will not be editable.

ExpandOnDemand (Boolean, #False)
 If true, the text area will grow and shrink vertically, as required, to contain the entire text.

FirstFocus (Boolean, #False)
 If true, and if this TypeIn is in a subwindow, then when that subwindow pops up, this TypeIn will acquire the keyboard focus, and its text will be selected in replace-mode.

TabTo (Name)
 If given, this is the name of the component to which the keyboard focus will be transferred when the user types Tab.

TurnMargin (Real, 2.0)
 If long lines are wrapped, then a small grey bar will appear at the end of the first line and the beginning of the next to indicate that the line was wrapped. TurnMargin specifies the width of the grey bar.

CONTINUED...

Behavior	<p>This is a text editor, normally used for small type-in fields.</p> <p>Typing Return generates an event.</p> <p>Extensive application control can be exercised by direct calls on procedures in the <code>TextPort</code> interface.</p>
Shape	<p>The width is initially 30 times the width of the widest character in the font. It has infinite shrinkability and stretchability. It is initially one line high. If <code>ExpandOnDemand</code> is false, then it always keeps that height; otherwise, the height changes to accomodate the entire text, but never less than one line.</p>
Notes	<p>For details on the editing commands, see the description of the <code>TypeinVBT</code> interface in the <i>VBTKit Reference Manual</i>[2].</p>
See Also	<p><code>TextEdit</code> and <code>Typescript</code></p>

Typescript

Leaf

This is like `TextEdit`, but it provides a reader and a writer for accessing the text, and the lines of text that have been read become read-only as far as the editor is concerned. It is useful for “transcripts.” By connecting the reader and writer to a pipe that runs a command interpreter, you can get some of the effects of a “shell.” Typescripts are always given scrollbars.

<code>ReadOnly</code>	(Boolean, #False) If true, the text-area will not be editable.
-----------------------	---

<code>Clip</code>	(Boolean, #False) If true, the long lines will be clipped, not wrapped.
-------------------	--

<code>TurnMargin</code>	(Real, 2.0) If long lines are wrapped, then a small grey bar will appear at the end of the first line and the beginning of the next to indicate that the line was wrapped. <code>TurnMargin</code> specifies the width of the grey bar.
-------------------------	--

Notes	For details on the editing commands, see the description of <code>TextPort</code> in the <i>VBTKit Reference Manual</i> [2].
--------------	--

See Also	<code>TextEdit</code> and <code>TypeIn</code>
-----------------	---

VBox**Split**

Organizes its children vertically, in order from top to bottom. If it is taller than the sum of its children's heights, the excess is distributed equally among all stretchable children, as far as they will stretch. If all stretchability is exceeded, the excess will be given to the last child. If it is shorter than the sum of its children's heights, it clips on the bottom, perhaps making some children entirely invisible. All children have width equal to the width of the VBox. Section 3.6 explains the layout model in detail.

Shape	The height is the sum of its children's heights; the width is the maximum of the children's widths, but is stretchable only if all of them are.
--------------	---

See Also	HBox
-----------------	------

Viewport

Filter

A Viewport is a filter that provides scrollbars (both horizontal and vertical) to let you view its child-component when the child's preferred size is bigger than the Viewport's size. In much the same way as a Browser is used to view many lines of text, a Viewport can be used to see a large VBox. Also, the Viewport can split into two or more views of the child.

Fixed	(Boolean, #False) If this is true, then the split views will not be adjustable.
UnrelatedShape	(Boolean, #False) By default, the shape of the child-component is equal to the Viewport's shape in the non-axis direction of the viewport. If this property is true, however, then the child is given its preferred shape, unrelated to the shape of the viewport.
Step	(Cardinal, 10) The number of pixels to move while scrolling.

Axis choices (mutually exclusive):

Vertical	(Boolean, #True)
Horizontal	(Boolean, #False)

CONTINUED...

Scrolling choices (mutually exclusive):

HorAndVer	(Boolean, #True) This puts a horizontal and vertical scrollbar on every view, and a “reset” button in the southwest corner that moves the northwest corner of the child to the northwest corner of the view.
HorOnly	(Boolean, #False) Places a horizontal scrollbar at the bottom of the Viewport, and none at the side.
VerOnly	(Boolean, #False) Places a vertical scrollbar on the left side of the Viewport, and none at the bottom.
AlaViewport	(Boolean, #False) This specifies that there is a scrollbar in the same axis as the Viewport. Thus, AlaViewport for a vertical viewport is equivalent to VerOnly.
Auto	(Boolean, #False) This specifies that scroll bars appear only when the preferred size of the child exceeds the size of the Viewport (along that axis).
NoScroll	(Boolean, #False) This specifies that there should be no scrollbars.

Notes Typing meta-left-click in a vertical scrollbar will split the view of the adjacent window, Meta-right-click will merge two views.

VPackSplit**Split**

Organizes its children vertically, in order from top to bottom, like paragraphs in a newspaper. The children in any given column have their west boundaries aligned, and all children that are first in their column have their north borders equal to the north border of the parent. A child is vertically clipped only if its requested vertical size exceeds the parent's vertical size; in this case the child will be alone in its column.

HGap	(Real, 2.0) This many points separate each column of children.
VGap	(Real, 2.0) This many points separate each child vertically.
Background	(Text, "White") Inter-children (HGap), inter-row (VGap), and end-of-line spaces are displayed in this texture.


Shape The shape is unconstrained in the vertical axis.

See Also HPackSplit

VTile

Split

Organizes its children vertically, in order from top to bottom, with an adjusting bar between each child. The adjusting bar allows the user to move the boundary between the children, subject to the size range allowed by each child.

**Shape**

The height is the sum of its children's heights; the width is the maximum of the children's widths, but is stretchable only if all of them are.

See Also

HTile

ZBackground**Filter**

ZBackground is a filter that should be put around the first, background child of a ZSplit. This filter will clip highlighting that takes place within the background child from the other children of the ZSplit.

See Also ZSplit, ZChassis, and ZChild

ZChassis

Filter

A handy setup for a standard, titled, draggable subwindow (a non-background child of a ZSplit). The top of the subwindow contains a banner with a *close button*, a *title* that can be used to drag the window, and a *grow button*.

At	(List, 0.5 0.5) This determines the initial position of the subwindow. See ZChild.
Open	(Boolean, #False) If true, the subwindow is initially visible. See ZChild.
Title	(Sx, (Text "<Unnamed>")) This is the text inside the draggable part of the title bar.
NoClose	(Boolean, #False) If true, the close button is omitted.

Shape Shape of its child plus borders, frames, and the title bar.

See Also ZSplit and ZChild

Except for some details of the feedback and the handling of keywords, ZChassis could be defined by a macro:

```
(Macro ZChassis ((Open    #False)
                 (At      (0.5 0.5))
                 (Title    "<Untitled>")
                 child)
  `(ZChild
    (Open ,Open)
    (At ,@At)
    (Shape (Width + Inf)
      (Border
        (VBox
          (HBox
            (CloseButton "C")
            Bar
            (ZMove ,Title)
            Bar
            (ZGrow "G"))
          Bar
          (Frame ,child))))))
```

ZChild

Filter

A hook on which to hang various properties (such as `At` and `Name`) that control the behavior of an overlapping subwindow. In practice, most overlapping subwindows begin with a `ZChild` with properties. `ZChild` itself has no interactive behavior or appearance, but because it is a `HighlightVBT`, it ensures that `Buttons` and other descendants that also highlight by `HighlightVBT` don't visually interfere with other overlapping subwindows.

<code>At</code>	(<code>At</code> , 0.5 0.5) Position, as discussed in Section 3.7.
<code>Open</code>	(Boolean, #False) If true, the subwindow is initially visible. Otherwise, it is invisible until opened by user or program action (typically via <code>PopButton</code> or <code>PopMButton</code>). Open subwindows are useful for achieving layouts that cannot be achieved by a hierarchy of <code>HBoxes</code> and <code>VBoxes</code> .

See Also `ZSplit` and `ZChassis`

ZGrow

Filter

A button that has the side effect of reshaping its nearest subwindow-ancestor. A ZGrow button is therefore useful in a ZChild.

See Also ZChassis and ZSplit

ZMove

Filter

A button that has the side effect of repositioning its nearest ancestor that's a non-background child of a ZSplit. A ZMove button is therefore useful in a ZChild (see ZChassis).

See Also ZChassis and ZSplit

ZSplit**Split**

Organizes its children as overlapping subwindows. The first child is special: it is the background, and it underlies all overlapping windows and defines the shape of the ZSplit itself. The background child should be enclosed in a ZBackground form. It's recommended that non-background children of ZSplit be either ZChild or ZChassis, since those interactors support position control, non-interfering highlighting, and so on.

Shape	The shape of its background child.
--------------	------------------------------------

See Also	CloseButton, ZChassis, ZChild, ZMove, and ZGrow
-----------------	---

B. Miscellaneous Interfaces

This appendix describes interfaces that are of interest to FormsVBT programmers.

The `ColorName` interface describes the names that are permitted in FormsVBT color-expressions, e.g., (`BgColor "VividTomato"`). While these names are useful to all FormsVBT programmers, the procedures in the interface will be useful primarily to VBTkit programmers.

The `XTrestle` interface provides utility procedures for handling the display and geometry command-line parameters that use the X server.

You should use `XParam` interface instead of `XTrestle` if your application installs more than one top-level window.

The `FVTypes` interface provides the type definitions of the VBT classes implementing each FormsVBT component. Clients that override the `realize` method will need to access this interface.

The `Rsrc` interface describes how constant data (texts, pixmaps, form-descriptions, etc.) can be combined with a program.

B.1 The ColorName Interface

The ColorName interface provides a standard mapping between color names and linear RGB triples.

The implementation recognizes the following names, based on those found in `/usr/lib/X11/rgb.txt`:

AliceBlue	ForestGreen	MintCream	SandyBrown
AntiqueWhite †	Gainsboro	MistyRose †	SeaGreen †
Aquamarine †	GhostWhite	Moccasin	Seashell †
Azure †	Gold †	NavajoWhite †	Sienna †
Beige	Goldenrod †	Navy	SkyBlue †
Bisque	GoldenrodYellow	NavyBlue	SlateBlue †
Black	Gray ‡	OldLace	SlateGray †
BlanchedAlmond	Green †	OliveDrab †	SlateGrey
Blue †	GreenYellow	OliveGreen †	Snow †
BlueViolet	Grey ‡	Orange †	SpringGreen †
Brown †	Honeydew †	OrangeRed †	SteelBlue †
Burlywood †	HotPink †	Orchid †	Tan †
CadetBlue †	IndianRed †	PapayaWhip	Thistle †
Chartreuse †	Ivory †	PeachPuff †	Tomato †
Chocolate †	Khaki †	Peru	Turquoise †
Coral †	Lavender	Pink †	Violet
CornflowerBlue	LavenderBlush †	Plum †	VioletRed †
Cornsilk †	LawnGreen	Powderblue	Wheat †
Cyan †	LemonChiffon †	Purple †	White
DeepPink †	LimeGreen	Red †	WhiteSmoke
DeepSkyBlue †	Linen	RosyBrown †	Yellow †
DodgerBlue †	Magenta †	Royalblue †	YellowGreen
Firebrick †	Maroon †	SaddleBrown	
FloralWhite	MidnightBlue	Salmon †	

The dagger (†) indicates that the implementation recognizes a name along with the suffixes 1–4; e.g., Red, Red1, Red2, Red3, and Red4.

The double dagger (§) indicates that the implementation also recognizes the names with the suffixes 0 through 100. That is, Gray0, Gray1, ..., Gray100, as well as Grey0, Grey1, ..., Grey100.

In addition, the name of a color C from this list can be prefixed by one or more of the following modifiers:

<i>Term</i>	<i>Meaning</i>
Light Pale	1/3 of the way from C to white
Dark Dim	1/3 of the way from C to black
Drab Weak Dull	1/3 of the way from C to the gray with the same brightness as C
Vivid Strong Bright	1/3 of the way from C to the purest color with the same hue as C
Reddish	1/3 of the way from C to red
Greenish	1/3 of the way from C to green
Bluish	1/3 of the way from C to blue
Yellowish	1/3 of the way from C to yellow

Each of these modifiers can be modified in turn by the following prefixes, which replace “1/3 of the way” by the indicated fraction:

<i>Term</i>	<i>Degree</i>	<i>% (approx.)</i>
VeryVerySlightly	1/16 of the way	6%
VerySlightly	1/8 of the way	13%
Slightly	1/4 of the way	25%
Somewhat	3/8 of the way	38%
Rather	1/2 of the way	50%
Quite	5/8 of the way	63%
Very	3/4 of the way	75%
VeryVery	7/8 of the way	88%
VeryVeryVery	15/16 of the way	94%

The modifier Medium is also recognized as a shorthand for SlightlyDark. (But you cannot use VeryMedium.)

```
INTERFACE ColorName;
```

```
IMPORT Color, List;
```

```
EXCEPTION NotFound;
```

```
PROCEDURE ToRGB (name: TEXT): Color.T RAISES {NotFound};
```

Give the RGB.T value described by name, ignoring case and whitespace. A cache of unnormalized names is maintained, so this procedure should be pretty fast for repeated lookups of the same name.

```
PROCEDURE NameList (): List.T;
```

Return a list of all the “basic” (unmodified) color names known to this module, as lower-case TEXTs, in alphabetical order.

```
END ColorName.
```

B.2 The XTrestle Interface

XTrestle checks for X-style `-display` and `-geometry` command-line switches and installs a top-level window accordingly. If your application install more than one top-level window, you may find the routines in the XParam interface helpful.

```

INTERFACE XTrestle;

IMPORT TrestleComm, VBT;

EXCEPTION Error;

PROCEDURE Install (v          : VBT.T;
                   applName   : TEXT    := NIL;
                   inst       : TEXT    := NIL;
                   windowTitle: TEXT    := NIL;
                   iconTitle  : TEXT    := NIL;
                   bgColorR   : REAL    := -1.0;
                   bgColorG   : REAL    := -1.0;
                   bgColorB   : REAL    := -1.0;
                   iconWindow : VBT.T   := NIL )
  RAISES {TrestleComm.Failure, Error};
<* LL.sup = VBT.mu *>

This is like Trestle.Install except that the locking level is different and the command line is parsed for
X-style -display and -geometry options.

END XTrestle.

```

The syntax of these switches is described in the X man page and in *The X Window System* [10].

If there is a `-display` argument, it will be made the default Trestle connection for those procedures in the Trestle interface that take a `Trestle.T` as a parameter.

The `TrestleComm.Failure` exception is raised if a call to `Trestle` raises that exception. The `Error` exception is raised if the parameter following `-display` or `-geometry` contains any syntax errors (or is missing).

B.3 The XParam Interface

The XParam interface provides utilities for handling X-style `-display` and `-geometry` command-line arguments. If your application installs a single top-level window, the XTrestle interface may be more appropriate than this interface.

```
INTERFACE XParam;

IMPORT Point, Rect, Trestle, TrestleComm;
```

Here are routines for manipulating the `-display` argument:

```
TYPE
  Display = RECORD
    hostname: TEXT      := "";
    display  : CARDINAL := 0;
    screen   : CARDINAL := 0;
    DECnet   : BOOLEAN  := FALSE
  END;

PROCEDURE ParseDisplay (spec: TEXT): Display RAISES {Error};
<* LL = arbitrary *>

  Return a parsed version of the -display argument in spec.
```

For example, if `spec` contains the string `myrtle.pa.dec.com:0.2`, the record returned would be

```
Display{hostname := "myrtle.pa.dec.com",
        display := 0, screen := 2, DECnet := FALSE}

PROCEDURE UnparseDisplay (READONLY d: Display): TEXT;
<* LL = arbitrary *>

  Return the text-version of the -display argument d.
```

Here are routines for manipulating the `-geometry` argument:

```
CONST Missing = Point.T{-1, -1};

TYPE
  Geometry =
    RECORD
      vertex := Rect.Vertex.NW; (* corner for displacement *)
      dp     := Point.Origin;   (* displacement *)
      size   := Missing;        (* width, height *)
    END;
```

```
PROCEDURE ParseGeometry (spec: TEXT): Geometry RAISES {Error};
<* LL = arbitrary *>
```

Return a parsed version of the -geometry argument in spec.

For example, if spec contains the string 1024x800-0-10, the returned record would be

```
Geometry {Rect.Vertex.SE,
          Point.T {0, 10},
          Point.T {1024, 80}}
```

The size field defaults to Missing. The horizontal and vertical displacements default to Point.Origin (no displacement). The displacements are always positive values; use the vertex field to find out from which corner they are to be offset.

```
PROCEDURE UnparseGeometry (READONLY g: Geometry): TEXT;
<* LL = arbitrary *>
```

Return the text-version of the -geometry argument g.

```
PROCEDURE Position (      trsl: Trestle.T;
                      id   : Trestle.ScreenID;
                      READONLY g   : Geometry      ): Point.T
  RAISES {TrestleComm.Failure};
<* LL.sup = VBT.mu *>
```

Return the position specified by g in the screen coordinates for the screenID id on the window system connected to trsl (cf. Trestle.GetScreens). The value of g.size must not be Missing, unless g.vertex is the northwest corner.

Here is the definition of the Error exception:

```
TYPE
  Info = OBJECT
    spec : TEXT;
    index: CARDINAL
  END;
  GeometryInfo = Info BRANDED OBJECT END;
  DisplayInfo  = Info BRANDED OBJECT END;
```

```
EXCEPTION Error(Info);
```

Parsing errors are reported with the text (spec) and position (index) of the first illegal character in the text.

```
END XParam.
```

An example

Here is an example of how to use this interface to install a VBT *v* as a top level window, obeying the `-display` and `-geometry` arguments given to the application. It relies on the `Params` interface, which provides the number of arguments passed to the program, `Params.Count`, and a procedure to retrieve the value of the *n*th argument, `Params.Get (n)`.

```

VAR
  display, geometry: TEXT := NIL;
  d: XParam.DisplayRec;
  g: XParam.Geometry;
  trsl: Trestle.T;
BEGIN
  FOR i := 1 TO Params.Count - 1 DO
    WITH argument = Params.Get (i) DO
      IF Text.Equal (argument, "-display") THEN
        display := Params.Get (i + 1);
        TRY
          d := XParam.ParseDisplay (display)
        EXCEPT
          | XParam.Error (info) =>
            display := NIL;
            Wr.PutText (Stdio.stderr,
                      "Illegal -display argument: "
                      & info.spec)
        END
      ELSIF Text.Equal (argument, "-geometry") THEN
        geometry := Params.Get (i + 1);
        TRY
          g := XParam.ParseGeometry (geometry);
          IF g.size = XParam.Missing THEN
            WITH shapes = VBTClass.GetShapes (v, FALSE) DO
              g.size.h := shapes [Axis.T.Hor].pref;
              g.size.v := shapes [Axis.T.Ver].pref
            END
          END
        EXCEPT
          | XParam.Error (info) =>
            geometry := NIL;
            Wr.PutText (Stdio.stderr,
                      "Illegal -geometry argument: "
                      & info.spec);

```



```

        END
    END
END
END
END

```

At this point, if `display` is non-NIL, then `d` contains the information from the `-display` argument. Similarly, if `geometry` is non-NIL, then `g` contains the information from the `-geometry` argument. If the window-size specification was missing, the preferred shape of the window is used.

Finally, we now process the `display` and `geometry` information:

```

    trsl := Trestle.Connect (display);
    Trestle.Attach (v, trsl);
    TrestleImpl.SetDefault (trsl);
    Trestle.Decorate (v, ... );
    IF geometry = NIL THEN
        Trestle.MoveNear (v, NIL)
    ELSE
        StableVBT.SetShape (v, g.size.h, g.size.v)
        Trestle.Overlap (
            v, d.screen, XParam.Position(trsl, d.screen, g))
    END;
END;

```

The `TrestleImpl` and `StableVBT` interfaces are part of `Trestle`.

The call to `TrestleImpl.SetDefault` establishes the value of the `-display` argument as the default `Trestle` connection. The call to `StableVBT.SetShape` is used to control the size of a top-level window.

B.4 The FVTypes Interface

This interface declares a type for each component in the language. A client wishing to subclass the VBT used by a component should be sure that the VBT returned by the `overrideVBT` method is a subtype of type listed here.

```
INTERFACE FVTypes;

IMPORT AnchorSplit, BooleanVBT, BorderedVBT, ChoiceVBT,
      FileBrowserVBT, Filter, FlexVBT, GuardedBtnVBT,
      HVSplit, HighlightVBT, ListVBT, MenuSwitchVBT,
      NumericVBT, PackSplit, PixmapVBT, ReactivityVBT,
      ScaleFilter, ScrollerVBT, Shadow, ShadowedVBT,
      ShadowedBarVBT, SourceVBT, SplitterVBT, SwitchVBT,
      TSplit, TextEditVBT, TextureVBT, TextVBT,
      TrillSwitchVBT, TypeinVBT, TypescriptVBT, VBT,
      ViewportVBT, ZChassisVBT, ZGrowVBT, ZMoveVBT,
      ZChildVBT, ZTilps;

TYPE
  FVBar = FlexVBT.T BRANDED OBJECT END;
  FVBoolean <: BooleanVBT.T;
  FVBorder = BorderedVBT.T BRANDED OBJECT END;
  FVBrowser =
    ListVBT.T BRANDED OBJECT END; (* requires a UniSelector *)
  FVButton <: SwitchVBT.T;
  FVChisel = ShadowedBarVBT.T BRANDED OBJECT END;
  FVChoice <: ChoiceVBT.T;
  FVCloseButton <: PublicCloseButton;
  FVDirMenu = FileBrowserVBT.DirMenu BRANDED OBJECT END;
  FVFileBrowser <: FileBrowserVBT.T;
  FVFill = FlexVBT.T BRANDED OBJECT END;
  FVFilter = ReactivityVBT.T BRANDED OBJECT END;
  FVFrame = ShadowedVBT.T BRANDED OBJECT END;
  FVGeneric = FlexVBT.T BRANDED OBJECT END;
  FVGlue = FlexVBT.T BRANDED OBJECT END;
  FVGuard <: GuardedBtnVBT.T;
  FVHBox <: HVSplit.T;
  FVHPackSplit = PackSplit.T;
  FVHTile <: SplitterVBT.T;
  FVHelper = FileBrowserVBT.Helper BRANDED OBJECT END;
  FVLinkButton <: SwitchVBT.T;
  FVLinkMButton <: MenuSwitchVBT.T;
  FVMButton <: MenuSwitchVBT.T;
```

```

FVMenu <: AnchorSplit.T;
FVMultiBrowser =
    ListVBT.T BRANDED OBJECT END; (* requires a MultiSelector *)
FVNumeric <: NumericVBT.T;
FVPageButton <: PublicPageButton;
FVPageMButton <: PublicPageMButton;
FVPixmap = PixmapVBT.T BRANDED OBJECT END;
FVPopButton <: SwitchVBT.T;
FVPopMButton <: MenuSwitchVBT.T;
FVRadio = PublicRadio;
FVRidge = ShadowedBarVBT.T BRANDED OBJECT END;
FVRim = BorderedVBT.T BRANDED OBJECT END;
FVScale = ScaleFilter.T BRANDED OBJECT END;
FVScroller <: ScrollerVBT.T;
FVShape = FlexVBT.T BRANDED OBJECT END;
FVSource <: SourceVBT.T;
FVTSplit = PublicTSplit;
FVTarget = Filter.T BRANDED OBJECT END;
FVText = TextVBT.T BRANDED OBJECT END;
FVTextEdit = TextEditVBT.T BRANDED OBJECT END;
FVTexture = TextureVBT.T BRANDED OBJECT END;
FVTrillButton <: TrillSwitchVBT.T;
FVTypeIn <: TypeinVBT.T;
FVTypescript = TypescriptVBT.T BRANDED OBJECT END;
FVVBox <: HVSplit.T;
FVVTile <: SplitterVBT.T;
FVViewport = ViewportVBT.T BRANDED OBJECT END;
FVZBackground = HighlightVBT.T BRANDED OBJECT END;
FVZChassis <: ZChassisVBT.T;
FVZChild = ZChildVBT.T BRANDED OBJECT END;
FVZGrow = ZGrowVBT.T BRANDED OBJECT END;
FVZMove = ZMoveVBT.T BRANDED OBJECT END;
FVZSplit = ZTilps.T BRANDED OBJECT END;

```

```

TYPE UniSelector <: ListVBT.UniSelector;

```

If you create a subtype of FVBrowser, its .selector field must be NIL or a subtype of FVTypes.UniSelector.

```

TYPE MultiSelector <: ListVBT.MultiSelector;

```

If you create a subtype of FVBrowser, its .selector field must be NIL or a subtype of FVTypes.MultiSelector.

```

TYPE

```

```

PublicCloseButton =
  SwitchVBT.T OBJECT
  METHODS
    init (ch: VBT.T; shadow: Shadow.T): FVCloseButton
  END;

PublicPageButton =
  SwitchVBT.T OBJECT
  METHODS
    init (ch          : VBT.T;
          shadow      : Shadow.T;
          backwards: BOOLEAN;
          tsplit      : FVTSplit ): FVPageButton
  END;

PublicPageMButton =
  MenuSwitchVBT.T OBJECT
  METHODS
    init (ch          : VBT.T;
          shadow      : Shadow.T;
          backwards: BOOLEAN;
          tsplit      : FVTSplit ): FVPageMButton
  END;

PublicRadio = Filter.T OBJECT radio: ChoiceVBT.Group END;

PublicTSplit = TSplit.T OBJECT circular := FALSE END;

END FVTypes.

```

B.5 The Rsrc interface

Resources are arbitrary files that are associated with applications. Resources can be bundled into an application using the `m3bundle` facility. They may also be found in the file system.

This interface supports retrieval of resources using a *search path*. A search path is a list of elements, and each element is either a *path* or a *bundle*. A path is a directory, implemented as a `Pathname.T`. It should already be fully expanded by having called `Pathname.Expand`. A bundle is a `Bundle.T` object, typically created by `m3bundle`.

```
INTERFACE Rsrc;

IMPORT List, Rd, Thread;

TYPE
  Path = List.T; (* of Pathname.T or Bundle.T *)

EXCEPTION NotFound;

PROCEDURE Open (name: TEXT; path: Path): Rd.T RAISES {NotFound};
Search each element of path, from front to back, for the first occurrence of the resource called name and
return a reader on the resource. If the path element is a string s, then a reader is returned if

    FileStream.OpenRead(s & "/" & name)

is successful. If the path element is a bundle b, a reader is returned if

    TextRd.New(Bundle.Get(b, name))

is successful. The NotFound exception is raised if no element of path yields a successful reader on name.
It is a checked runtime error if path contains an element that is neither a string nor a bundle.

PROCEDURE Get (name: TEXT; path: Path): TEXT
  RAISES {NotFound, Rd.Failure, Thread.Alerted};

A convenience procedure to retrieve the contents of the resource name as a TEXT. Get is logically equivalent
to

    VAR rd := Open(name);
  BEGIN
    TRY
      RETURN Rd.GetText(rd, LAST(CARDINAL))
    FINALLY
      Rd.Close(rd)
    END
  END;
```

The implementation is slightly more efficient, because it takes advantage of `Bundle.Get` procedure which returns the contents of the bundle element as a `TEXT`. The `Rd.Failure` exception is raised if `Rd.GetText` or `Rd.Close` report a problem. The `Thread.Alerted` can be raised by the call to `Rd.GetText`.

```
PROCEDURE BuildPath (a1, a2, a3, a4: REFANY := NIL): Path;
```

Build a Path from the non-NIL elements. Each element must be either a `Bundle.T` or a `TEXT`. If a `TEXT`, the string is passed to `Pathname.Expand` and the result is used, if it's non-NIL.

Note: Currently, `Pathname.Expand` is not implemented; `TEXTs` are expanded as follows: The text is assumed to be the name of a directory, unless it starts with a dollar sign. In the latter case, it is assumed to be environment variable and it's expanded using `Env.Get`.

```
END Rsrc.
```

C. An Annotated Example

In this appendix we present a complete example of a non-trivial form, the one used for FormsEdit itself. This form uses nearly all of the FormsVBT components, as well as macros.

It will be easier to understand this form if you can run the FormsEdit program at the same time, to see what each part of the description looks like in the actual application.

The design of a user interface is not easy. We make no claims about this particular one; it has been used by a fair number people for over a year, although details have changed. You may have quite different preferences in fonts, colors, and layout. At the very least, FormsEdit will make it easy for you to “fix” this form!

In this appendix, we present the form hierarchically. We show “line numbers” along the left edge, and each line containing an ellipsis is explained in more detail in a subsequent section, where the line numbers use decimal points.

The following diagram shows the overall structure of the form, which is fairly typical: a top-level filter of some sort with the global properties; some macros; and a ZSplit with a background and dozen or so subwindows. While the entire file is fairly long, the structure is simple.

```

1 (Shape %top ...
2   (Macro TLA ...)
3   (Macro TRA ...)
4   (Macro SEP ...)
5   (Macro BOX ...)
6   (Macro COMMAND ...)
7   (Macro FINDER ...)
8   (Macro YESNO ...)
9   (Macro CONFIRM ...)
10  (Macro FILEDIALOG ...)
11  (ZSplit
12    (ZBackground
13      (VBox (Glue 3)
14        (HBox %menubar ...)
15        (Glue 3)
16        Ridge
17        (TextEdit %buffer)
18        (FINDER ...)))
19    (ZChassis %manpage ...)
20    (ZChild %notFound ...)
21    (ZChild %aboutFE ...)
22    (ZChassis %errorPopup ...)
23    (ZChassis %PPwidthNumeric ...)
24    (ZChassis %snapshotDialog ...)
25    (ZChassis %dumpTablePopup ...)
26    (FILEDIALOG %OpenDialog ...)
27    (FILEDIALOG %SaveAsDialog ...)
28    (CONFIRM %quitConfirmation ...)
29    (CONFIRM %switchConfirmation ...)
30    (CONFIRM %closeConfirmation ...)
31    (YESNO %overwriteConfirmation ...)
32    (YESNO %RevertDialog ...)))

```


C.1 The top-level filter

The outermost form is usually a filter where you can place global properties. In this case, we use a Shape filter so that the editing windows can start out with a similar size.

```

1.0  (Shape %top
1.1    (Width  425 - 200 + Inf)
1.2    (Height 300 - 200 + Inf)
1.3    (LabelFont (Family "new century schoolbook"))
1.4    (Font "fixed")
1.5    (BgColor "PaleYellow")
1.6    (LightShadow "VeryVeryLightBlue")
1.7    (DarkShadow "Blue")
      ...)
```

On lines 1.1 and 1.2, we establish an initial size for the editor window, 425 points wide and 300 points tall. It can shrink to 200x200, and it can grow arbitrarily large. On lines 1.3 and 1.4, we specify the initial fonts for labels (Text forms) and for all the editable-text areas (TextEdit and TypeIn forms). Since the user will want to align columns of text (i.e., pretty-print the form), it is appropriate to use a fixed-width font. We also include the default colors here.

C.2 Simple macros

The first macros are just shorthand: TLA for “Text LeftAlign” and so on.

```

2  (Macro TLA BOA (x) `(Text LeftAlign ,x))
3  (Macro TRA BOA (x) `(Text RightAlign ,x))
4  (Macro SEP () ' (VBox (Glue 3) Ridge (Glue 3)))
```

TLA and TRA are simple, 1-argument macros that are used several times throughout this form. BOA stands for “By Order of Argument,” which means that the arguments are passed by position, not by keyword. This allows us to write (TLA "Open"), for example, instead of (TLA (x "Open")).

SEP, on line 4, is the simplest form of macro, effectively a constant, since it takes no arguments. We use it to separate groups of items within a Menu.

C.3 A recursive macro

The BOX macro produces a series of nested, double-bordered boxes.

```

5.0 (Macro BOX (pens child)
5.1   (IF (= pens '())
5.2     child
5.3     `(Border
5.4       (Pen , (List.Nth pens 0))
5.5       (Rim (Pen , (List.Nth pens 1))
5.6         (BOX (pens , (List.NthTail pens 2))
5.7           (child , child))))))

```

BOX is a recursive macro. It generates expressions of the form

```

(Border (Pen ...)
  (Rim (Pen ...)
    (Border (Pen ...)
      (Rim (Pen ...)
        ...))))

```

The pens-argument is a list of pen-widths; it must have an even number of elements. The even-numbered widths are used for the Borders; the odd-numbered widths are used for the Rims. For example,

```
(BOX (pens (2 4)) (child "Hello!"))
```

expands into

```
(Border (Pen 2) (Rim (Pen 4) "Hello!"))
```

The expression

```
(BOX (pens (2 4 5 10)) (child "Hello!"))
```

expands into

```

(Border (Pen 2)
  (Rim (Pen 4)
    (Border (Pen 5)
      (Rim (Pen 10)
        "Hello!"))))

```

Line 5.1 tests whether there are any pen-widths left in the list. If not, the expansion is simply the “child,” on line 5.2. If there are pen-widths in the list, then the first two are used in lines 5.4 and 5.5, and the rest are passed recursively on line 5.6.

C.4 A macro for menu-items

The `COMMAND` macro generates menu-items that have some text on the left (the name of the command, such as “Open”), some filler-space in the middle, and a `TSplit` containing all the possible keybindings on the right. A keybinding is the name of a keyboard-equivalent for the command, such as **M-o**. `FormsEdit` allows you to change text-editing models, by means of a menu described in Section C.11 on page 170. When you do so, it changes all the keybindings in all the menus. In the Emacs model, for example, the keybinding for “Open” is written **M-o**, but in the Ivy model, it’s **oO**.

```

6.0 (Macro COMMAND BOA (name label k1 k2 k3 k4 (type (MButton)))
6.1   `(@type
6.2     ,name
6.3     (HBox
6.4       (TLA ,label)
6.5       Fill
6.6       (TSplit
6.7         %, (SxSymbol.FromName
6.8           (Text.Cat "Model_"
6.9             (SxSymbol.Name (List.Nth name 1))))
6.10      (TRA ,k1)
6.11      (TRA ,k2)
6.12      (TRA ,k3)
6.13      (TRA ,k4))))))

```

The macro generates `MButtons` by default, as we see at the end of line 6.0. The button contains an `HBox` (line 6.3) that has the left-aligned command-label on the left (line 6.4) and the keybinding on the right (lines 6.6–6.13).

The arguments `k1–k4` are the keybindings for the four models. We use the `TSplit` on line 6.6 to switch among them. The name of the `TSplit` is constructed by concatenating the string “`Model_`” to the name of the menu-item, e.g., “`Model_Open`”. When the user changes the text-editing model, the application calls `FormsVBT.PutInteger(fv, "Model_Open", n)` to set the `TSplit` to `n`th child, where `n` is the index that corresponds to the model.

Arguments are passed to this macro by position (`BOA`), and calls are written as

```
(COMMAND %foo ...)
```

That’s equivalent to writing `(COMMAND (Name foo) ...)`, so the first parameter, `name`, is bound to the list `(Name foo)`. To extract the symbol `foo` from that, we call `(List.Nth name 1)` on line 6.9. Passing that symbol to `SxSymbol.Name` produces the string “`foo`”, which we then concatenate to the string “`Model_Open`” on line 6.8.

C.5 A macro for a Finder-dialog

To provide a user interface for text-searching, we use a “Finder,” a form that contains a type-in field for the search-string, buttons for finding the first, next, or previous occurrence of that string, and a button to hide the form. See Figure C.1. The application searches through the text (the buttons tell it where to start and in which direction to look). If the search succeeds, the matching text is highlighted.

We use this form both in the main editing window and in the help-window, which is why we make it a macro.

```

7.0 (Macro FINDER (first next prev typein show close)
7.1   `(TSplit
7.2     Flex
7.3     Circular
7.4     (LightShadow "White")
7.5     (BgColor "VeryPaleBlue")
7.6     (Shape (Height 0) "")
7.7     (VBox %,show
7.8       Ridge
7.9       (Glue 2)
7.10      (HBox
7.11        (Shape (Width + 0) "Find:")
7.12        (Shape (Width 0 + 3000)
7.13          (Frame Lowered
7.14            (TypeIn %,typein (BgColor "VeryVeryPaleBlue"))))
7.15        (Glue 5)
7.16        (Shape (Width 0 + 1000)
7.17          (Rim (Pen 1) (Button %,first "First")))
7.18        (Shape (Width 0 + 1000) (ShadowSize 2.5)
7.19          (Button %,next "Next"))
7.20        (Shape (Width 0 + 1000)
7.21          (Rim (Pen 1) (Button %,prev "Prev.")))
7.22        (Glue 20)
7.23        (Rim (Pen 1) (PageButton %,close "C")))
7.24      (Glue 2))))

```

The FINDER macro expands into a TSplit with two children. The first child, on line 7.6, has no size at all; since the TSplit has the Flex property (line 7.2), each child gets the size it wants, so “displaying” the first child is displaying nothing.



Figure C.1: *The Finder dialog*

The second child is a VBox, beginning on line 7.7 (see Figure C.1). Since the Finder-dialog appears at the bottom of the editing and Help windows, we separate it from the rest with a Ridge (a 3-D bar) and 2 points' worth of Glue (lines 7.8–7.9). Underneath them is an HBox that contains a type-in field and three buttons: First, Next, and Previous. The Next button is the default, so it has the same effect as typing Return in the type-in field. To indicate that it is the default, it has no Rim, as the First and Prev buttons do (lines 7.17, 7.21). Instead, it uses the same amount of space for its shadow-size (line 7.18): 1 point to match the Rims' Pen-size, plus 1.5 points, which is the default shadow-size.

The (Width 0 + 3000) property on the framed type-in component (line 7.12), and the (Width 0 + 1000) properties on the three buttons, have the effect of dividing the horizontal space into six equal regions (3 + 1 + 1 + 1), the first three of which are given to the type-in. These proportions will persist even if the subwindow grows or shrinks.

The “close button,” marked “C,” is a PageButton (line 7.23). Since the TSplit in which it appears has the Flex property, clicking this button selects the first child, the one that has no size, so the effect is to make the entire TSplit disappear.




Figure C.2: A yes/no dialog produced by the form

```
(YESNO %RevertDialog
  (yesName revert)
  (noName dontRevert)
  (msg "Revert to the last version saved?"))
```

C.6 A macro for yes/no dialogs

A yes/no dialog is a simple form containing two buttons; see Figure C.6 for an example. There are two places in the form where a yes/no dialog is needed (lines 31 and 32); we use this macro to ensure that the dialogs look the same.

```
8.0 (Macro YESNO (Name msg yesName noName)
8.1   `(ZChild %,Name
8.2     (BgColor "VeryPaleGray")
8.3     (LightShadow "White")
8.4     (DarkShadow "VeryDarkGray")
8.5     (Shape (Width 300)
8.6       (BOX (pens (2 2 1 26))
8.7         (child
8.8           (VBox
8.9             ,msg
8.10            (Glue 20)
8.11            (HBox
8.12              Fill
8.13                (Button %,yesName (BgColor "Red")
8.14                  (Shape (Width 80) "Yes"))
8.15              Fill
8.16                (CloseButton %,noName (BgColor "Green")
8.17                  (Shape (Width 80) "No"))
8.18              Fill))))))
```

The call to BOX on line 8.6 produces a 2-point Border around a 2-point Rim, which in turn encloses a 1-point Border around a 26-point Rim, which surrounds the VBox beginning on line 8.8.

The VBox contains a question (line 8.9), some filler, and two equally spaced buttons (8.13 and 8.16). We use the convention that the “safe” option is always green, and the “dangerous” option is red. In our case, the safe option is also the do-nothing option, so we use a CloseButton for “No” (line 8.16).

C.7 A macro for confirmation dialogs

A confirmation dialog is similar to a yes/no dialog, but it offers the user two choices on how to perform some action, plus a third choice of not performing the action at all. For example, the form on line 30 asks the user whether changes should be saved before closing the file. The choices are: yes, close the file, but save the changes first; no, close the file, but discard the changes; and don't close the file at all. The third choice is often simply labeled "Cancel," but a more descriptive label (e.g., "Don't close") may be more helpful.

```

9.0 (Macro CONFIRM (Name question yesName noName
9.1               cancelName cancelLabel)
9.2   `(ZChild %,Name
9.3     (BgColor "VeryPaleBlue")
9.4     (LightShadow "White")
9.5     (DarkShadow "VeryDarkBlue")
9.6     (Shape (Width 300)
9.7       (BOX (pens (2 2 1 26))
9.8         (child
9.9           (VBox
9.10            ,question
9.11            (Glue 20)
9.12            (HBox
9.13              Fill
9.14              (VBox
9.15                (Button %,yesName (BgColor "Green")
9.16                  (Shape (Width 80) "Yes"))
9.17                  (Glue 10)
9.18                  (Button %,noName (BgColor "Red")
9.19                    (Shape (Width 80) "No")))
9.20                (Glue 20)
9.21                (VBox
9.22                  Fill
9.23                  (Filter%,cancelName
9.24                    (CloseButton (Shape (Width 80) ,cancelLabel))))
9.25                Fill))))))

```

The arguments are the name for the subwindow, the question being asked (e.g., "Save changes before quitting?"), the names of the "yes," "no," and "cancel" button, and the text for the cancel button (e.g., "Don't quit").

Note that as in the YESNO macro on lines 8.0–8.18, green is used for the "safe" button, red for the "dangerous" button, but now the text of those buttons is reversed: the "safe" button says "No", and the "dangerous" button says "Yes", because the question being asked in a confirmation dialog is always "dangerous."




Figure C.3: A confirmation dialog

C.8 A macro for a file-chooser

As we mentioned in the description of the FileBrowser component on page 90, it is a good idea to combine a FileBrowser, a DirMenu, and a Helper, with activation and cancellation buttons, in a standard arrangement. We do that with the following macro.

```

10.0 (Macro FILEDIALOG
10.1   (Name BgColor DarkShadow Title fbName OKName OKLabel
10.2     cancelName (cancelLabel "Cancel") helperName
10.3     (ReadOnly #FALSE) (other ()))
10.4   `(ZChassis %,Name
10.5     (BgColor ,BgColor)
10.6     (LightShadow "White")
10.7     (DarkShadow ,DarkShadow)
10.8     (Title ,Title)
10.9     (Shape (Width 300 - 200 + Inf) (ShadowSize 2)
10.10      (Rim
10.11        (Pen 10)
10.12        (VBox
10.13          (HBox
10.14            (Shape (Width 150 + Inf) (Height 150 + Inf)
10.15              (VBox (LabelFont "fixed")
10.16                (DirMenu (For ,fbName))
10.17                (Glue 6)
10.18                (Frame Lowered (BgColor "VeryPaleGray")
10.19                  (FileBrowser %,fbName))))
10.20            Fill
10.21            (Shape (Width 100)
10.22              (VBox
10.23                Fill
10.24                (Button %,OKName ,OKLabel)
10.25                (Glue 10)
10.26                (Filter
10.27                  (CloseButton %,cancelName ,cancelLabel))))))
10.28            (Glue 6)
10.29            (HBox
10.30              (Shape (Width 30) "File:")
10.31              (Frame Lowered
10.32                (Helper %,helperName FirstFocus (For ,fbName)
10.33                  (BgColor "VeryPaleGray"))))
10.34            ,@other))))))

```

While the overall appearance is standard, the names of the components, the colors, the labels,




Figure C.4: The 'Save As...' file-dialog

The fixed-width label-font is used on line 10.15 to make it easier to read filenames. Filename-punctuation such as periods and slashes are often hard to read in small, variable-width fonts.

As in the example on line 9.22, the Filter on line 10.26 makes it possible to de-activate the Cancel button via `FormsVBT.MakeDormant`.

C.9 The background child

```

11  (ZSplit
12      (ZBackground
13          (VBox (Glue 3)
14              (HBox %menubar ...)
15              (Glue 3)
16              Ridge
17              (TextEdit %buffer)
18              (FINDER ...)))
    ...)

```

The background is a VBox with a menubar, the main text-editing area,¹ and the Finder-dialog.

C.10 The menubar

```

14.0  (HBox %menubar
14.1      (Glue 5)
14.2      (Menu ...)
14.3      (Glue 5)
14.4      (Menu ...)
14.5      (Glue 5)
14.6      (Menu ...)
14.7      (Glue 5)
14.8      (Menu ...)
14.9      (Glue 5)
14.10  Fill
14.11  (TSplit %modified
14.12      (Text "")
14.13      (Pixmap (Color "Red") "bnote.pbm"))
14.14  (Text %shortname "")
14.15  Fill
14.16  (Button %parse (BgColor "VeryPaleBlue")
14.17      (Text (Margin 10) "Do It"))
14.18  (Glue 5))

```

The menubar is an HBox with four Menus, a TSplit for the note-icon (14.11–14.13), the filename (14.14), and the “Do it” Button.

¹The most complex component has the shortest description in the form!

This `TSplit` displays either an empty string (14.12) or a small red warning note (14.13), depending on whether there are unsaved changes to the text in the buffer. The application switches between these choices by calling `FormsVBT.PutInteger(fv, "modified", n)`, where `n` is the index of the desired `TSplit`-child.

The name of the file is inserted into the menubar by assigning it to Text component on line 14.14, via `FormsVBT.PutText(fv, "shortname", ...)`. The Fill's on lines 14.10 and 14.15 cause the `TSplit` and the filename to be centered between the menus and the button.

C.11 The quill-pen menu

```

14.2.0 (Menu
14.2.1   (Shape (Width 40) (Height 13.5) (Pixmap "pen.pbm"))
14.2.2   (Border
14.2.3     (VBox
14.2.4       (PopMButton (For aboutFE) (TLA "About FormsEdit..."))
14.2.5       (SEP)
14.2.6       (COMMAND %Help "Help..."
14.2.7         "oH" "M-h" "c-h" "M-h" (PopMButton (For manpage)))
14.2.8       Ridge
14.2.9       (Radio %Model
14.2.10        (HBox
14.2.11          (Glue 10)
14.2.12          (VBox
14.2.13            "Editing Model"
14.2.14            (Choice %ivyModel MenuStyle (TLA "Ivy"))
14.2.15            (Choice %emacsModel MenuStyle (TLA "Emacs"))
14.2.16            (Choice %macModel MenuStyle (TLA "Mac"))
14.2.17            (Choice %xtermModel MenuStyle (TLA "Xterm")))))
14.2.18       Ridge
14.2.19       (COMMAND %quit2 "Quit" "oQ" "M-q" "c-q" "M-q")))))

```

The quill-pen icon was created using `bitmap(1)`, converted to “`pnm`” format by `anytopnm(1)`, and saved in the resource-file named `pen.pbm`. All the menu-buttons have a width of 40 points.

Line 14.2.4 shows a simple pop-menu-button containing a left-aligned string. When the button is released, `FormsVBT` automatically opens the subwindow whose name in this form is `aboutFE`. The subwindow itself is defined on line 21.

The call to `(SEP)` on line 14.2.5 produces the `VBox` that separates groups within a menu. It was defined on line 4; see Section C.2 on page 159.

The first “command” button is the Help button on lines 14.2.6–14.2.7. As it happens, it is a PopMButton, not an MButton; by passing a seventh argument, `(PopMButton (For manpage))`, we avoid getting the default value for the `type` parameter; see line 6.0 in Section C.4 on page 161. The name of the button is `Help`. The four keynames are the keyboard shortcuts for the Ivy, Emacs, Mac,² and Xterm models, in that order.

This macro-call expands into the following expression:

```
(PopMButton (Name Help)
  (HBox (Text LeftAlign "Help...")
    Fill
      (TSplit (Name Model_Help)
        (Text RightAlign "oH")
        (Text RightAlign "M-h")
        (Text RightAlign "c-h")
        (Text RightAlign "M-h"))))
```

The 4 radio-buttons on lines 14.2.14–14.2.17 allow the user to choose the editing model. The group is indented slightly (line 14.2.11).

²We use “c-h” for the Mac, since there is no ISO Latin-1 character that corresponds to the Mac “command” or “cloverleaf” icon.

C.12 The File menu

The File menu has the standard assortment of items: Open, Save, Save As..., etc. The form describes all the visual aspects of the menu; the application interprets each of the commands by attaching an event-handler to each name.

```

14.4.0  (Menu
14.4.1    (Shape (Width 40) "File")
14.4.2    (Border
14.4.3      (Shape (Width 110)
14.4.4        (VBox
14.4.5          (COMMAND %new "New" "oN" "M-n" "c-n" "M-n")
14.4.6          (COMMAND %openMButton "Open..."
14.4.7            "oO" "M-o" "c-o" "M-o"
14.4.8            (PopMButton (For OpenFileDialog)))
14.4.9          (SEP)
14.4.10         (MButton %close (TLA "Close"))
14.4.11         (Filter (COMMAND %save "Save" "oS" "M-s" "c-s" "M-s"))
14.4.12         (PopMButton %saveasMButton (For SaveAsDialog)
14.4.13           (TLA "Save As..."))
14.4.14         (PopMButton %revertbutton (For RevertDialog)
14.4.15           (TLA "Revert To Saved"))
14.4.16         (SEP)
14.4.17         (PopMButton %ppwidthPopMButton (For PPwidthNumeric)
14.4.18           (TLA "PP setup..."))
14.4.19         (COMMAND %PPrint "PPrint" "oP" "M-p" "c-p" "M-p")
14.4.20         (SEP)
14.4.21         (COMMAND %quit "Quit" "oQ" "M-q" "c-q" "M-q")))))

```

The Filter on line 14.4.11 enables the application to gray-out the Save button, which it does when no changes have been made to the buffer, since there's no point in saving an unmodified file.

The Quit button on line 14.4.21 is a duplicate of the item on line 14.2.19 at the bottom of the quill-pen menu. A Quit button normally appears at the bottom of the File menu, as it is here, but some users expect to see it at the bottom of the top-left menu, whatever that may be called. The application attaches the same event-handler to both quit-buttons.

C.13 The Edit Menu

The Edit menu has a standard set of items, plus three additional items for searching.

```

14.6.1 (Menu
14.6.2   (Shape (Width 40) "Edit")
14.6.3   (Border
14.6.4     (Shape (Width 100)
14.6.5       (VBox
14.6.6         (COMMAND %undo "Undo" "cZ" "C-_ " "c-z" "M-z")
14.6.7         (COMMAND %redo "Redo" "csZ" "M-_ " "c-Z" "M-Z")
14.6.8         (SEP)
14.6.9         (COMMAND %cut "Cut" "oX" "C-w" "c-x" "M-x")
14.6.10        (COMMAND %copy "Copy" "oC" "M-w" "c-c" "M-c")
14.6.11        (COMMAND %paste "Paste" "oV" "C-y" "c-v" "M-v")
14.6.12        (COMMAND %clear "Clear" "" "" "" "")
14.6.13        (COMMAND %selectAll "SelectAll"
14.6.14          "oA" "M-a" "c-a" "M-a")
14.6.15        (SEP)
14.6.16        (COMMAND %findMButton "Find..."
14.6.17          "oF" "" "c-f" "M-f"
14.6.18          (LinkMButton (For FindInBuffer2)))
14.6.19        (COMMAND %findNext "Find Next" "c," "C-s" "" "")
14.6.20        (COMMAND %findPrev "Find Prev" "cM" "C-r" "" ""))))))

```

The “Find” button on 14.6.18 is not a `PopMButton` controlling a subwindow, although that would be more typical. Instead, it is a `LinkMButton` that selects the second child (see lines 7.7–7.23) of the Finder-dialog at the bottom of the window. The Finder is a `TSplit`; when its second child appears, the main window shrinks somewhat, but nothing is hidden. The typical pop-up window would *overlap* the main window and could easily obscure the text that the user is highlighted after a successful search.

C.14 The Misc Menu

```

14.8.0 (Menu
14.8.1   (Shape (Width 40) "Misc")
14.8.2   (Border
14.8.3     (VBox
14.8.4       (PopMButton %dumpTable (For dumpTablePopup)
14.8.5         "Show the named VBTs...")
14.8.6       (PopMButton %snapshot (For snapshotDialog)
14.8.7         "Show current snapshot...")
14.8.8       (PopMButton (For errorPopup)
14.8.9         "Show last error message")
14.8.10      (SEP)
14.8.11      (Filter %rescreenFilter (VBox %rescreenMenu))))))

```

The “dumpTable” and “snapshot” buttons bring up windows that give information about the form; they are defined on lines 24–25.

Error messages are reported in a green subwindow in the bottom-right corner (see line 22), but the application automatically closes this window after 5 seconds. The button on line 14.8.8 gives the user a way to bring it back without a 5-second timeout, to read the message more carefully.

Note that the VBox on line 14.8.11 is empty. The application dynamically inserts MButtons here, one pair for each display-screen, for moving the editor window or the result window. On a 1-screen workstation, no buttons are inserted, and the VBox is grayed-out via the Filter. (Some window managers allow windows to be dragged between screens, which is more convenient than using these buttons.)

C.15 The Finder-dialog

The Finder at the bottom of the main window is generated by the following call:

```
18.0 (FINDER
18.1   (show FindInBuffer2)
18.2   (first bhelpfindfirst)
18.3   (next bhelpfindnext)
18.4   (prev bhelpfindprev)
18.5   (typein bhelpfindtext)
18.6   (close bhelpfindclose))
```

The layout is fixed (see Figure C.1); all the parameters are names assigned to the various components. The application attaches event-handlers to these names to perform the search.

C.16 The Help subwindow

```

19.0 (ZChassis %manpage
19.1   (BgColor "VeryPaleBlue")
19.2   (Title "formsedit help")
19.3   (VBox
19.4     (HBox
19.5       (Menu
19.6         (Shape (Width 40) "Edit")
19.7         (VBox
19.8           (COMMAND %mpcopy "Copy" "oC" "M-w" "c-c" "M-c")
19.9           (COMMAND %mpselectAll "SelectAll"
20.0             "oA" "M-a" "c-a" "M-a")
20.1           (SEP)
20.2           (COMMAND %mpfindMButton "Find..."
20.3             "oF" "" "c-f" "M-f"
20.4             (LinkMButton (For FindDialog)))
20.5           (COMMAND %mpfindNext "Find Next"
20.6             "c," "C-s" "" "")
20.7           (COMMAND %mpfindPrev "Find Prev"
20.8             "cM" "C-r" "" ""))
20.9       Fill)
20.10   Ridge
20.11   (Shape (Width 360 + Inf) (Height 150 + Inf)
20.12     (TextEdit ReadOnly %manpagetext))
20.13   (FINDER
20.14     (show FindDialog)
20.15     (first helpfindfirst)
20.16     (next helpfindnext)
20.17     (prev helpfindprev)
20.18     (typein helpfindtext)
20.19     (close helpfindclose)))

```

This is the subwindow that pops up when the user clicks the Help button on line 14.2.6. (See Figure C.5.) Its structure is similar to that of the main window. It contains a menubar (HBox) with one menu, Edit, which has items appropriate for a read-only buffer (e.g., Copy but not Cut). The Edit menu also includes a LinkMButton for another Finder-dialog, just as the main editing window does. Below the menubar is a read-only text-editor, which the application fills with the manpage for FormsEdit. At the bottom of the subwindow is the Finder-dialog, which is shown in the open position in Figure C.5.

C.17 A disappearing subwindow

```

20.0 (ZChild %notfound (BgColor "Red") (Color "White")
20.1   (Rim (Border "Not found")))

```

This is a small subwindow that the application displays—there is no PopButton for this component—whenever a search has failed, either in the editor window or in the “manpage” window. The application removes it after 2 seconds.




Figure C.5: The “manpage” window

C.18 The About... window

```

21.0 (ZChild %aboutFE (BgColor 0.8 0.8 1)
21.1   (BOX (pens (1.5 2 1 12))
21.2     (child
21.3       (VBox
21.4         (Pixmap (Color "Blue") "digitalLogo.pbm")
21.5         (Glue 6)
21.6         "FormsEdit version 2.7"
21.7         "Written by Jim, Marc, and Steve."
21.8         "Copyright \251 1993 Digital Equipment Corp."
21.9         "Send comments to meehan@src.dec.com"
21.10        (Glue 6)
21.11        Ridge
21.12        Ridge
21.13        (Glue 6)
21.14        (HBox
21.15          Fill
21.16          (CloseButton (BgColor "VeryPaleBlue")
21.17                      (LightShadow "White")
21.18                      (Text (Margin 5) "Close"))
21.19          Fill))))))

```

This is a completely static window. Note that the CloseButton (21.16) does not need a For-property, since it closes the subwindow that contains it. The use of the BOX macro (21.1) produces the double-bordered effect. (The 4-character sequence \251 in the middle of the text on line 21.8 is converted into a single character by the S-expression reader; that character’s code is 251₈, which is the ISO Latin-1 standard code for the copyright symbol, ©.)

C.19 The error-message subwindow

```

22.0 (ZChassis %errorPopup
22.1   (At 1. 1. SE)

```



Figure C.6: The “About FormsEdit...” window

C.20 The pretty-print-width subwindow

```

23.0 (ZChassis %PPwidthNumeric
23.1   NoClose
23.2   (BgColor "PaleGold")
23.3   (Title (Text "PrettyPrint width"))
23.4   (At 0.1 0.1 NW)
23.5   (Shape (Width 250 + Inf)
23.6     (Rim
23.7       (Pen 10)
23.8       (VBox
23.9         (HBox
23.10          Fill
23.11          (Shape (Width 80) "Line width:")
23.12          (Glue 10)
23.13          (Shape (Width 70)
23.14            (Numeric %ppwidth FirstFocus
23.15              (BgColor "VeryPaleGold")
23.16              =78 (Min 30) (Max 200)))
23.17          Fill)
23.18          (Glue 10)
23.19          (HBox
23.20            (Shape (Width 0 + 1000)
23.21              (Rim (Pen 1) (Button %ppwRevert "Revert")))
23.22            (Shape (Width 0 + 1000)
23.23              (Rim (Pen 1) (Button %ppwApply "Apply")))
23.24            (Shape (Width 0 + 1000)
23.25              (Rim (Pen 1) (CloseButton "Cancel")))
23.26            (Shape (Width 0 + 1000) (ShadowSize 2.5)
23.27              (Button %ppwOK "OK"))))))))

```

Some people would argue that having a pretty-printer built in to the editor is an essential tool in one's programming environment, regardless of the source language. It is especially helpful when the entire program is a single expression. (A parenthesis-balancer would help, too!) This pop-up window allows the user to specify the maximum line-width that the pretty-printer will use, measured in characters. (The pretty-printer is available as the “PPrint” item in the file menu; see line 14.1.19.) It is sometimes helpful, especially on a 2-screen workstation, to make the window as wide as possible and then to increase the pretty-print width; 150 is a reasonable maximum.




Figure C.7: The “*PrettyPrint width*” window

This subwindow uses the `NoClose` property (see line 23.1), which removes the button labeled “C” from the top-left corner. We do this so that we can be more precise about the side-effects of closing the window. There are two ways to close it. Clicking the `Cancel` button closes it without permanently changing the desired width, that is, the width that will be used on all subsequent calls to the pretty-printer. Clicking `OK`, or typing `Return` in the `Numeric` type-in, will invoke the pretty-printer with the new width, setting that to be the desired width, and finally closing the subwindow.

On line 23.14, the `FirstFocus` property has the effect that the type-in field within the `Numeric` will grab the keyboard focus whenever this subwindow pops up, and it selects the text (the width) in replace-mode, to make it easy for the user to type a new width, hit `Return`, and have the form prettyprinted.

Note that the first three buttons have a 1-point Rim around them, but that the last button, OK, does not. Instead, it has a shadow that is 1 point larger than the default (which is 1.5 points). The effect is to make the OK button stand out a little more: it is the “default” button, so it has the same effect as typing Return in the Numeric. In 2-D style, as on a monochrome screen, “default” buttons are usually given a black border. This is the same convention we used in the Finder window; see Section C.5 on page 162.

C.21 The snapshot subwindow

```

24.0 (ZChassis %snapshotDialog
24.1   (At 0.1 0.9 0.2 0.8 Scaled)
24.2   (BgColor "VeryPaleTurquoise")
24.3   (Title (Text (BgColor "White") (Color "DarkTurquoise")
24.4     "Current Snapshot"))
24.5   (Shape (Height 250 - 100 + Inf)
24.6     (TextEdit %SnapshotText ReadOnly)))

```

This is a subwindow used primarily for debugging “snapshot” and “restore” operations. See Section 4.5 on page 66.

C.22 The named-components subwindow

```

25.0 (ZChassis %dumpTablePopup
25.1   (BgColor "PaleGold")
26.2   (At 0.1 0.9 0.2 0.8 Scaled)
26.3   (Title (Text (BgColor "White") (Color "Blue") "Named VBTs"))
26.4   (Shape (Height 300 - 100 + Inf)
26.5     (TextEdit %VBTtable ReadOnly)))

```

This is also primarily a debugging window, but it’s useful for debugging layout problems. Each named component in the form is described on a separate line that includes its type, its size-range, and its actual size, in both the horizontal and vertical dimensions. For example, the following line appears for the ZChassis on line 23:

```

PPwidthNumeric : FVTypes.FVZChassis
H: [330, 330, 100001] = 330. V: [113, 113, 114] = 113.

```

The name of the component is `PPwidthNumeric`. Its runtime type is `FVTypes.FVZChassis`. Its horizontal size-range has a “lo” and a “pref” of 330 pixels, with a very large “hi” value (essentially unlimited stretchability). Its actual width is 330. Its vertical size-range has no stretchability; “lo” and “pref” are 113 pixels, and “hi” is 114. Its actual size is 113. (The actual size will be 0 for components that are not visible.)

C.23 The open-file dialog

```

26.0 (FILEDIALOG %OpenDialog
26.1   (BgColor "VeryPaleGreen")
26.2   (DarkShadow "RatherDarkGreen")
26.3   (Title "Open an existing file")
26.4   (fbName openfile)
26.5   (ReadOnly #TRUE)
26.6   (OKName open)
26.7   (OKLabel "Open")
26.8   (cancelName cancelOpen)

```

As an addition to the standard file-dialog controls, this one allows the user to specify whether a new pair of windows (editor and result) should be used when displaying a new file. When this macro-call is expanded, the expressions on lines 26.11–26.21 are simply appended (see line 10.34) to the forms inside the VBox that starts on line 10.12.

The radio buttons on lines 26.15 and 26.16 are used by the application to determine whether to open the new file in a separate window.

The radio buttons on lines 26.20 and 26.21 are used to control the value that is passed to the procedure (`FileBrowserVBT.SetSuffixes`) that reads directories.

C.24 The save-as dialog

This window, shown in Figure C.4 on page 168, is simpler than the preceding open-file dialog: it has no “other” parameter, so it contains exactly what the macro specifies. It uses a different background color to distinguish it from the open-file dialog.

```

27.0 (FILEDIALOG %SaveAsDialog
27.1   (BgColor "VeryPaleBlue")
27.2   (DarkShadow "Blue")
27.3   (Title "Save As...")
27.4   (fbName saveasfile)
27.5   (OKName saveas)
27.6   (OKLabel "Save")
27.7   (cancelName cancelsaveas)
27.8   (helperName sfbh))

```

C.25 The confirmation dialogs

The three “confirmation” subwindows all perform a similar function, so the use of a macro makes it easy to give them a similar appearance. All that varies is the text they display. The macro itself is described in Section C.7 on page 166.

```

28.0 (CONFIRM %quitConfirmation
28.1   (question "Save changes before quitting?")
28.2   (yesName saveandquit)
28.3   (noName quitAnyway)
28.4   (cancelName dontquit)
28.5   (cancelLabel "Don't quit"))
29.0 (CONFIRM %switchConfirmation
29.1   (question "Save changes before switching?")
29.2   (yesName saveandswitch)
29.3   (noName switchAnyway)
29.4   (cancelName cancelSwitch)
29.5   (cancelLabel "Don't switch"))
30.0 (CONFIRM %closeConfirmation
30.1   (question "Save changes before closing?")
30.2   (yesName saveandclose)
30.3   (noName closeAnyway)
30.4   (cancelName cancelClose)
30.5   (cancelLabel "Don't close"))

```

C.26 The yes/no dialogs

The “yes/no” subwindows are similar to the “confirmation” windows. The macro is described in Section C.6 on page 164.

```

31.0 (YESNO %overwriteConfirmation
31.1   (msg "That file already exists. Overwrite it?")
31.2   (yesName overwrite)
31.3   (noName dontOverwrite))

```


Acknowledgments

Gidi Avrahami implemented an embryonic FormsVBT prototype in during the summer of 1988.
Ken Brooks helped to implement the original FormsVBT system in Modula-2+ during 1989.

Bibliography

- [1] Gideon Avrahami, Kenneth P. Brooks, and Marc H. Brown. A Two-View Approach To Constructing User Interfaces. *Computer Graphics*, 23(3):137–146, July 1989. A videotape of the system was part of the Video Program at the CHI'90 conference. The CHI '90 Video Program is available in the SIGGRAPH Video Review series.
- [2] Edited by Marc H. Brown and James R. Meehan. VBTkit reference manual. Technical report, DEC Systems Research Center, in preparation.
- [3] Samuel P. Harbison. *Modula-3*. Prentice Hall, 1992.
- [4] Shiz Kobara. *Visual Design with OSF/Motif*. Addison Wesley, 1991.
- [5] Mark A. Linton, John M. Vlissides, and Paul R. Calder. Composing User Interfaces with InterViews. *IEEE Computer*, 22(2):8–22, February 1989.
- [6] Mark S. Manasse and Greg Nelson. Trestle Reference Manual. Technical Report 68, DEC Systems Research Center, December, 1991.
- [7] Mark S. Manasse and Greg Nelson. Trestle tutorial. Technical Report 69, DEC Systems Research Center, May 1, 1992.
- [8] Greg Nelson, editor. *Systems Programming with Modula-3*. Prentice Hall, 1991.
- [9] Randy Pausch, Nathaniel R. Young II, and Robert DeLine. SUIT: The Pascal of User Interface Toolkits. In *Proc. of the ACM Symposium on User Interface Software and Technology*, pages 117–125, November 1991.
- [10] Robert W. Scheifler, James Gettys, and Ron Newman. *X Window System, 2nd edition*. Digital Press, 1990.

Index

LabelFont, 118

AddSymbol
 (FormsVBT), 57

AddUniqueSymbol
 (FormsVBT), 58

argument
 (XParam), 146

At, 46

Attach
 (FormsVBT), 56

AttachEditOps
 (FormsVBT), 56

AttachProc
 (FormsVBT), 56

BuildPath
 (Rsrc), 152

Closure
 (FormsVBT), 56

ColorName interface, 141–142

Delete
 (FormsVBT), 64

Display
 (XParam), 144

FormsVBT interface, 53–64

FVBar
 (FVTypes), 148

FVBoolean
 (FVTypes), 148

FVBorder
 (FVTypes), 148

FVBrowser
 (FVTypes), 148

FVButton
 (FVTypes), 148

FVChisel
 (FVTypes), 148

FVChoice
 (FVTypes), 148

FVCloseButton
 (FVTypes), 148

FVDirMenu
 (FVTypes), 148

FVFileBrowser
 (FVTypes), 148

FVFill
 (FVTypes), 148

FVFilter
 (FVTypes), 148

FVFrame
 (FVTypes), 148

FVGeneric
 (FVTypes), 148

FVGlue
 (FVTypes), 148

FVGuard
 (FVTypes), 148

FVHBox
 (FVTypes), 148

FVHelper
 (FVTypes), 148

FVHPackSplit
 (FVTypes), 148

- FVHTile
 - (FVTypes), 148
- FVLinkButton
 - (FVTypes), 148
- FVLinkMButton
 - (FVTypes), 148
- FVMButton
 - (FVTypes), 148
- FVMenu
 - (FVTypes), 149
- FVMultiBrowser
 - (FVTypes), 149
- FVNumeric
 - (FVTypes), 149
- FVPageButton
 - (FVTypes), 149
- FVPageMButton
 - (FVTypes), 149
- FVPixmap
 - (FVTypes), 149
- FVPopButton
 - (FVTypes), 149
- FVPopMButton
 - (FVTypes), 149
- FVRadio
 - (FVTypes), 149
- FVRidge
 - (FVTypes), 149
- FVRim
 - (FVTypes), 149
- FVScale
 - (FVTypes), 149
- FVScroller
 - (FVTypes), 149
- FVShape
 - (FVTypes), 149
- FVSource
 - (FVTypes), 149
- FVTarget
 - (FVTypes), 149
- FVText
 - (FVTypes), 149
- FVTextEdit
 - (FVTypes), 149
- FVTexture
 - (FVTypes), 149
- FVTrillButton
 - (FVTypes), 149
- FVTSplit
 - (FVTypes), 149
- FVTypeIn
 - (FVTypes), 149
- FVTypes interface, 148–150
- FVTypescript
 - (FVTypes), 149
- FVVBox
 - (FVTypes), 149
- FVViewport
 - (FVTypes), 149
- FVVTile
 - (FVTypes), 149
- FVZBackground
 - (FVTypes), 149
- FVZChassis
 - (FVTypes), 149
- FVZChild
 - (FVTypes), 149
- FVZGrow
 - (FVTypes), 149
- FVZMove
 - (FVTypes), 149
- FVZSplit
 - (FVTypes), 149
- Geometry
 - (XParam), 144
- geometry
 - (XParam), 147
- GeometryInfo
 - (XParam), 145
- Get
 - (Rsrc), 151
- GetBoolean
 - (FormsVBT), 59

- GetChoice
 - (FormsVBT), 60
- GetColorProperty
 - (FormsVBT), 59
- GetGeneric
 - (FormsVBT), 60
- GetInteger
 - (FormsVBT), 58
- GetIntegerProperty
 - (FormsVBT), 59
- GetText
 - (FormsVBT), 58
- GetTextProperty
 - (FormsVBT), 59
- GetTheEventTime
 - (FormsVBT), 57
- GetVBT
 - (FormsVBT), 60
- GetZSplit
 - (FormsVBT), 55
- Info
 - (XParam), 145
- Insert
 - (FormsVBT), 63
- InsertFromFile
 - (FormsVBT), 63
- InsertFromRsrc
 - (FormsVBT), 64
- InsertVBT
 - (FormsVBT), 64
- Install
 - (XTrestle), 143
- IsSelected
 - (FormsVBT), 60
- IsVanished
 - (FormsVBT), 61
- LL
 - (XParam), 144, 145
- MakeDormant
 - (FormsVBT), 61
- MakeEvent
 - (FormsVBT), 57
- MakePassive
 - (FormsVBT), 61
- MakeSelected
 - (FormsVBT), 60
- Menu, 18
- Missing
 - (XParam), 144
- MultiSelector
 - (FVTypes), 149
- Mutually exclusive properties, 72
- MyForm
 - (FormsVBT), 65, 66
- MyMenu
 - (FormsVBT), 65
- NameList
 - (ColorName), 142
- NewFromFile
 - (FormsVBT), 55
- Open
 - (Rsrc), 151
- ParseDisplay
 - (XParam), 144
- ParseGeometry
 - (XParam), 145
- Path
 - (Rsrc), 151
- PopDown
 - (FormsVBT), 61
- PopUp
 - (FormsVBT), 61
- Position
 - (XParam), 145
- Proc
 - (FormsVBT), 56
- Public
 - (FormsVBT), 54

- PublicCloseButton
 - (FVTypes), 150
- PublicPageButton
 - (FVTypes), 150
- PublicPageMButton
 - (FVTypes), 150
- PublicRadio
 - (FVTypes), 150
- PublicTSplit
 - (FVTypes), 150
- PutBoolean
 - (FormsVBT), 59
- PutChoice
 - (FormsVBT), 60
- PutColorProperty
 - (FormsVBT), 60
- PutGeneric
 - (FormsVBT), 60
- PutInteger
 - (FormsVBT), 58
- PutIntegerProperty
 - (FormsVBT), 59
- PutText
 - (FormsVBT), 58
- PutTextProperty
 - (FormsVBT), 59
- reactivity, 61
- Realize
 - (FormsVBT), 65, 66
- Rsrc interface, 151–152
- shapes
 - (XParam), 146
- Symbol names, 30
- TakeFocus
 - (FormsVBT), 62
- ToRGB
 - (ColorName), 141
- UniSelector
 - (FVTypes), 149
- UnparseDisplay
 - (XParam), 144
- UnparseGeometry
 - (XParam), 145
- XParam interface, 144–145
- XTrestle interface, 143